

Board of Directors

Herbert C. Forst
President


John S. Fricker
Vice President

Joseph D. Van Sickle
Secretary

Frank D. Marshall
Treasurer

Marc E. Searl
Director

Strawberry Creek
Lake Hemet Municipal Water Distr.



2480 East Florida Avenue • P.O. Box 5039 • Hemet, CA 92544
Phone: 909.658.3241 • Fax: 909.766.7031

8-151
Santa Ana Region 8
2001 WQA/303 D List Update
Supporting Data
San Jacinto River, Reaches 6 & 7
Page 1 of 2
Santa Ana Region 8
2001 WQA/303 D List Update
Supporting Data
Strawberry Creek


SENT	Page 1 of 2
REC'D	MAY 15 2001


Debra K. Jordan
Office Manager

John Loncar
Water Resources Mgr.

Dave Walter
Field Operations Supvr.

Lake Hemet Municipal Water District
John N. Loncar, Jr.
Water Resources Manager
909.658.3241
jloncar@lhmwd.org





Environmental Laboratory Certification #1156
6100 Valley Court Riverside, CA 92507-0704
P.O. Box 432 Riverside, CA 92502-0432
PH (909) 653-3351 FAX (909) 653-1662
e-mail: esbsales@aol.com
www.babcocklabs.com

EX

GENERAL MINERAL & PHYSICAL & INORGANIC ANALYSIS (9/99)

Date of Report: 01/03/26

Sample ID No. L81868-020

Laboratory

Signature Lab

Name: E.S. BABCOCK & SONS

Director: *Lawrence Chyral*

Name of Sampler: MB

Employed By: Lake Hemet Municipal

Date/Time Sample

Date/Time Sample

Date Analyses

Collected: 01/03/07/1000

Received @ Lab: 01/03/07/1435

Completed: 01/03/1

System

System

Name: LAKE HEMET MWD

Number: 3310022

Name or Number of Sample Source: STRAWBERRY CREEK

* User ID: WAT

Station Number:

* Date/Time of Sample: |01|03|07|1000|

Laboratory Code: 4790

* YY MM DD TTTT


YY MM DD

* Date Analysis completed: |01|03|19|

* Submitted by: _____ Phone #: _____

MCL	REPORTING UNITS	CHEMICAL	ENTRY #	ANALYSES RESULTS	DLF
	mg/L	Total Hardness (as CaCO3) (mg/L)	00900	52	
	mg/L	Calcium (Ca) (mg/L)	00916	16	
	mg/L	Magnesium (Mg) (mg/L)	00927	3	
	mg/L	Sodium (NA) (mg/L)	00929	21	
	mg/L	Potassium (K) (mg/L)	00937	2	
Total Cations Meq/L Value: 2.01					
	mg/L	Total Alkalinity (AS CaCO3) (mg/L)	00410	58	
	mg/L	Hydroxide (OH) (mg/L)	71830	< 3	
	mg/L	Carbonate (CO3) (mg/L)	00445	< 3	
	mg/L	Bicarbonate (HCO3) (mg/L)	00440	71	
*	mg/L+	Sulfate (SO4) (mg/L)	00945	7.0	
*	mg/L+	Chloride (Cl) (mg/L)	00940	23	
45	mg/L	Nitrate (as NO3) (mg/L)	71850	< 2	2.
**	mg/L	Fluoride (F) Temp. Depend. (mg/L)	00951	0.2	
Total Anions Meq/L Value: 1.97					
	Std.Units+	PH (Laboratory) (Std.Units)	00403	8.0	
***	umho/cm+	Specific Conductance (E.C.) (umhos/cm)	00095	220	
****	mg/L+	Total Filterable Residue@180C(TDS) (mg/L)	70300	170	
	Units	Apparent Color (Unfiltered) (Units)	00081	35	
	TON	Odor Threshold at 60 C (TON)	00086	< 1	
	NTU	Lab Turbidity (NTU)	82079	1.9	
0.5	mg/L+	MBAS (mg/L)	38260	0.07	

* 250-500-600 ** 0.6-1.7 *** 900-1600-2200 **** 500-1000-1500



E.S. BABCOCK
& SONS, INC.

ESTABLISHED 1906

PAGE 2 OF 2

INORGANIC CHEMICALS

L81868-020

Environmental Laboratory Certification #1156

6100 Q Valley Court Riverside, CA 92507-0704

P.O. Box 432 Riverside, CA 92502-0432

PH (909) 653-3351 FAX (909) 653-1662

e-mail: esbsales@aol.com

www.babcocklabs.com

MCL	REPORTING UNITS	CHEMICAL	ENTRY #	ANALYSES RESULTS	DLR
1000	ug/L	Aluminum (Al) (ug/L)	01105	120	50.0
6	ug/L	Antimony (ug/L)	01097	ND	6.0
50	ug/L	Arsenic (As) (ug/L)	01002	ND	2.0
1000	ug/L	Barium (Ba) (ug/L)	01007	ND	100.0
4	ug/L	Beryllium (ug/L)	01012	ND	1.0
5	ug/L	Cadmium (Cd) (ug/L)	01027	ND	1.0
50	ug/L	Chromium (Total Cr) (ug/L)	01034	ND	10.0
1000	ug/L+	Copper (Cu) (ug/L)	01042	ND	50.0
300	ug/L+	Iron (Fe) (ug/L)	01045	100	100.0
	ug/L	Lead (Pb) (ug/L)	01051	ND	5.0
50	ug/L+	Manganese (Mn) (ug/L)	01055	ND	20.0
2	ug/L	Mercury (Hg) (ug/L)	71900	ND	1.0
100	ug/L	Nickel (ug/L)	01067	ND	10.0
50	ug/L	Selenium (Se) (ug/L)	01147	ND	5.0
100	ug/L+	Silver (Ag) (ug/L)	01077	ND	10.0
2	ug/L	Thallium (ug/L)	01059	ND	1.0
5000	ug/L	Zinc (Zn) (ug/L)	01092	ND	50.0

ADDITIONAL ANALYSES


1000	ug/L	Nitrite as Nitrogen(N) (ug/L)	00620	ND	400
200	ug/L	Cyanide (ug/L)	01291	ND	100.0


+ Indicates Secondary Drinking Water Standards

Laboratory comments and description of any additional components found:

Total Chromium = ND ug/L @ DLR 1.0 ug/L

SDSHD





Environmental Laboratory Certification #1156
6100 Quail Valley Court Riverside, CA 92507-0704
P.O. Box 432 Riverside, CA 92502-0432
PH (909) 653-3351 FAX (909) 653-1662
e-mail: esbsales@aol.com
www.babcocklabs.com

EX

GENERAL MINERAL & PHYSICAL & INORGANIC ANALYSIS (9/99)

Date of Report: 00/03/23

Sample ID No. L66630-001

Laboratory

Signature Lab

Name: E.S. BABCOCK & SONS

Director:

Name of Sampler: MF

Employed By: Lake Hemet MWD

Date/Time Sample

Date/Time Sample

Date Analyses

Collected: 00/03/08/0941

Received @ Lab: 00/03/08/1420

Completed: 00/03/23

System

System

Name: LAKE HEMET MWD

Number: 3310022

Name or Number of Sample Source: STRAWBERRY CREEK

* User ID: WAT

Station Number:

* Date/Time of Sample: |00|03|08|0941|

Laboratory Code: 4790

* YY MM DD TTTT

YY MM DD

*

Date Analysis completed: |00|03|22|

* Submitted by:

Phone #:

MCL	REPORTING UNITS	CHEMICAL	ENTRY #	ANALYSES RESULTS	DLR
	mg/L	Total Hardness (as CaCO ₃) (mg/L)	00900	58	
	mg/L	Calcium (Ca) (mg/L)	00916	18	
	mg/L	Magnesium (Mg) (mg/L)	00927	3	
	mg/L	Sodium (NA) (mg/L)	00929	22	
	mg/L	Potassium (K) (mg/L)	00937	3	


Total Cations Meq/L Value: 2.18

	mg/L	Total Alkalinity (AS CaCO ₃) (mg/L)	00410	72	
	mg/L	Hydroxide (OH) (mg/L)	71830	< 3	
	mg/L	Carbonate (CO ₃) (mg/L)	00445	< 3	
	mg/L	Bicarbonate (HCO ₃) (mg/L)	00440	88	
*	mg/L+	Sulfate (SO ₄) (mg/L)	00945	8.0	
*	mg/L+	Chloride (Cl) (mg/L)	00940	18	
45	mg/L	Nitrate (as NO ₃) (mg/L)	71850	< 2	2.
**	mg/L	Fluoride (F) Temp. Depend. (mg/L)	00951	0.3	

Total Anions Meq/L Value: 2.13

	Std.Units+	PH (Laboratory) (Std.Units)	00403	8.1	
***	umho/cm+	Specific Conductance (E.C.) (umho/cm)	00095	240	
****	mg/L+	Total Filterable Residue@180C(TDS) (mg/L)	70300	170	
	Units	Apparent Color (Unfiltered) (Units)	00081	30	
	TON	Odor Threshold at 60 C (TON)	00086	< 1	
	NTU	Lab Turbidity (NTU)	82079	0.73	
0.5	mg/L+	MBAS (mg/L)	38260	0.05	

* 250-500-600 ** 0.6-1.7 *** 900-1600-2200 **** 500-1000-1500



Environmental Laboratory Certification #1156
 6100 G. Valley Court Riverside, CA 92507-0704
 P.O. Box 432 Riverside, CA 92502-0432
 PH (909) 653-3351 FAX (909) 653-1662
 e-mail: esbsales@aol.com
 www.babcocklabs.com

PAGE 2 OF 2

INORGANIC CHEMICALS

L66630-001

MCL	REPORTING UNITS	CHEMICAL	ENTRY #	ANALYSES RESULTS	DLR
1000	ug/L	Aluminum (Al) (ug/L)	01105	ND	50.
6	ug/L	Antimony (ug/L)	01097	ND	6.
50	ug/L	Arsenic (As) (ug/L)	01002	ND	2.
1000	ug/L	Barium (Ba) (ug/L)	01007	ND	100.
4	ug/L	Beryllium (ug/L)	01012	ND	1.
5	ug/L	Cadmium (Cd) (ug/L)	01027	ND	1.
50	ug/L	Chromium (Total Cr) (ug/L)	01034	ND	10.
1000	ug/L+	Copper (Cu) (ug/L)	01042	ND	50.
300	ug/L+	Iron (Fe) (ug/L)	01045	ND	100.
	ug/L	Lead (Pb) (ug/L)	01051	ND	5.
50	ug/L+	Manganese (Mn) (ug/L)	01055	ND	30.
2	ug/L	Mercury (Hg) (ug/L)	71900	ND	1.0
100	ug/L	Nickel (ug/L)	01067	ND	10.
50	ug/L	Selenium (Se) (ug/L)	01147	ND	5.
100	ug/L+	Silver (Ag) (ug/L)	01077	ND	10.
2	ug/L	Thallium (ug/L)	01059	ND	1.
5000	ug/L	Zinc (Zn) (ug/L)	01092	ND	50.


ADDITIONAL ANALYSES

1000	ug/L	Nitrite as Nitrogen(N) (ug/L)	00620	ND	400
200	ug/L	Cyanide (ug/L)	01291	ND	100.

+ Indicates Secondary Drinking Water Standards

Laboratory comments and description of any additional components found:

SDSHD



E.S. BABCOCK
& SONS, INC.

ESTABLISHED 1906

GENERAL MINERAL & PHYSICAL, & INORGANIC ANALYSIS (4/95)

Environmental Laboratory Certification #1156

6100 J Valley Court Riverside, CA 92507-0704

P.O. Box 432 Riverside, CA 92502-0432

PH (909) 653-3351 FAX (909) 653-1662

e-mail: esbsales@aol.com

www.babcocklabs.com

Date of Report: 03/23/99

Laboratory

Name: E.S. BABCOCK & SONS

Name of Sampler: MB

Date/Time Sample

Collected: 99/03/03/1037

Date/Time Sample

Received @ Lab: 99/03/03/1505

Sample ID No. 152034-003

Signature Lab

Director:

Employed By: Lake Hemet Municipal Water

Date Analyses

Completed: 99/03/1:

System

Name: LAKE HEMET MWD

Name or Number of Sample Source: STRAWBERRY CREEK

System

Number: 3310022

* User ID: WAT

* Date/Time of Sample: |99|03|03|1037|

* YY MM DD TTTT

*

* Submitted by:

Station Number:

Laboratory Code: 4790

YY MM DD

Date Analysis Completed: |99|03|12|

Phone #:

MCL	REPORTING UNITS	CHEMICAL	ENTRY #	ANALYSES RESULTS	DLR
	mg/L	Hardness, (Total) as CaCO ₃	00900	62	
	mg/L	Calcium (Ca)	00916	18	
	mg/L	Magnesium (Mg)	00927	4	
	mg/L	Sodium (NA)	00929	22	
	mg/L	Potassium (K)	00937	3	

Total Cations	Meq/L	Value:	2.3
---------------	-------	--------	-----


	mg/L	Alkalinity, (Total) as CaCO ₃	00410	78	
	mg/L	Hydroxide (OH)	71830	< 3	
	mg/L	Carbonate (CO ₃)	00445	< 3	
	mg/L	Bicarbonate (HCO ₃)	00440	95	
*	mg/L+	Sulfate (SO ₄)	00945	5.4	0.
*	mg/L+	Chloride (Cl)	00940	18	
45	mg/L	Nitrate (as NO ₃)	71850	< 2	2.
**	mg/L	Fluoride (F) Temp. Depend.	00951	0.2	0.

Total Anions	Meq/L	Value:	2.2
--------------	-------	--------	-----

Std.Units+	PH, Laboratory	00403	8.1	
***	uS + Specific Conductance (E.C.)	00095	230	
****	mg/L+ Total Filterable Residue at 180C (TDS)	70300	170	
	Units Color, Apparent (Unfiltered)	00081	10	
	TON Odor Threshold at 60 C	00086	< 1	
	NTU Turbidity, Laboratory	82079	0.52	
0.5	mg/L+ MBAS	38260	< 0.05	

* 250-500-600 ** 1.4-2.4 *** 900-1600-2200 **** 500-1000-1500

MAR 2 1999



Environmental Laboratory Certification #1156
6100 il Valley Court Riverside, CA 92507-0704
P.O. Box 432 Riverside, CA 92502-0432
PH (909) 653-3351 FAX (909) 653-1662
e-mail: esbsales@aol.com
www.babcocklabs.com

PAGE 2 OF 2

INORGANIC CHEMICALS

L52034-003

MCL	REPORTING UNITS	CHEMICAL	ENTRY #	ANALYSES RESULTS	DLR
1000	ug/L	Aluminum (Al)	01105	ND	50.
6	ug/L	Antimony	01097	ND	6.
50	ug/L	Arsenic (As)	01002	ND	2.
1000	ug/L	Barium (Ba)	01007	ND	100.
4	ug/L	Beryllium	01012	ND	1.
5	ug/L	Cadmium (Cd)	01027	ND	1.
50	ug/L	Chromium (Total Cr)	01034	ND	10.
1000	ug/L+	Copper (Cu)	01042	ND	50.
300	ug/L+	Iron (Fe)	01045	ND	100.
	ug/L	Lead (Pb)	01051	ND	5.
50	ug/L+	Manganese (Mn)	01055	ND	20.
2	ug/L	Mercury (Hg)	71900	ND	1.
100	ug/L	Nickel	01067	ND	10.
50	ug/L	Selenium (Se)	01147	ND	5.
100	ug/L+	Silver (Ag)	01077	ND	10.
2	ug/L	Thallium	01059	ND	1.
5000	ug/L	Zinc (Zn)	01092	ND	50.

ADDITIONAL ANALYSES


1000	ug/L	Nitrite as Nitrogen (N)	00620	ND	40
200	ug/L	Cyanide	01291	ND	100.

+ Indicates Secondary Drinking Water Standards

Laboratory comments and description of any additional compounds found:

SDSHD

RECEIVED
MAR 30 1993



6100 Quail valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

E

GENERAL MINERAL & PHYSICAL, & INORGANIC ANALYSIS (4/95)

Date of Report: 04/01/98

Sample ID No. L39689-002

Laboratory

Signature Lab

Name: E.S. BABCOCK & SONS

Director:

Name of Sampler: RN

Employed By: Lake Hemet Municipal WD

Date/Time Sample

Date/Time Sample

Date Analyses

Collected: 98/03/20/0920

Received @ Lab: 98/03/20/1340

Completed: 98/03/3

System

System

Name: LAKE HEMET MWD

Number: 3310022

Name or Number of Sample Source: STRAWBERRY STREAM

* User ID: WAT

Station Number:

* Date/Time of Sample: |98|03|20|0920|

Laboratory Code: 4790

* YY MM DD TTTT

YY MM DD

*

Date Analysis Completed: |98|03|30|

* Submitted by:

Phone #:

MCL	REPORTING UNITS	CHEMICAL	ENTRY #	ANALYSES RESULTS	DLR
	mg/L	Total Hardness (as CaCO3)	00900	34	
	mg/L	Calcium (Ca)	00916	10	
	mg/L	Magnesium (Mg)	00927	< 2	
	mg/L	Sodium (NA)	00929	12	
	mg/L	Potassium (K)	00937	< 2	


| Total Cations Meq/L Value: 1.0 |


	mg/L	Total Alkalinity (AS CaCO3)	00410	45	
	mg/L	Hydroxide (OH)	71830	< 3	
	mg/L	Carbonate (CO3)	00445	< 3	
	mg/L	Bicarbonate (HCO3)	00440	55	
*	mg/L+	Sulfate (SO4)	00945	3.3	0.
*	mg/L+	Chloride (Cl)	00940	9	
45	mg/L	Nitrate (as NO3)	71850	< 2	2.
**	mg/L	Fluoride (F) Temp. Depend.	00951	0.1	0.

| Total Anions Meq/L Value: 1.2 |

	Std.Units+	PH (Laboratory)	00403	7.8	
***	umho/cm+	Specific Conductance (E.C.)	00095	110	
****	mg/L+	Total Filterable Residue at 180C (TDS)	70300	99	
	Units	Apparent Color (Unfiltered)	00081	40	
	TON	Odor Threshold at 60 C	00086	< 3	
	NTU	Lab Turbidity	82079	3.0	
0.5	mg/L+	MBAS	38260	< 0.05	

* 250-500-600 ** 1.4-2.4 *** 900-1600-2200 **** 500-1000-1500





6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

PAGE 2 OF 2

INORGANIC CHEMICALS

L39689-002

MCL	REPORTING UNITS	CHEMICAL	ENTRY #	ANALYSES RESULTS	DLR
1000	ug/L	Aluminum (Al)	01105	300	50.0
6	ug/L	Antimony	01097	ND	6.0
50	ug/L	Arsenic (As)	01002	ND	2.0
1000	ug/L	Barium (Ba)	01007	ND	100.0
4	ug/L	Beryllium	01012	ND	1.0
5	ug/L	Cadmium (Cd)	01027	ND	1.0
50	ug/L	Chromium (Total Cr)	01034	ND	10.0
1000	ug/L+	Copper (Cu)	01042	ND	50.0
300	ug/L+	Iron (Fe)	01045	170	100.0
	ug/L	Lead (Pb)	01051	ND	5.0
50	ug/L+	Manganese (Mn)	01055	ND	30.0
2	ug/L	Mercury (Hg)	71900	ND	1.0
100	ug/L	Nickel	01067	ND	10.0
50	ug/L	Selenium (Se)	01147	ND	5.0
100	ug/L+	Silver (Ag)	01077	ND	10.0
2	ug/L	Thallium	01059	ND	1.0
5000	ug/L	Zinc (Zn)	01092	ND	50.0


ADDITIONAL ANALYSES

1000	ug/L	Nitrite as Nitrogen (N)	00620	<	400	40.0
200	ug/L	Cyanide	01291	<	100	100.0

+ Indicates Secondary Drinking Water Standards

Laboratory comments and description of any additional compounds found:

cc: SDSHD



LAKE HEMET MUNICIPAL
NORTH FORK, SOUTH FORK OF THE SAN JUAN

			N. FORK	S. FORK	STRAWBERRY	N. FORK
			General Mineral & Physical			General Mineral & Physical
	DATE UNITS	DLR	98/03/20	98/03/20	98/03/20	99/03/03
Total Hardness	mg/l		16	82	34	30
Calcium	mg/l		5	25	10	9
Magnesium	mg/l		<2	5	<2	2
Sodium	mg/l		8	21	12	14
Potassium	mg/l		<2	3	<2	2
Total Alkalinity	mg/l		25	110	45	53
Hydroxide	mg/l		<3	<3	<3	<3
Carbonate	mg/l		<3	<3	<3	<3
Bicarbonate	mg/l		30	130	55	64
Sulfate	mg/l	0.5	2	5.3	3.3	1.4
Chloride	mg/l		4	14	9	6
Nitrate (N)	mg/l	2	<2	2	<2	<2
Fluoride	mg/l	0.1	0.1	0.2	0.1	0.3
pH	Std. Units		7.5	8.2	7.8	7.9
Specific Conductance	umho/cm		72	250	110	130
TDS	mg/l		79	160	99	140
Apparent Color	Units		40	40	40	20
Odor	TON		<3	<3	<3	<1
Turbidity	NTU		3.5	3.3	3	1.5
MBAS	mg/l		<0.05	<0.05	<0.05	<0.05
			Inorganic Chemical			Inorganic Chemical
	DATE UNITS	DLR	98/03/20	98/03/20	98/03/20	99/03/03
Aluminum	mg/l	0.05	0.2	0.1	0.3 ✓	0.06
Antimony	mg/l	0.006	ND	ND	ND	ND
Arsenic	mg/l	0.002	ND	0.002	ND	ND
Barium	mg/l	0.1	ND	0.1	ND	ND
Beryllium	mg/l	0.001	ND	ND	ND	ND
Cadmium	mg/l	0.001	ND	ND	ND	ND
Chromium	mg/l	0.01	ND	ND	ND	ND
Copper	mg/l	0.05	ND	ND	ND	ND
Iron	mg/l	0.1	0.19	ND	0.17	ND
Lead	mg/l	0.005	ND	ND	ND	ND
Manganese	mg/l	0.02	ND	ND	ND	ND
Mercury	mg/l	0.001	ND	ND	ND	ND
Nickel	mg/l	0.01	ND	ND	ND	ND
Selenium	mg/l	0.005	ND	ND	ND	ND
Silver	mg/l	0.01	ND	ND	ND	ND
Thallium	mg/l	0.001	ND	ND	ND	ND
Zinc	mg/l	0.05	ND	ND	ND	ND
Nitrite	mg/l	0.4	ND	ND	ND	ND
Cyanide	mg/l	0.1	ND	ND	ND	ND
			Radioactivity			Radioactivity

LAKE HEMET MUNICIPAL
CINTO RIVER AND STRAWBERRY CREEK

S. FORK	STRAWBERRY	N. FORK	S. FORK	STRAWBERRY	N. FORK	S. FORK	STRAWBERRY
General Mineral & Physical		General Mineral & Physical			General Mineral & Physical		
99/03/03	99/03/03	00/03/08	00/03/08	00/03/08	01/03/07	01/03/07	01/03/07
120	62	27	110	58	28	100	52
35	18	9	35	18	9	30	16
7	4	1	6	3	2	6	3
30	22	15	31	22	15	26	21
4	3	2	4	3	2	4	2
150	78	42	130	72	42	110	58
<3	<3	<3	<3	<3	<3	<3	<3
6	<3	<3	<3	<3	<3	<3	<3
180	95	51	170	88	51	140	71
6.1	5.4	3.4	8	8	3.6	6.7	7
18	18	11	20	18	10	21	23
<2	<2	<2	<2	<2	<2	5	<2
0.3	0.2	0.2	0.3	0.3	0.1	0.2	0.2
8.2	8.1	8.2	8.4	8.1	7.9	8.2	8
360	230	150	380	240	130	320	220
230	170	120	230	170	140	220	170
10	10	45	25	30	50	40	35
<1	<1	<1	<1	<1	<1	<1	<1
0.33	0.52	1.7	0.7	0.73	4.6	2.2	1.9
<0.05	<0.05	0.11	0.09	0.05	0.06	0.05	0.07
Inorganic Chemical		Inorganic Chemical			Inorganic Chemical		
99/03/03	99/03/03	00/03/08	00/03/08	00/03/08	01/03/07	01/03/07	01/03/07
ND	ND	ND	ND	ND	0.26 ✓	0.06	0.12
ND	ND	ND	ND	ND	ND	ND	ND
ND	ND	ND	ND	ND	ND	ND	ND
0.1	ND	ND	0.2	ND	ND	0.1	ND
ND	ND	ND	ND	ND	ND	ND	ND
ND	ND	ND	ND	ND	ND	ND	ND
ND	ND	ND	ND	ND	ND	ND	ND
ND	ND	ND	ND	ND	ND	ND	ND
ND	ND	ND	ND	ND	ND	ND	ND
ND	ND	ND	ND	ND	ND	ND	ND
ND	ND	ND	ND	ND	ND	ND	ND
ND	ND	ND	ND	ND	ND	ND	ND
ND	ND	ND	ND	ND	ND	ND	ND
ND	ND	ND	ND	ND	ND	ND	ND
ND	ND	ND	ND	ND	ND	ND	ND
ND	ND	ND	ND	ND	ND	ND	ND
ND	ND	ND	ND	ND	ND	ND	ND
ND	ND	ND	ND	ND	ND	ND	ND
		Radioactivity			Radioactivity		



ENVIRONMENTAL

8-150
Strawberry Cr

ANALYTICAL CHEMISTS

GENERAL MINERAL, PHYSICAL, INORGANIC, & RADIOLOGICAL CHEMICAL ANALYSES

Date of Report: August 29, 2000

Sample ID No. SP 16748-03

Laboratory

Signature Lab

Name: FGL Environmental

Director:

Name of Sampler: MF

Employed By: Lake Hemet MWD

Date/time Sample

Date/Time Sample

Date Analyses

Collected: 08/11/2000-0924 Rec. @ Lab: 08/15/2000-0939 Completed: 08/23/2000

System

System

Name: LAKE HEMET MUNICIPAL WATER DIST. L73070-006

Number:

Name or Number of Sample Source: Strawberry Creek

User ID:

Station Number:

Date/Time of Sample: 0 0 0 8 1 1 0 9 2 4

Laboratory Code: 5 8 6 7

Y Y M M D D T T T T

Submitted by: FGL Environmental

Phone #(805) 659-0910

RADIOLOGICAL CHEMICALS

MCL	UNITS	CHEMICAL	ENTRY	RESULT	DLR
15 !!	pCi/L	Gross Alpha	01501	0.836	1
	pCi/L	Gross Alpha Counting Error	01502	± 0.790	

!! > 5 May require testing for Uranium and/or Radium. Unaccounted Alpha ((Gross Alpha - Uranium) > 15 exceeds MCL.

Note: Gross Alpha/Beta based on Th-230/Cs-137 Standard Curve.

cc: SDSHD

This report package is not intended for use in the State of Utah unless bound or paginated

Corporate Offices & Laboratory
PO Box 272 / 853 Corporation Street
Santa Paula, CA 93061-0272
TEL: 805/659-0910
FAX: 805/525-4172
CA ELAP Certification No: 1573

Office & Laboratory
2500 Stagecoach Road
Stockton, CA 95215
TEL: 209/942-0181
FAX: 209/942-0423
CA ELAP Certification No: 1563

Field Office
Visalia, CA
TEL: 559/734-9473
FAX: 559/734-8435
Mobile: 559/737-2399



ENVIRONMENTAL

ANALYTICAL CHEMISTS

GENERAL MINERAL, PHYSICAL, INORGANIC, & RADIOLOGICAL CHEMICAL ANALYSES

Date of Report: April 28, 2000

Sample ID No. SP 12848-01

Laboratory

Signature Lab

Name: FGL Environmental

Director:

Name of Sampler: MB

Employed By: Lake Hemet MWD

Date/time Sample

Date/Time Sample

Date Analyses

Collected: 04/05/2000-0952 Rec. @ Lab: 04/07/2000-1000 Completed: 04/20/2000

System

Name: Lake Hemet Municipal Water District

System

Number:

Name or Number of Sample Source: Strawberry

L67782-002

User ID:

Station Number:

Date/Time of Sample: 0 0 0 4 0 5 0 9 5 2

Laboratory Code: 5 8 6 7

Y Y M M D D T T T T

Submitted by: FGL Environmental

Phone #(805) 659-0910

RADIOLOGICAL CHEMICALS

MCL	UNITS	CHEMICAL	ENTRY	RESULT	DLR
15 !!	pCi/L	Gross Alpha	01501	0.1	1
	pCi/L	Gross Alpha Counting Error	01502	± 1	

!! > 5 May require testing for Uranium and/or Radium. Unaccounted Alpha ((Gross Alpha - Uranium) > 15 exceeds MCL.

Note: Gross Alpha/Beta based on Th-230/Cs-137 Standard Curve.

This report package is not intended for use in the State of Utah unless bound or paginated

Corporate Offices & Laboratory
PO Box 272 / 853 Corporation Street
Santa Paula, CA 93061-0272
TEL: 805/659-0910
FAX: 805/525-4172
CA ELAP Certification No: 1573

Office & Laboratory
2500 Stagecoach Road
Stockton, CA 95215
TEL: 209/942-0181
FAX: 209/942-0423
CA ELAP Certification No: 1563


Field Office
Visalia, CA
TEL: 559/734-9473
FAX: 559/734-8435
Mobile: 559/737-2399



ENVIRONMENTAL

ANALYTICAL CHEMISTS

GENERAL MINERAL, PHYSICAL, INORGANIC, & RADIOLOGICAL CHEMICAL ANALYSES

Date of Report: February 28, 2000 Sample ID No. SP 10753-01
Laboratory Signature Lab
Name: FGL Environmental Director: 
Name of Sampler: MF Employed By: Lake Hemet MWD
Date/time Sample Date/Time Sample Date Analyses
Collected: 01/26/2000-1047 Rec. @ Lab: 01/28/2000-1030 Completed: 02/11/2000

System System
Name: LAKE HEMET MWD (L64855-002) Number: 3310022


Name or Number of Sample Source: Strawberry Creek

User ID: Station Number:
Date/Time of Sample: 0 0 0 1 2 6 1 0 4 7 Laboratory Code: 5 8 6 7
Y Y M M D D T T T T
Submitted by: FGL Environmental Phone #(805) 659-0910

RADIOLOGICAL CHEMICALS

MCL	UNITS	CHEMICAL	ENTRY	RESULT	DLR
15 !!	pCi/L	Gross Alpha	01501	0.6	1
	pCi/L	Gross Alpha Counting Error	01502	± 1	

!! > 5 May require testing for Uranium and/or Radium. Unaccounted Alpha ((Gross Alpha - Uranium) > 15 exceeds MCL.
Note: Gross Alpha/Beta based on Th-230/Cs-137 Standard Curve.



cc: SDSHD

This report package is not intended for use in the State of Utah unless bound or paginated

Corporate Offices & Laboratory
PO Box 272 / 853 Corporation Street
Santa Paula, CA 93061-0272
TEL: 805/659-0910
FAX: 805/525-4172

Office & Laboratory
2500 Stagecoach Road
Stockton, CA 95215
TEL: 209/942-0181
FAX: 209/942-0423

Field Office
Visalia, CA
TEL: 559/734-9473
FAX: 559/734-8435
Mobile: 559/737-2399

Strawberry Cr.

Lab. No. 970702-1393
Invoice No. 38794

172
Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
658-3241

JUL 07 1997

Submitted	Sampled
By: <u>MLH</u>	<u>WEM</u>
Employer: <u>ESB</u>	<u>LHMWD</u>
Date: <u>07/02/97</u>	<u>07/02/97</u>
Time: <u>1450</u>	

Laboratory Analysis Record

Date & Time set-up 7/2 @ 1600 By TL
Time from collection to set-up: ≤ 6 hrs.
Holding time (max. 6 hrs.) Observed: ☒ Yes ☐ No

Were samples received on ice: ☒ Yes ☐ No
Chain of custody on file: ☐ Yes ☒ No

Sample Marking	Standard Plate Count	Coliform Bacteria												Tubes +	MPN/100ml	Fecal	Tubes +	MPN/1					
		ml Planted	Presumptive					Confirmed															
Lake Hemet AM Release @1054	10	24	+	+	+	+	+	24	+	+	+	+	+	5	50	24	-	-	-	-	0	<2	
		48						48															
	1	24	+	+	+	+	+	24	-	-	-	-	-	2		24	-	-	-	-	0		
		48						48	-	-	+	+											
	0.1	24	+	+	+	+	+	24	-	-	-	-	-	0		24	-	-	-	-	0		
		48						48	-	-	-	-											
		24						24								24							
		48						48															
Strawberry Creek @1138	10	24	+	+	+	+	+	24	+	+	+	+	+	5	220	24	-	-	-	-	0	<2	
		48						48															
	1	24	+	+	+	+	+	24	+	-	+	+	+	4		24	-	-	-	-	0		
		48						48	-														
	0.1	24	-	-	+	+	+	24	+	+	-	-	-	2		24	-	+	+	+	-	0	
		48						48		-	-	-											
		24						24								24							
		48						48															
Foothfork @1156	10	24	+	+	+	+	+	24	-	-	-	-	+	5	500	24	-	-	-	-	+	1	2
		48						48	+	+	+	+											
	1	24	+	+	+	+	+	24	-	-	+	-	-	5		24	-	-	-	-	-	0	
		48						48	+	+		+	+										
	0.1	24	+	+	+	+	+	24	-	-	-	-	-	2		24	-	-	-	-	-	0	
		48						48	+	-	-	-	+										
		24						24								24							
		48						48															

Laurel & Crystal

acteriology
ater Testing
azardous Waste Testing
al...S Certified

Edward S. Babcock & Son, Inc.

P.O. Box 432
Riverside, CA 92502

JUL 07 1997

Lab. No. 970702-B94
Invoice No. 38794

172
Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
658-3241

	Submitted	Sampled
By:	<u>MLH</u>	<u>WEM</u>
Employer:	<u>ESB</u>	<u>LHMWD</u>
Date:	<u>07/02/97</u>	<u>07/02/97</u>
Time:	<u>1450</u>	<u>1207</u>

Laboratory Analysis Record
Date & Time set-up 7/2 @ 1600 By R
Time from collection to set-up: ≤ 6 hrs
Holding time (max. 6 hrs.) Observed: ☒ Yes ☐ No

Were samples received on ice: ☒ Yes ☐ No
Chain of custody on file: ☐ Yes ☒ No

Sample Marking	Standard Plate Count	Coliform Bacteria										Fecal	Tubes +	MPN/1										
		ml Planted	Presumptive					Confirmed							Tubes +	MPN/100ml								
Zomthfork		10	24	+	+	+	+	+	24	+	+	+	+	+	5	240	24	+	+	+	+	+	2	4
			48							48														
		1	24	+	+	+	+	+	24	-	-	-	-	+	5		24	-	-	-	-	-	0	
			48							48	+	+	+	+										
		0.1	24	+	+	+	+	+	24	-	-	-	-	-	0		24	-	-	-	-	-	0	
			48							48	-	-	-	-			-							
			24						24								24							
			48							48														
			24						24								24							
			48							48														
			24						24								24							
			48							48														
			24						24								24							
			48							48														
			24						24								24							
			48							48														
			24						24								24							
			48							48														
			24						24								24							
			48							48														
			24						24								24							
			48							48														
			24						24								24							
			48							48														
			24						24								24							
			48							48														

Edward S. Babcock & Sons, Inc.

Lawrence & Cheryl

JUL 14 1997

To: 172
Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
658-3241

Lab. No. 970709-B266
Invoice No. 38928

Laboratory Analysis Record

Date & Time set-up 7/9 @ 1515 By B

Time from collection to set-up: 16hr

Holding time (max. 6 hrs.) Observed: ☒ Yes ☐ No

Submitted	Sampled
By: MH	RN
Employer: ESB	LHmuD
Date: 7/9/97	7/9/97
Time: 1445	

Were samples received on ice: ☒ Yes ☐ No

Chain of custody on file: ☐ Yes ☒ No

Sample Marking	Standard Plate Count	Coliform Bacteria												Tubes +	MPN/100ml	Fecal	Tubes +	MPN						
		ml Planted	Presumptive					Confirmed																
1 North Fork Stream 1050		10	24	+	+	+	+	+	24	+	+	+	+	+	5	900	24	+	+	+	+	+	5	13
			48						48															
		1	24	+	+	+	+	+	24	-	+	+	+	+	5		24	-	+	+	+	+	4	
			48						48	+														
		0.1	24	+	+	+	+	+	24	+	-	-	+	+	3		24	-	-	-	-	-	0	
			48						48	-	-													
			24						24								24							
			48						48															
2 South Fork Stream 1035		10	24	+	+	+	+	+	24	+	+	+	+	+	5	240	24	+	+	+	+	-	3	6
			48						48															
		1	24	+	+	+	+	+	24	+	+	+	+	+	5		24	-	-	-	-	-	0	
			48						48															
		0.1	24	+	+	+	+	+	24	-	-	-	-	-	0		24	-	-	-	-	-	0	
			48						48	-	-	-	-	-										
			24						24								24							
			48						48															
3 Dam Release 0920		10	24	+	+	+	+	+	24	+	+	+	+	+	5	130	24	+	+	+	+	+	1	α
			48						48															
		1	24	+	+	+	+	+	24	-	-	+	+	+	4		24	-	-	-	-	-	0	
			48						48	+	-													
		0.1	24	+	+	+	+	+	24	-	-	-	-	-	0		24	-	-	-	-	-	0	
			48						48	-	-	-	-	-										
			24						24								24							
			48						48															

alled

ate

ne

Edward S. Babcock & Sons, Inc.

Lawrence J. Chynell

JUL 21 1997

Lab. No. 970716-B483
Invoice No. 39100

172
to: Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
658-3241

	Submitted	Sampled
By:	MH	MSR
Employer:	ESB	LHM
Date:	7/16/97	7/16/97
Time:	1440	

Laboratory Analysis Record

Date & Time set-up 7/16 @ 1530 By B

Time from collection to set-up: 21/6/1997

Holding time (max. 6 hrs.) Observed: ☒ Yes ☐ No

Were samples received on ice: ☒ Yes ☐ No

Chain of custody on file: ☐ Yes ☒ No

Sample Marking	Standard Plate Count	Coliform Bacteria														Tubes +	MPN/100ml	Fecal	Tubes +	MPN				
		ml Planted	Presumptive					Confirmed																
1 Northfork	10	24	+	+	+	+	+	+	24	+	+	+	+	+	5	500	24	+	+	+	+	+	4	13
		48							48															
	1	24	+	+	+	+	+	+	24	+	+	+	+	+	5		24	+	+	+	+	+	0	
		48							48															
2	0.1	24	+	+	+	+	+	+	24	+	+	+	+	+	2		24	+	+	+	+	+	0	
		48							48	+	+	+	+	+										
		24							24								24							
		48							48															
3 Southfork	10	24	+	+	+	+	+	+	24	+	+	+	+	+	5	70	24	+	+	+	+	+	2	4
		48							48															
	1	24	+	+	+	+	+	+	24	+	+	+	+	+	2		24	+	+	+	+	+	0	
		48							48	+	+	+	+	+										
	0.1	24	+	+	+	+	+	+	24	+	+	+	+	+	1		24	+	+	+	+	+	0	
		48							48	+	+	+	+	+										
		24							24								24							
		48							48															
3 Lake Hemet Dam Release 2904	10	24	+	+	+	+	+	+	24	+	+	+	+	+	5	130	24	+	+	+	+	+	0	<2
		48							48															
	1	24	+	+	+	+	+	+	24	+	+	+	+	+	4		24	+	+	+	+	+	0	
		48							48	+	+	+	+	+										
	0.1	24	+	+	+	+	+	+	24	+	+	+	+	+	0		24	+	+	+	+	+	0	
		48							48	+	+	+	+	+										
		24							24								24							
		48							48															

illed
ite
ne

Edward S. Babcock & Sons, Inc.

Lamson & Crystal

Edward S. Babcock & Son, Inc.

P.O. Box 432
Riverside, CA 92502

JUL 28 1997

Lab. No. 970723-B695
Invoice No. 39264

172
): Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
658-3241

	Submitted	Sampled
By:	K.S.	WGM
Employer:	ESB	LHMWD
Date:	7/23/97	7/23/97
Time:	1415	

Laboratory Analysis Record

ate & Time set-up 7/23 @ 1545 By 75
me from collection to set-up: ≤ 6 hr
olding time (max. 6 hrs.) Observed: ☒ Yes ☐ No

Were samples received on ice: ☒ Yes ☐ No
Chain of custody on file: ☐ Yes ☒ No

Sample Marking	Standard Plate Count	Coliform Bacteria																						
		ml Planted	Presumptive					Confirmed					Tubes +	MPN/100ml	Fecal	Tubes +	MPN/100							
D 1135 Northfork		10	24	+	+	+	+	+	24	+	+	+	+	+	5	240	24	-	-	-	-	-	0	2
			48						48															
		1	24	+	+	+	+	+	24	-	-	-	-	+	5		24	-	-	+	-	-	1	
			48						48	+	+	+	+											
		0.1	24	+	+	+	+	+	24	-	-	-	-	-	0		24	-	-	-	-	-	0	
			48						48	-	-	-	-	-										
			24						24								24							
			48						48															
D 1110 Southfork		10	24	+	+	+	+	+	24	-	-	-	+	+	2	4	24	-	-	-	-	-	0	<2
			48						48	-	-	-												
		1	24	+	+	+	+	+	24	-	-	-	-	-	0		24	-	-	-	-	-	0	
			48						48	-	-	-	-	-										
		0.1	24	+	+	+	+	+	24	-	-	-	-	-	0		24	-	-	-	-	-	0	
			48						48	-	-	-	-	-										
			24						24								24							
			48						48															
D Lake Hewitt Dam Release 1042		10	24	+	+	+	+	+	24	+	+	+	+	+	5	50	24	-	-	-	-	-	0	<2
			48						48															
		1	24	+	+	+	+	+	24	+	-	+	-	-	2		24	-	+	+	+	-	0	
			48						48	-	-	-	-											
		0.1	24	+	+	+	+	+	24	-	-	-	-	-	0		24	-	-	-	-	-	0	
			48						48	-	-	-	-	-										
			24						24								24							
			48						48															

~~JUL~~ 23 1997

Edward S. Babcock & Sons, Inc.

Paul C. Labaree

AUG 04 1997

Lab. No. 970730-B869
 Invoice No. 39399

172
 Lake Hemet Municipal Water District
 P.O. Box 5039
 Hemet, CA 92544
 Attn: John Loncar
 658-3241

	Submitted	Sampled
By:	MH	RN
Employer:	ESB	LHMD
Date:	7/30/97	7/30/97
Time:	1500	

Laboratory Analysis Record

Site & Time set-up 7/30 @ 1600 By RL
 Time from collection to set-up: 56hr
 Holding time (max. 6 hrs.) Observed: ☒ Yes ☐ No

Were samples received on ice: ☒ Yes ☐ No
 Chain of custody on file: ☐ Yes ☒ No

Sample Marking	Standard Plate Count	Coliform Bacteria										Tubes +	MPN/100ml	Fecal	Tubes +	MPN/100							
		ml Planted	Presumptive					Confirmed															
North Fork Creek 1115	10	24	+	+	+	+	+	24	+	+	+	+	+	5	1600	24	+	+	+	+	+	5	280
		48						48															
	1	24	+	+	+	+	+	24	+	+	+	+	+	5		24	+	+	+	+	+	4	
		48						48															
	0.1	24	+	+	+	+	+	24	+	+	+	+	+	4		24	+	+	+	+	+	3	
		48						48	+		-												
		24						24								24							
		48						48															
South Fork Creek 1050	10	24	+	+	+	+	+	24	+	+	+	+	+	5	300	24	+	+	+	+	+	0	2
		48						48															
	1	24	+	+	+	+	+	24	+	+	+	+	+	5		24	+	+	+	+	+	0	
		48						48															
	0.1	24	+	+	+	+	+	24	+	+	+	+	+	1		24	+	+	+	+	+	0	
		48						48	+	+	+	+	+										
		24						24								24							
		48						48															
1000 am Release	10	24	+	+	+	+	+	24	+	+	+	+	+	5	50	24	+	+	+	+	+	2	4
		48						48															
	1	24	+	+	+	+	+	24	+	+	+	+	+	2		24	+	+	+	+	+	0	
		48						48	+	+	+	+	+										
	0.1	24	+	+	+	+	+	24	+	+	+	+	+	0		24	+	+	+	+	+	0	
		48						48	+	+	+	+	+										
		24						24								24							
		48						48															

lled
 te
 ne

Edward S. Babcock & Sons, Inc.

Edward S. Babcock

AUG 11 1997

172
To: Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
658-3241

Lab. No. 970806-B16B

Invoice No. 39549

Laboratory Analysis Record

Date & Time set-up 8/6 @ 1600 By JS

Time from collection to set-up: 6 hr

Holding time (max. 6 hrs.) Observed: ☒ Yes ☐ No

	Submitted	Sampled
By:	mH	mJR
Employer:	ESB	LHM
Date:	8/6/97	8/6/97
Time:	1500	

Were samples received on ice: ☒ Yes ☐ No

Chain of custody on file: ☐ Yes ☒ No

Sample Marking	Standard Plate Count	Coliform Bacteria												Tubes +	MPN/100ml	Fecal					Tubes +	MPN		
		ml Planted	Presumptive					Confirmed																
1015		10	24	+	+	+	+	+	24	+	+	+	+	+	5	500	24	+	-	+	+	+	4	2
1) South Fork			48							48														
		1	24	+	+	+	+	+	24	-	-	+	+	+	5		24	-	-	+	+	+	3	
			48							48	+	+												
		0.1	24	+	+	+	+	+	24	-	-	-	-	-	2		24	-	+	+	+	-	0	
			48							48	-	-	+	+			-							
			24						24								24							
			48							48														
2) L.H. Dam Release 1019		10	24	+	+	+	+	+	24	+	+	+	+	+	5	240	24	-	-	+	+	-	1	4
			48							48														
		1	24	+	+	+	+	+	24	+	+	+	+	+	5		24	-	+	-	-	-	1	
			48							48														
		0.1	24	+	+	+	+	+	24	-	-	-	-	-	0		24	-	-	-	-	-	0	
			48							48	-	-	-	-			-							
			24						24								24							
			48							48														
			24						24								24							
			48							48														
			24						24								24							
			48							48														
			24						24								24							
			48							48														
			24						24								24							
			48							48														

alled
ate
ne

Edward S. Babcock & Sons, Inc.

Lawrence J. Chynoweth

172
Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
658-3241

AUG 18 1997

Lab. No. 970813-B451
Invoice No. 39725

Submitted | Sampled
By: MH | WEM
Employer: ESB | LHM
Date: 8/13/97 | 8/13/97
Time: 1500

Laboratory Analysis Record

Date & Time set-up 8/13 @ 1545 By TL

Time from collection to set-up: #1 ≤ 6 hr, #2 > 6 hr

Holding time (max. 6 hrs.) Observed: ☐ Yes ☐ No

Were samples received on ice: ☒ Yes ☐ No

Chain of custody on file: ☐ Yes ☒ No

Sample Marking	Standard Plate Count	Coliform Bacteria												Fecal	Tubes +	MPN/							
		ml Planted	Presumptive					Confirmed					Tubes +				MPN/100ml						
① South Fork 1105	10	24	+	+	+	+	+	24	+	+	+	+	+	5	80	24	-	-	-	-	-	0	42
		48						48															
	1	24	+	+	+	+	+	24	-	-	-	-	+	3		24	-	-	-	-	-	0	
		48						48	-	+	+	-	-										
② Lake Hemet Dam Release 0905	10	24	+	+	+	+	+	24	+	+	+	+	+	5	280	24	-	-	+	+	-	2	4
		48						48															
	1	24	+	+	+	+	+	24	-	+	-	+	-	4		24	-	-	-	-	-	0	
		48						48	+	+	-	-	-										
	0.1	24	+	+	+	+	+	24	-	-	-	-	-	3		24	-	-	-	-	-	0	
		48						48	-	-	+	+	+										
		24						24								24							
		48						48															
		24						24								24							
		48						48															
		24						24								24							
		48						48															
		24						24								24							
		48						48															
		24						24								24							
		48						48															

alled
ate
me

Edward S. Babcock & Sons, Inc.

Edward S. Babcock & Sons Inc.

P.O. Box 432
Riverside, CA 92502

AUG 25 1997

172

Lake Hemet Municipal Water District

P.O. Box 5039

Hemet, CA 92544

Attn: John Loncar

658-3241

Lab. No.	970820-B1054
Invoice No.	39869A

Submitted	Sampled
By: <i>YMH</i>	<i>KN</i>
Employer: <i>ESB</i>	<i>LHMWD</i>
Date: <i>08/20/97</i>	<i>08/20/97</i>
Time: <i>1450</i>	

Laboratory Analysis Record

e & Time set-up 9/20 @ 1520 By LG
e from collection to set-up: 60hr
ding time (max. 6 hrs.) Observed: ☒ Yes ☐ No

Were samples received on ice: ☒ Yes ☐ No
Chain of custody on file: ☐ Yes ☒ No

Sample Marking	Standard Plate Count	Coliform Bacteria											
		ml Planted	Presumptive					Confirmed					MPN/100ml
<i>Q1040</i> <i>rutfork</i>	10	24	+	+	+	+	+	+	+	+	+	5	130
		48											
	1	24	+	+	+	+	+	+	+	+	+	4	
		48											
	0.1	24	+	+	+	+	+	+	+	+	+	0	
		48											
		24											
		48											
<i>Q0940</i> <i>APM RELEASE</i>	10	24	+	+	+	+	+	+	+	+	+	5	300
		48											
	1	24	+	+	+	+	+	+	+	+	+	5	
		48											
	0.1	24	+	+	+	+	+	+	+	+	+	1	
		48											
		24											
		48											
	10	24											
		48											
	1	24											
		48											
	0.1	24											
		48											
		24											
		48											

ed	
e	
e	

Edward S. Babcock & Sons, Inc.

John Babcock

Edward S. Babcock & Sons, Inc.

P.O. Box 432
Riverside, CA 92502

SEP - 2 1997

Bacteriology
Water Testing
Hazardous Waste Testing
MS Certified

Lab. No. 970827-B889
Invoice No. 40048

172
Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
658-3241

	Submitted	Sampled
By:	MH	MJR
Employer:	ESB	LHMWD
Date:	8/27/97	8/27/97
Time:	1400	

Laboratory Analysis Record

Date & Time set-up 8/27 @ 1600 By JS
Time from collection to set-up: #1 > 6hr, #2 ≤ 6hr
Holding time (max. 6 hrs.) Observed: ☐ Yes ☐ No

Were samples received on ice: ☒ Yes ☐ No
Chain of custody on file: ☐ Yes ☒ No

Sample Marking	Standard Plate Count	Coliform Bacteria										Fecal	Tubes +	MPN							
		ml Planted	Presumptive					Confirmed							Tubes +	MPN/100ml					
L. H. Dam Release clg O 9:05	10	24	+	+	+	+	+	24	+	+	+	+	+	24	-	-	-	-	-	D	16
		48						48													
	1	24	+	+	+	+	+	24	+	-	+	-	-	24	-	-	-	-	-	D	
		48						48		-	-	-	-								
	0.1	24	+	+	+	+	+	24	+	-	-	-	-	24	-	-	-	-	-	D	
		48						48		-	-	-	-								
		24						24						24							
		48						48													
Southfork clg O 10:24	10	24	+	+	+	+	+	24	+	+	+	+	+	24	+	+	+	+	+	4	17
		48						48													
	1	24	+	+	+	+	+	24	-	-	+	-	-	24	-	+	-	-	-	1	
		48						48	-	-	+	-	-								
	0.1	24	+	+	+	+	+	24	-	-	-	-	-	24	-	-	-	-	-	D	
		48						48	-	-	-	-	-								
		24						24						24							
		48						48													
	10	24						24						24							
		48						48													
	1	24						24						24							
		48						48													
	0.1	24						24						24							
		48						48													
		24						24						24							
		48						48													

Edward S. Babcock & Sons, Inc.

Allison Mackay

alled
ite
ne

cc: SDSHD/RCHD

acteriology
ater Testing
azardous Waste Testing
a HS Certified

Edward S. Babcock & Son, Inc.

P.O. Box 432
Riverside, CA 92502

SEP 08 1997

Lab. No. 970903-B107
Invoice No. 40185

172
Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
658-3241

	Submitted	Sampled
By:	<u>MH</u>	<u>WEM</u>
Employer:	<u>ESB</u>	<u>LHM</u>
Date:	<u>9/3/97</u>	<u>9/3/97</u>
Time:	<u>1450</u>	

Laboratory Analysis Record

ate & Time set-up 090397 @ 1615 By CW
me from collection to set-up: 56hr
olding time (max. 6 hrs.) Observed: ☒ Yes ☐ No

Were samples received on ice: ☒ Yes ☐ No
Chain of custody on file: ☐ Yes ☒ No

Sample Marking	Standard Plate Count	Coliform Bacteria												Tubes +	MPN/100ml	Fecal	Tubes +	MPN/1						
		ml Planted	Presumptive					Confirmed																
1100 Southfork		10	24	+	+	+	+	+	24	+	+	+	+	+	5	240	24	+	-	+	-	+	3	8
			48						48															
		1	24	+	+	+	+	+	24	+	+	-	-	+	5		24	-	-	-	-	-	0	
			48						48		+	+												
		0.1	24	+	+	+	+	+	24	-	-	-	-	-	0		24	-	-	-	-	-	0	
			48						48	-	-	-	-	-										
			24						24								24							
			48						48															
2) Lake Henet Dam Release 1020		10	24	+	+	+	+	+	24	-	-	-	-	-	1	2	24	-	-	-	-	-	0	<2
			48						48	+	-	-	-	-										
		1	24	+	+	+	+	+	24	-	-	-	-	-	0		24	-	-	-	-	-	0	
			48						48	-	-	-	-	-										
		0.1	24	+	+	+	+	+	24	-	-	-	-	-	0		24	-	-	-	-	-	0	
			48						48	-	-	-	-	-										
			24						24								24							
			48						48															
			24						24								24							
			48						48															
			24						24								24							
			48						48															
			24						24								24							
			48						48															
			24						24								24							
			48						48															

alled
ate
ne

Edward S. Babcock & Sons, Inc.

Allison Mack

SEP 15 1997

Lab. No. 970910-B334
Invoice No. 40368

172
Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
658-3241

	Submitted	Sampled
By:	MH	RN
Employer:	ESB	LHM
Date:	9/10/97	9/10/97
Time:	1445	

Laboratory Analysis Record

Date & Time set-up 9/10 @ 1530 By JS
Time from collection to set-up: #1 ≤ 6hr, #2 > 6hr
Holding time (max. 6 hrs.) Observed: ☐ Yes ☐ No

Were samples received on ice: ☒ Yes ☐ No
Chain of custody on file: ☐ Yes ☒ No

Sample Marking	Standard Plate Count	Coliform Bacteria									
		ml Planted	Presumptive				Confirmed				Tubes +
① 1025 Dam Release	10	24	+	+	+	+	+	+	+	+	3
		48									
	1	24	+	+	+	+	+	+	+	+	0
		48									
	0.1	24	+	+	+	+	+	+	+	+	0
		48									
		24									
		48									
② Southfork Stream 0830	10	24	+	+	+	+	+	+	+	+	5
		48									
	1	24	+	+	+	+	+	+	+	+	4
		48									
	0.1	24	+	+	+	+	+	+	+	+	0
		48									
		24									
		48									
	10	24									
		48									
		24									
		48									
	1	24									
		48									
		24									
		48									
	0.1	24									
		48									
		24									
		48									

alled
ite
ne

Edward S. Babcock & Sons, Inc.

Ellis M. [Signature]

SEP 22 1997

Lab. No. 970917-B573
Invoice No. 40547

172
Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
658-3241

	Submitted	Sampled
By:	<u>M. H</u>	<u>MTJF</u>
Employer:	<u>ESB</u>	<u>LHMWD</u>
Date:	<u>9/17/97</u>	<u>9/17/97</u>
Time:	<u>14:20</u>	

Laboratory Analysis Record
ate & Time set-up 9/17 @ 11:30 By B
me from collection to set-up: 26hr
olding time (max. 6 hrs.) Observed: ☒ Yes ☐ No

Were samples received on ice: ☒ Yes ☐ No
Chain of custody on file: ☐ Yes ☒ No

Sample Marking	Standard Plate Count	Coliform Bacteria														Tubes +	MPN/100ml	Fecal	Tubes +	MPN/10				
		ml Planted	Presumptive					Confirmed																
LH Dam C20 Release 10:26		10	24	+	+	+	+	+	24	+	+	+	+	+	5	30	24	-	-	-	+	+	2	4
			48						48															
		1	24	+	+	+	+	+	24	-	-	-	-	-	0		24	-	-	-	-	-	0	
			48						48	-	-	-	-	-										
		0.1	24	+	+	+	+	+	24	-	-	-	-	-	1		24	-	-	-	-	-	0	
			48						48	-	+	-	-	-										
			24						24								24							
			48						48															
Southfork C20 11:01		10	24	+	+	+	+	+	24	+	+	+	+	+	5	80	24	-	+	-	-	-	1	2
			48						48															
		1	24	+	+	+	+	+	24	-	+	-	+	-	3		24	-	-	-	-	-	0	
			48						48	+	-	-	-											
		0.1	24	+	+	+	+	+	24	-	-	-	-	-	0		24	-	-	-	-	-	0	
			48						48	-	-	-	-	-										
			24						24								24							
			48						48															
			24						24								24							
			48						48															
			24						24								24							
			48						48															
			24						24								24							
			48						48															
			24						24								24							
			48						48															
			24						24								24							
			48						48															

illed
ite
ne

Edward S. Babcock & Sons, Inc.

[Signature]

acteriology
Water Testing
azardous Waste Testing
HS Certified

Edward S. Babcock & Son, Inc.

P.O. Box 432
Riverside, CA 92502

ESTABLISHED 1906

172
Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
658-3241

SEP 29 1997

Lab. No. 970924-B707
Invoice No. 40714

	Submitted	Sampled
By:	<u>K.S.</u>	<u>WEM</u>
Employer:	<u>ESB</u>	<u>LHM</u>
Date:	<u>9/24/97</u>	<u>9/24/97</u>
Time:	<u>1410</u>	

Laboratory Analysis Record

Date & Time set-up 9/24 @ 1600 By TL
Time from collection to set-up: 2.6 hr
Holding time (max. 6 hrs.) Observed: ☒ Yes ☐ No

Were samples received on ice: ☒ Yes ☐ No
Chain of custody on file: ☐ Yes ☒ No

Sample Marking	Standard Plate Count	Coliform Bacteria										Tubes +	MPN/100ml	Fecal	Tubes +	MPN/1							
		ml Planted	Presumptive					Confirmed															
① 1225 Southfork	10	24	+	+	+	+	+	24	+	+	+	+	+	5	110	24	-	-	+	-	-	1	4
		48						48															
	1	24	+	+	+	+	+	24	-	-	-	+	+	3		24	-	-	-	+	-	1	
		48						48	+	-	-												
	0.1	24	+	+	+	+	+	24	-	-	-	-	-	1		24	-	-	-	-	-	0	
		48						48	-	-	+	-	-										
		24						24								24							
		48						48															
② Lake Hemet Dam Release 1047	10	24	+	+	+	+	+	24	+	+	+	+	+	5	23	24	-	-	+	-	-	1	2
		48						48															
	1	24	+	+	+	+	+	24	-	-	-	-	-	0		24	-	-	-	-	-	0	
		48						48	-	-	-	-	-										
	0.1	24	+	+	+	+	+	24	-	-	-	-	-	0		24	-	-	-	-	-	0	
		48						48	-	-	-	-	-										
		24						24								24							
		48						48															
		24						24								24							
		48						48															
		24						24								24							
		48						48															
		24						24								24							
		48						48															
		24						24								24							
		48						48															
		24						24								24							
		48						48															
		24						24								24							
		48						48															
		24						24								24							
		48						48															

RECEIVED

Called
te
ne
SEP 30 1997

Edward S. Babcock & Sons, Inc.

Allison M. [Signature]

OCT 13 1997

Lab. No. 971008-B267
Invoice No. 41057

172
Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
658-3241

	Submitted	Sampled
By:	MH	MJF
Employer:	ESB	LHM
Date:	10/8/97	10/8/97
Time:	1415	

Laboratory Analysis Record

te & Time set-up 10/8 @ 1530 By 75
re from collection to set-up: 6 hr
lding time (max. 6 hrs.) Observed: ☒ Yes ☐ No

Were samples received on ice: ☒ Yes ☐ No
Chain of custody on file: ☐ Yes ☒ No

Sample Marking	Standard Plate Count	Coliform Bacteria														Tubes +	MPN/100ml	Fecal					Tubes +	MPN/100
		ml Planted	Presumptive					Confirmed																
L.H. Dam Release 0945	10	24	-	-	-	-	24	+	+	+	+	+	5	300	24	-	-	-	-	0	2			
		48	+	+	+	+	+	48																
	1	24	-	-	-	-	24	+	+	+	-	+	5		24	-	-	-	+	1				
		48	+	+	+	+	+	48																
	0.1	24	-	-	-	-	24	-	-	-	-	1		24	-	-	-	-	0					
		48	+	+	+	+	+	48	-	-	-		+											
		24					24							24										
		48					48																	
South Fork 1028	10	24	-	-	-	-	24	+	+	+	+	5	220	24	+	+	+	+	4	13				
		48	+	+	+	+	+	48																
	1	24	-	-	-	-	24	-	-	+	+	4		24	-	-	-	-	0					
		48	+	-	+	+	+	48	+	+														
	0.1	24	-	-	-	-	24	-	-	-	+	+	2		24	-	-	-	-	0				
		48	+	+	+	+	+	48	-	-	-													
		24					24							24										
		48					48																	
		24					24							24										
		48					48																	
		24					24							24										
		48					48																	
		24					24							24										
		48					48																	
		24					24							24										
		48					48																	

led	
e	
e	

Edward S. Babcock & Sons, Inc.

Alissa M. [Signature]

172

OCT 20 1997

Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
658-3241

Lab. No. 971015-B446
Invoice No. 41193

Submitted	Sampled
By: <u>MH</u>	<u>MJR</u>
Employer: <u>ESB</u>	<u>LHMWD</u>
Date: <u>10/15/97</u>	<u>10/15/97</u>
Time: <u>1400</u>	

Laboratory Analysis Record

Site & Time set-up 10/15 @ 1500 By TV
Time from collection to set-up: ≤ 6 hrs
Holding time (max. 6 hrs.) Observed: ☒ Yes ☐ No

Were samples received on ice: ☒ Yes ☐ No
Chain of custody on file: ☐ Yes ☒ No

Sample Marking	Standard Plate Count	Coliform Bacteria												Fecal		Tubes +	MPN/100							
		ml Planted	Presumptive					Confirmed					Tubes +					MPN/100ml						
Ke Kemet Dam use @ 0930		10	24	+	+	+	+	+	24	+	+	+	+	+	5	110	24	-	-	-	-	-	0	2
			48						48															
		1	24	-	-	-	-	-	24	-	-	+	-	-	3		24	-	-	-	-	-	0	
			48	+	+	+	+	+	48	+	-		-	+										
		0.1	24	-	-	-	-	-	24	-	-	-	-	-	1		24	-	-	-	-	-	0	
			48	+	+	+	+	+	48	-	-	-	-	+										
			24						24								24							
			48						48															
with Fork @ 10:45		10	24	+	+	+	+	+	24	+	+	+	+	+	5	500	24	-	-	-	-	+	1	2
			48						48															
		1	24	-	-	-	+	-	24	-	-	-	+	-	5		24	-	-	-	-	-	0	
			48	+	+	+		+	48	+	+	+		+										
		0.1	24	-	+	-	-	-	24	-	+	-	-	-	2		24	-	-	-	-	-	0	
			48	+		+	+	+	48	-		-	-	+										
			24						24								24							
			48						48															
		10	24						24								24							
			48						48															
		1	24						24								24							
			48						48															
		0.1	24						24								24							
			48						48															
			24						24								24							
			48						48															

illed
te
re

Edward S. Babcock & Sons, Inc.

Edward S. Babcock

OCT 27 1997

Lab. No. 971022-B680
 Invoice No. 41360

172
 Lake Hemet Municipal Water District
 P.O. Box 5039
 Hemet, CA 92544
 Attn: John Loncar
 658-3241

Submitted	Sampled
By: <u>MH</u>	<u>RN</u>
Employer: <u>ESB</u>	<u>LHMWD</u>
Date: <u>10/22/97</u>	<u>10/22/97</u>
Time: <u>14:10</u>	<u>as listed</u>

Laboratory Analysis Record
 Site & Time set-up 10/22 @ 1500 By RL
 Time from collection to set-up: _____
 Holding time (max. 6 hrs.) Observed: ☐ Yes ☐ No

Were samples received on ice: ☒ Yes ☐ No
 Chain of custody on file: ☐ Yes ☒ No

Sample Marking	Standard Plate Count	Coliform Bacteria														Tubes +	MPN/100ml	Fecal	Tubes +	MPN/100	
		ml Planted	Presumptive					Confirmed													
1) Dam Release $\alpha_2 = \emptyset$ 9:25	10	24	-	-	-	-	24	+	+	+	+	+	5	300	24	-	-	-	-	0	2
		48	+	+	+	+	+	48													
	1	24	-	-	-	-	24	+	+	+	+	+	5		24	-	-	-	+	1	
		48	+	+	+	+	+	48													
	0.1	24	-	-	-	-	24	-	+	-	-	-	1		24	-	-	-	-	0	
		48	+	+	+	+	+	48	-	-	-	-									
		24					24								24						
		48					48														
2) South Fork Stream $\alpha_2 = \emptyset$ 10:25	10	24	-	-	-	-	24	+	-	+	+	+	5	300	24	-	+	-	+	2	4
		48	+	+	+	+	+	48	+												
	1	24	-	-	-	-	24	-	-	-	-	-	5		24	-	-	-	-	0	
		48	+	+	+	+	+	48	+	+	+	+	+								
	0.1	24	-	-	-	-	24	-	-	-	-	-	1		24	-	-	-	-	0	
		48	+	+	+	+	+	48	+	-	-	-									
		24					24								24						
		48					48														
	10	24					24								24						
		48					48														
	1	24					24								24						
		48					48														
	0.1	24					24								24						
		48					48														
		24					24								24						
		48					48														

lled _____
 re _____
 re _____

Edward S. Babcock & Sons, Inc.

Elise Macley

NOV 03 1997

Lab. No. 97 1029-B867B
Invoice No. 41507

172
Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
658-3241

Laboratory Analysis Record

ate & Time set-up 10/29 @ 1645 By CW
ne from collection to set-up: #1 > 6hr, #2 < 6hr
olding time (max. 6 hrs.) Observed: ☐ Yes ☐ No

Submitted | Sampled
By: MH | MJF
Employer: ESB | LHMWD
Date: 10/29/97 | 10/29/97
Time: 1430

Were samples received on ice: ☒ Yes ☐ No
Chain of custody on file: ☐ Yes ☒ No

Sample Marking	Standard Plate Count	Coliform Bacteria														Tubes +	MPN/100ml	Fecal	Tubes +	MPN/100		
		ml Planted	Presumptive					Confirmed														
L. H. Dam Release ce 0 9:31A	10	24	+	+	+	+	+	+	+	+	+	+	+	5	30	24	-	-	-	-	0	22
		48	+	+	+	+	+															
	1	24	-	-	-	-	-	-	-	+	-	-	-	1		24	-	-	-	-	0	
		48	+	+	+	+	+															
	0.1	24	-	-	-	-	-	-	-					0		24					0	
		48	-	-	-	-	-															
		24														24						
		48																				
Southfork ce 0 10:33	10	24	-	-	-	-	-	-	-	+	+	-	-	5	80	24	-	-	-	-	0	22
		48	+	+	+	+	+				+	+										
	1	24	-	-	-	-	-	-	-	-	-	-	-	3		24	-	-	-	-	0	
		48	+	+	+	+	+				+	-	-	+								
	0.1	24	-	-	-	-	-	-	-	-	-	-	-	0		24	-	-	-	-	0	
		48	+	+	+	+	+				-	-	-	-								
		24														24						
		48																				
	10	24														24						
		48																				
	1	24														24						
		48																				
	0.1	24														24						
		48																				
		24														24						
		48																				

illed
te
re

Edward S. Babcock & Sons, Inc.

Allison MacG...

DEC 08 1997

To: 172
Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
658-3241

Lab. No. 971203-B113
Invoice No. 42247

Submitted | Sampled
By: MH | RN
Employer: ESB | LHMWD
Date: 12/3/97 | 12/3/97
Time: 1500

Laboratory Analysis Record

Date & Time set-up 12/3 @ 1615 By DB
Time from collection to set-up: >6 hr
Holding time (max. 6 hrs.) Observed: ☐ Yes ☒ No

Were samples received on ice: ☒ Yes ☐ No
Chain of custody on file: ☐ Yes ☒ No

Sample Marking	Standard Plate Count	Coliform Bacteria												Tubes +	MPN/100ml	Fecal	Tubes +	MPN					
		ml Planted	Presumptive					Confirmed															
Strawberry Creek 10:10	10	24	+	+	+	+	+	24	-	+	-	-	-	5	900	24	-	-	-	-	0	42	
		48						48	+	+	+	+					5	24	-	-			-
	1	24	+	+	+	+	+	24	-	-	+	+	+	5		24			-	-	-	-	0
		48						48	+	+							3	24	-	-	-	-	
	0.1	24	-	-	-	-	-	24	-	-		+		3		24			-	-	-	-	0
		48	+	+	-	-	+	48	+	+							24						
		24						24								24							
		48						48									24						
Southfork Stream 10:00	10	24	+	+	+	+	+	24	+	+	+	+	+	5	500	24		-	-	+	+	+	3
		48						48									5	24	-	-	-	-	
	1	24	+	+	+	+	+	24	-	+	+	+	+	5		24			-	-	-	-	0
		48						48	+								2	24	+	-	-	-	
	0.1	24	-	-	-	-	-	24	-	-	+			2		24			+	-	-	-	0
		48	+	-	+	+	-	48	-	+							24						
		24						24								24							
		48						48									24						
Northfork Stream 8:55	10	24	+	+	+	+	+	24	+	+	+	+	+	5	1600	24		+	+	+	+	5	80
		48						48									5	24	+	+	+		
	1	24	+	+	+	+	+	24	+	+	-	-	-	5		24			+	+	+	-	0
		48						48			+	+	+				4	24	-	-	-	-	
	0.1	24	+	+	+	+	+	24	-	-	-	-	-	4		24			-	-	-	-	0
		48						48	+	+	+	-	+				24						
		24						24								24							
		48						48									24						

alled
ate
me

Edward S. Babcock & Sons, Inc.

Alissa P. [Signature]

DEC 16 1997

To: 172
Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
658-3241

Lab. No. 971210-B311
Invoice No. 42407

Submitted	Sampled
By: <u>MH</u>	<u>MJF</u>
Employer: <u>ESB</u>	<u>LHMWD</u>
Date: <u>12/10/97</u>	<u>12/10/97</u>
Time: <u>1450</u>	

Laboratory Analysis Record

Date & Time set-up 12/10 @ 1530 By RS

Time from collection to set-up: ≤ 6 hr

Holding time (max. 6 hrs.) Observed: ☒ Yes ☐ No

Were samples received on ice: ☒ Yes ☐ No

Chain of custody on file: ☐ Yes ☒ No

Sample Marking	Standard Plate Count	Coliform Bacteria														Tubes +	MPN/100ml	Fecal	Tubes +	MPN/1				
		ml Planted	Presumptive					Confirmed																
① 1039 North Fork	10	24	+	+	+	+	+	24	+	+	+	+	+	5	900	24	+	+	+	+	+	5	50	
		48						48																
	1	24	+	+	+	+	+	24	+	+	-	-	-	5		24	+	+	+	-	-	2		
		48						48			+	+	+											
	0.1	24	+	+	+	+	+	24	-	-	-	-	-	3		24	-	-	-	-	-	0		
		48						48	+	-	+	+	-											
		24						24								24								
		48						48																
② Strawberry Creek 1011	10	24	+	+	+	+	+	24	+	+	+	-	+	5	140	24	+	-	-	-	+	2	4	
		48						48			+													
	1	24	+	+	+	+	+	24	-	+	-	-	-	3		24	-	-	-	-	+	0		
		48						48	-		+	+	-											
	0.1	24	-	-	+	-	+	24	-	-	-	-	-	2		24	-	-	-	-	-	0		
		48	+	+		+		48	-	-	+	-	+											
		24						24								24								
		48						48																
③ 1020 Southfork	10	24	+	+	+	+	+	24	-	-	-	-	-	5	240	24	-	-	-	-	-	0	4	
		48						48	+	+	+	+	+											
	1	24	+	+	+	+	+	24	-	-	-	-	-	5		24	-	-	-	-	-	0		
		48						48	+	+	+	+	+											
	0.1	24	+	-	+	+	+	24	-		-	-	-	0		24	-		-	-	-	0		
		48	-					48	-		-	-	-											
		24						24								24								
		48						48																

alled _____

ate _____

me _____

Edward S. Babcock & Sons, Inc.

Ellie Mack

DEC 22 1997

To: 172
Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
658-3241

Lab. No. 97217-B489
Invoice No. 42546

	Submitted	Sampled
By:	mtt	WEM
Employer:	ESB	LHM
Date:	12/17/97	12/17/97
Time:	1400	

Laboratory Analysis Record

Date & Time set-up 12/17 @ 1500 By TK
Time from collection to set-up: 4 hours
Holding time (max. 6 hrs.) Observed: ☒ Yes ☐ No

Were samples received on ice: ☒ Yes ☐ No
Chain of custody on file: ☐ Yes ☒ No

Sample Marking	Standard Plate Count	Coliform Bacteria									
		ml Planted	Presumptive	Confirmed	Tubes +	MPN/100ml	Fecal	Tubes +	MPN/1		
Strawberry Creek 1107	10	24	+++++	24	+- - - -	3	17	24	- - - - -	0	4
		48		48	- - - - -						
	1	24	+++++	24	+ - - - -	3		24	- - - - -	0	
		48		48	- - - - -						
	0.1	24	- - - - -	24	- - - - -	0		24	- - - - -	0	
		48	+	48	- - - - -						
		24		24				24			
		48		48							
Northfork 1129	10	24	++-++	24	++- - -	5	140	24	++- - -	2	11
		48		48	++- - -						
	1	24	+++++	24	- - - - -	3		24	- - - - -	1	
		48		48	+						
	0.1	24	++-++	24	- - - - -	2		24	++- - -	2	
		48		48	- - - - -						
		24		24				24			
		48		48							
		24		24				24			
		48		48							
		24		24				24			
		48		48							
		24		24				24			
		48		48							
		24		24				24			
		48		48							

alled
ate
me

Edward S. Babcock & Sons, Inc.

Alison Mac

To: 172
Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
658-3241

DEC 29 1997

Lab. No. 971223-B699
Invoice No. 42672

Submitted	Sampled
By: MT	RN
Employer: ESB	LHMWD
Date: 12/23/97	12/23/97
Time: 1430	

Laboratory Analysis Record

Date & Time set-up 12/23 @ 1530 By RJ
Time from collection to set-up: >6hr
Holding time (max. 6 hrs.) Observed: ☐ Yes ☒ No

Were samples received on ice: ☒ Yes ☐ No
Chain of custody on file: ☐ Yes ☒ No

Sample Marking	Standard Plate Count	Coliform Bacteria												Tubes +	MPN/100ml	Fecal				Tubes +	MPN/		
		ml Planted	Presumptive					Confirmed															
South Fork Stream 8:15		10	24	+	+	+	+	+	24	+	+	+	+	+	4	27	24	+	+	+	+	1	2
			48	+	+	+	+	+	48	+	+	+	+										
		1	24	+	+	+	+	+	24	+	+	+	+	+	3		24	+	+	+	+	0	
			48	+	+	+	+	+	48	+	+	+	+										
		0.1	24	+	+	+	+	+	24	+	+	+	+	+	0		24	+	+	+	+	0	
			48	+	+	+	+	+	48	+	+	+	+										
			24	+	+	+	+	+	24	+	+	+	+	+			24	+	+	+	+		
			48	+	+	+	+	+	48	+	+	+	+										
Strawberry Stream 8:25		10	24	+	+	+	+	+	24	+	+	+	+	+	5	170	24	+	+	+	+	0	2
			48	+	+	+	+	+	48	+	+	+	+										
		1	24	+	+	+	+	+	24	+	+	+	+	+	4		24	+	+	+	+	1	
			48	+	+	+	+	+	48	+	+	+	+										
		0.1	24	+	+	+	+	+	24	+	+	+	+	+	1		24	+	+	+	+	0	
			48	+	+	+	+	+	48	+	+	+	+										
			24	+	+	+	+	+	24	+	+	+	+	+			24	+	+	+	+		
			48	+	+	+	+	+	48	+	+	+	+										
North Fork Stream 8:40		10	24	+	+	+	+	+	24	+	+	+	+	+	5	350	24	+	+	+	+	4	17
			48	+	+	+	+	+	48	+	+	+	+										
		1	24	+	+	+	+	+	24	+	+	+	+	+	4		24	+	+	+	+	0	
			48	+	+	+	+	+	48	+	+	+	+										
		0.1	24	+	+	+	+	+	24	+	+	+	+	+	4		24	+	+	+	+	1	
			48	+	+	+	+	+	48	+	+	+	+										
			24	+	+	+	+	+	24	+	+	+	+	+			24	+	+	+	+		
			48	+	+	+	+	+	48	+	+	+	+										

alled
ate
me

Edward S. Babcock & Sons, Inc.

Bliss

JAN 05 1998

To: 172
Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
658-3241

Lab. No. 971230-B B13
Invoice No. 42765

Submitted	Sampled
By: <u>MH</u>	<u>MJF</u>
Employer: <u>ESB</u>	<u>LHM</u>
Date: <u>12/30/97</u>	<u>12/30/97</u>
Time: <u>1520</u>	

Laboratory Analysis Record

Date & Time set-up 12/30 @ 1600 By JS

Time from collection to set-up: ≤ 6 hrs

Holding time (max. 6 hrs.) Observed: ☒ Yes ☐ No

Were samples received on ice: ☒ Yes ☐ No

Chain of custody on file: ☐ Yes ☒ No

Sample Marking	Standard Plate Count	Coliform Bacteria												Tubes +	MPN/100ml	Fecal	Tubes +	MPN/						
		ml Planted	Presumptive					Confirmed																
① North Fork 1059	10	24	gb	+	+	+	+	+	24	+	+	+	+	+	5	110	24	+	+	+	+	+	5	5
		48							48															
	1	24		+	-	-	-	-	24	+	-	-	-	-	3		24	+	-	-	-	-	1	
		48		+	+	+	+	+	48	+	+	-	-	-										
	0.1	24		-	-	-	-	-	24	-	-	-	-	-	1		24	-	-	-	-	+	1	
		48		+	+	+	+	+	48	-	-	-	-	+										
		24							24								24							
		48							48															
② South Fork 1035	10	24		-	-	-	-	-	24	-	-	-	-	-	3	11	24	-	-	-	-	-	0	4
		48		+	+	+	+	+	48	-	-	+	+	+										
	1	24		-	-	-	-	-	24	-	-	-	-	-	1		24	-	-	-	-	-	6	
		48		+	+	+	+	+	48	-	-	+	-	-										
	0.1	24		-	-	-	-	-	24			-			0		24			-			0	
		48		-	-	+	-	-	48			-												
		24							24								24							
		48							48															
③ Strawberry Cr. 1025	10	24		-	-	-	-	-	24	-	+	-	-	-	5	30	24	-	+	-	-	-	1	2
		48		+	+	+	+	+	48	+		+	+	+										
	1	24		-	-	-	-	-	24	-	-	-	-	-	1		24	-	-	-	-	-	6	
		48		+	+	+	+	+	48	-	-	+	-	-										
	0.1	24		-	-	-	-	-	24		-	-			0		24		-	-			0	
		48		-	+	+	-	-	48		-	-												
		24							24								24							
		48							48															

alled _____

ate _____

me _____

JAN 06 1998

Edward S. Babcock & Sons, Inc.

[Signature]

JAN 12 1998

Lab. No. 980107-B168
Invoice No. 42925

172
Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
658-3241

	Submitted	Sampled
By:	mtt	WEN
Employer:	ESB	LHM
Date:	1/7/98	1/7/98
Time:	1450	

Laboratory Analysis Record
Date & Time set-up 7/7/98 @ 1650 By OC
Time from collection to set-up: ≤ 6 hr
Holding time (max. 6 hrs.) Observed: ☒ Yes ☐ No

Were samples received on ice: ☒ Yes ☐ No
Chain of custody on file: ☐ Yes ☒ No

Sample Marking	Standard Plate Count	Coliform Bacteria																					
		ml Planted	Presumptive					Confirmed					Tubes +	MPN/100ml	Fecal	Tubes +	MPN/100ml						
① 1121 North Fork	10	24	+	+	+	+	+	24	+	-	-	+	+	5	30	24	+	-	-	-	+	2	4
		48						48	+	+													
	1	24	-	-	-	+	-	24	-	-	-	-	-	1		24	-	-	-	-	-	0	
		48	+	+	+	+	+	48	-	-	-	+	-										
	0.1	24	-	-	-	-	-	24	-	-	-	-	-	0		24	-	-	-	-	-	0	
		48	+	+	+	+	+	48	-	-	-	-	-										
		24						24								24							
		48						48															
② 1105 South Fork	10	24	+	+	-	+	+	24	+	-	-	+	+	4	17	24	-	-	-	-	+	1	2
		48			+			48	+														
	1	24	-	-	-	-	-	24	-	-	-	-	-	1		24	-	-	-	-	-	0	
		48	+	+	+	+	+	48	-	-	-	-	+										
	0.1	24	-	-	-	-	-	24						0		24						0	
		48	-	-	-	-	-	48															
		24						24								24							
		48						48															
③ Strawberry Creek 1058	10	24	-	+	+	+	+	24	+	+	+	+	+	5	23	24	-	+	+	+	+	4	13
		48	+					48															
	1	24	-	-	-	-	-	24	-	-	-	-	-	0		24	-	-	-	-	-	0	
		48	+	+	+	+	+	48	-	-	-	-	-										
DEC 19 1998 JAN 12 1998	0.1	24	-	-	-	+	+	24				-	-	0		24				-	-	0	
		48	-	-	-			48				-	-										
		24						24								24							
		48						48															

alled
ate
me

Edward S. Babcock & Sons, Inc.

[Signature]

JAN 19 1998

To: 172
Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
658-3241

Lab. No. 960114-B354
Invoice No. 43070

	Submitted	Sampled
By:	MH	RN
Employer:	ESB	LHMWD
Date:	1/14/98	1/14/98
Time:	1430	

Laboratory Analysis Record

Date & Time set-up 1/14 @ 1500 By TR

Time from collection to set-up: ≤ 6hr

Holding time (max. 6 hrs.) Observed: ☒ Yes ☐ No

Were samples received on ice: ☒ Yes ☐ No

Chain of custody on file: ☐ Yes ☒ No

Sample Marking	Standard Plate Count	Coliform Bacteria														Fecal		Tubes +	MPN							
		ml Planted	Presumptive					Confirmed					Tubes +	MPN/100ml												
1 Strawberry Creek 0915	10	24	+	+	+	+	+	24	-	-	+	+	-	5	50	24	-	-	-	+	-	1	2			
		48						48	+	+			+													
		24	+	+	+	+	+	24	-	-	-	+	-					24	-	-	-			-	-	
	1	48						48	-	-	-		+	2								0				
		24						24	-	-	-	-	-					24	-	-	-			-	-	
		48						48	-	-	-	-	-			-										
	0.1	24	-	-	-	-	-	24	-	-	-	-	-	0		24	-	-	-	-	-	0				
		48	+	+	+	+	+	48	-	-	-	-	-													
		24						24										24								
		48						48																		
		24						24								24										
		48						48																		
2 North Fork Creek 0935	10	24	+	+	+	+	+	24	+	+	+	+	+	5	40	24	+	+	+	+	+	5	23			
		48						48																		
		24	+	+	+	+	+	24	-	-	-	-	-					24	-	-	-			-	-	
	1	48						48	-	-	-	-	-	0								0				
		24						24	-	-	-	-	-					24	-	-	-			-	-	
		48						48	-	-	-	-	-													
	0.1	24	-	-	-	-	-	24	-	-	-	-	-	2		24	-	-	-	-	-	0				
		48	+	+	+	+	+	48	+	-	-	+	-													
		24						24										24								
		48						48																		
		24						24								24										
		48						48																		
3 South Fork Stream 0925	10	24	+	+	+	+	+	24	+	+	-	-	+	5	90	24	+	+	-	-	-	2	4			
		48						48			+	+														
		24	+	+	+	+	+	24	-	-	-	-	-					24	-	-	-			-	-	
	1	48						48	+	-	-	+	-	2								0				
		24						24	-	-	-	-	-					24	-	-	-			-	-	
		48						48	-	-	-	-	-													
	0.1	24	-	-	-	-	-	24	-	-	-	-	-	2		24	-	-	-	-	-	0				
		48	+	+	+	+	+	48	-	+	-	-	+													
		24						24										24								
		48						48																		
		24						24								24										
		48						48																		

alled

ate

me

Edward S. Babcock & Sons, Inc.

John Babcock

Edward S. Babcock & Sons, Inc.

P.O. Box 432
Riverside, CA 92502

JAN 26 1998

Lab. No. 980121-B 562
Invoice No. 43231

172
Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
658-3241

Submitted | Sampled
By: MH | MJF
Employer: ESB | LHM
Date: 1/21/98 | 1/21/98
Time: 1455

Laboratory Analysis Record
ate & Time set-up 1/21 @ 1600 By RL
me from collection to set-up: > 6 hrs.
olding time (max. 6 hrs.) Observed: ☐ Yes ☒ No

Were samples received on ice: ☒ Yes ☐ No
Chain of custody on file: ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria																					
		ml Planted	Presumptive					Confirmed					Tubes +	MPN/100ml	Fecal					Tubes +	MPN/100		
0831 North Fork	10	24	+	+	+	+	+	24	+	-	+	-	-	5	240	24	+	-	-	+	-	2	4
		48						48		+		+											
	1	24	-	+	-	-	-	24	-	-	+	-	-	5		24	-	-	-	+	-	0	
		48	+		+	+	+	48	+	+		+	+										
	0.1	24	-	-	-	-	-	24	-	-	-	-	-	0		24	-	-	-	-	-	0	
		48	+	+	+	+	+	48	-	-	-	-	-										
		24						24								24							
		48						48															
0901 South Fork	10	24	+	+	+	+	+	24	-	-	-	+	-	1	8	24	-	-	-	+	-	1	2
		48						48	-	-	-	-	-										
	1	24	-	-	-	-	-	24	-	-	-	-	-	2		24	-	-	-	-	-	0	
		48	+	+	+	+	+	48	-	+	+	-	-										
	0.1	24	-	-	-	-	-	24	-	+		-	-	1		24	-	-			-	0	
		48	+	+	-	-	+	48	-			-	-										
		24						24								24							
		48						48															
strawberry Creek	10	24	-	-	-	-	-	24	-	-	-	-	-	5	30	24	-	-	-	-	-	0	40
		48	+	+	+	+	+	48	+	+	+	+	+										
0953	1	24	-	-	-	-	-	24	-	-	-	-	-	1		24	-	-	+	+	-	0	
		48	+	+	+	+	+	48	-	-	-	+	-										
	0.1	24	-	-	-	-	-	24	-		-	-	-	0		24	-		-	-	-	0	
		48	+	-	+	+	+	48	-		-	-	-										
		24						24								24							
		48						48															

illed
ite
ne

Edward S. Babcock & Sons, Inc.

Lawrence J. Chaput

FEB 02 1998

Lab. No.	980126-B750
Invoice No.	43357

172
Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
658-3241

	Submitted	Sampled
By:	MH	WEM
Employer:	ESB	LHM
Date:	1/28/98	1/28/98
Time:	1445	

Laboratory Analysis Record

ate & Time set-up 1/28 @ 1530 By 75
me from collection to set-up: 41 > 6 hr, 223 = 6 hr
olding time (max. 6 hrs.) Observed: ☐ Yes ☐ No

Were samples received on ice: ☒ Yes ☐ No
Chain of custody on file: ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria																				
		ml Planted	Presumptive					Confirmed					Tubes +	MPN/100ml	Fecal	Tubes +	MPN/100					
Combined Raw 0914	10	24	-	-	-	+	-	24	-	-	+	+	-	5	70	24	-	-	-	-	0	<2
		48	+	+	+		+	48	+	+			+									
	1	24	-	-	-	-	-	24	-	-	-	-	-	2		24	-	-	-	-	0	
		48	+	+	+	+	+	48	+	-	-	+	-									
	0.1	24	-	-	-	-	-	24	-	-		-	-	1		24	-	-	-	-	0	
		48	+	+	-	+	+	48	+	-		-	-									
		24						24								24						
		48						48														
0935 North fork	10	24	+	+	+	+	+	24	+	+	+	+	+	5	130	24	+	+	+	+	5	30
		48						48														
	1	24	-	-	-	-	-	24	+	-	+	+	-	4		24	+	-	-	-	1	
		48	+	+	+	+	+	48		-			+									
	0.1	24	-	-	-	-	-	24	-		-	-	-	0		24	-	-	-	-	0	
		48	+	-	+	+	-	48	-		-	-	-									
		24						24								24						
		48						48														
	10	24	-	-	-	+	-	24	+	-	-	-	-	4	17	24	-	-	-	-	0	<2
		48	+	+	+		+	48		+	+	-	+									
1008 South fork	1	24	-	-	-	-	-	24	-	-	-	-	-	1		24	-	-	-	-	0	
		48	+	+	+	+	+	48	-	-	+	-	-									
	0.1	24	-	-	-	-	-	24	-		-	-	-	0		24	-	-	-	-	0	
		48	-	+	-	+	+	48	-		-	-	-									
		24						24								24						
		48						48														

illed	
te	
ne	

Edward S. Babcock & Sons, Inc.

Lawrence J. Chappell

Bacteriology
Water Testing
Hazardous Waste Testing
California MS Certified

Edward S. Babcock & Sons, Inc.

ESTABLISHED 1906
P.O. Box 432
Riverside, CA 92502

FEB 02 1998

To: 172
Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
658-3241

Lab. No. 980128-B 751
Invoice No. 43357

	Submitted	Sampled
By:	<u>MH</u>	<u>WEM</u>
Employer:	<u>ESP</u>	<u>LHM</u>
Date:	<u>1/28/98</u>	<u>1/28/98</u>
Time:	<u>1:45</u>	<u>0950</u>

Laboratory Analysis Record

Date & Time set-up 1/28 @ 1530 By TV
Time from collection to set-up: ± 6 hr
Holding time (max. 6 hrs.) Observed: ☒ Yes ☐ No

Were samples received on ice: ☒ Yes ☐ No
Chain of custody on file: ☐ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria																					
		ml Planted	Presumptive					Confirmed					Tubes +	MPN/100ml	Fecal	Tubes +	MPN/						
④ Strawberry	10	24	-	-	-	-	-	24	-	-	-	-	-	1	4	24	-	-	-	-	-	0	<6
		48	+	+	+	+	+	48	-	-	-	+	-										
	1	24	-	-	-	-	-	24	-	-	-	-	-	1		24	-	-	-	-	-	0	
		48	+	+	+	+	+	48	-	-	-	+	-										
	0.1	24	-	-	-	-	-	24	-	-	-	-	-	0		24	-	-	-	-	-	0	
		48	+	+	+	+	+	48	-	-	-	-	-										
		24						24								24							
		48						48															
	10	24						24								24							
		48						48															
	1	24						24								24							
		48						48															
	0.1	24						24								24							
		48						48															
		24						24								24							
		48						48															
	10	24						24								24							
		48						48															
	1	24						24								24							
		48						48															
	0.1	24						24								24							
		48						48															
		24						24								24							
		48						48															

alled
ate
ne

Edward S. Babcock & Sons, Inc.

Laurel & Chantal

Edward S. Babcock & Sons, Inc.

P.O. Box 432
Riverside, CA 92502

FEB 17 1998

Lab. No.	980211-B34B
Invoice No.	43655

172
Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
658-3241

	Submitted	Sampled
By:	MTH	MJF
Employer:	ESP	LHMuD
Date:	2/11/98	2/11/98
Time:	1415	

Laboratory Analysis Record	
ate & Time set-up	2/11 @ 1430 By TS
me from collection to set-up:	>6hr
olding time (max. 6 hrs.) Observed:	☐ Yes ☒ No

Were samples received on ice:	☒ Yes ☐ No
Chain of custody on file:	☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria														Fecal	Tubes +	MPN/100
		ml Planted	Presumptive			Confirmed			Tubes +	MPN/100ml								
Northfork 0432	10	24	+	+	+	+	+	+	5	500	24	+	+	+	+	+	3	11
		48	+						+									
	1	24	+	+	+	+	+	+	5		24	+	+	+	+	+	1	
		48	+	+	+	+	+	+	+									
	0.1	24	+	+	+	+	+	+	2		24	+	+	+	+	+	0	
		48	+	+	+	+	+	+	+									
		24									24							
		48																
Southfork 0851	10	24	+	+	+	+	+	+	5	900	24	+	+	+	+	+	1	4
		48							+	+	+	+						
	1	24	+	+	+	+	+	+	5		24	+	+	+	+	+	0	
		48	+	+	+	+	+	+	+									
	0.1	24	+	+	+	+	+	+	3		24	+	+	+	+	+	1	
		48	+	+	+	+	+	+	+									
		24									24							
		48																
Strawberry Cr 0908	10	24	+	+	+	+	+	+	5	140	24	+	+	+	+	+	5	50
		48																
	1	24	+	+	+	+	+	+	3		24	+	+	+	+	+	1	
		48	+	+	+	+	+	+	+									
	0.1	24	+	+	+	+	+	+	2		24	+	+	+	+	+	1	
		48	+	+	+	+	+	+	+									
		24									24							
		48																

alled	
ate	
ne	

Edward S. Babcock & Sons, Inc.

[Signature]

Edward S. Babcock & Sons, Inc.

P.O. Box 432
Riverside, CA 92502

FEB 23 1998

Lab. No. 920218-B503
Invoice No. 43768

172
Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
658-3241

	Submitted	Sampled
By:	<u>MH</u>	<u>WEN</u>
Employer:	<u>ESB</u>	<u>LHMD</u>
Date:	<u>2/18/98</u>	<u>2/18/98</u>
Time:	<u>1450</u>	

Laboratory Analysis Record

ate & Time set-up 2/18 @ 1500 By TS
me from collection to set-up: ELW
olding time (max. 6 hrs.) Observed: ☒ Yes ☐ No

Were samples received on ice: ☒ Yes ☐ No
Chain of custody on file: ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria												Tubes +	MPN/100ml	Fecal				Tubes +	MPN/100			
		ml Planted	Presumptive					Confirmed					24			48	24	48	24			48		
0910 N. Fork		10	24	+	-	+	+	+	24	+	+	+	+	+	5	BD	24	+	+	+	+	+	5	23
			48						48															
		1	24	-	-	-	-	-	24	-	-	-	-	-	3		24	-	-	-	-	-	0	
			48	+	+	+	+	+	48	+	-	+	+	-										
		0.1	24	-	-	-	-	-	24	-	-	-	-	-	0		24	-	-	-	-	-	0	
			48	+	+	+	+	+	48	-	-	-	-	-										
			24						24								24							
			48						48															
0935 South Fork		10	24	+	+	+	-	-	24	+	-	-	+	-	4	36	24	+	-	-	-	-	1	2
			48				+	+	48		-	+	+											
		1	24	-	-	-	+	-	24	-	-	-	+	-	4		24	-	-	-	+	-	1	
			48	+	+	+		+	48	+	-	+	+											
		0.1	24	-	-	-	-	-	24	-	-	-	-	-	1		24	-	-	-	-	-	0	
			48	+	+	+	+	+	48	-	-	-	-	+										
			24						24								24							
			48						48															
0925 Strawberry Crk.		10	24	+	+	+	+	+	24	+	+	+	+	+	5	220	24	+	+	+	+	+	5	30
			48						48															
		1	24	+	+	-	-	+	24	-	+	-	+	+	4		24	-	-	-	-	+	1	
			48			+	+		48	+		-												
		0.1	24	-	-	-	-	-	24	-	-	-	+	-	2		24	-	-	-	-	-	0	
			48	+	+	+	+	+	48	-	-	+	-											
			24						24								24							
			48						48															

alled
ate
ne

Edward S. Babcock & Sons, Inc.

Allison Mack

MAR 02 1998

Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
658-3241

Lab. No. 780225-13728
Invoice No. 43924

Submitted | Sampled
By: MIT | RN
Employer: ESB | LHMWD
Date: 2/25/98 | 2/25/98
Time: 1540

Laboratory Analysis Record
ate & Time set-up 10/25 @ 1630 By TO
me from collection to set-up: > 6 hrs.
olding time (max. 6 hrs.) Observed: ☐ Yes ☒ No

Were samples received on ice: ☒ Yes ☐ No
Chain of custody on file: ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria										Tubes +	MPN/100ml	Fecal	Tubes +	MPN/100							
		ml Planted	Presumptive					Confirmed															
South Fork Stream 9:30	10	24	+	+	+	+	+	24	+	+	+	+	+	5	280	24	+	+	+	+	+	4	36
		48						48															
	1	24	+	+	+	+	+	24	-	+	+	+	+	4		24	-	+	+	+	+	4	
		48						48	-														
	0.1	24	-	-	-	-	-	24	-	-	+	+	+	3		24	-	-	-	+	-	1	
		48	+	+	+	+	+	48	-	-													
		24						24								24							
		48						48															
North Fork Stream 8:45	10	24	+	+	+	+	+	24	+	+	+	+	+	5	50	24	+	+	+	+	-	3	11
		48						48															
	1	24	-	-	-	-	-	24	+	-	-	-	-	2		24	+	-	-	-	-	1	
		48	+	+	+	+	+	48	-	-	-	-	-										
	0.1	24	-	-	-	-	-	24	-	-	-	-	-	0		24	-	-	-	-	-	0	
		48	+	+	+	+	+	48	-	-	-	-	-										
		24						24								24							
		48						48															
Strawberry Creek 9:15	10	24	+	+	+	+	+	24	+	+	+	+	+	5	50	24	+	+	+	+	+	4	13
		48						48															
	1	24	+	+	+	+	+	24	+	-	-	-	+	2		24	-	-	-	-	-	0	
		48						48	-	-	-	-	-										
	0.1	24	-	-	-	-	-	24	-	-	-	-	-	0		24	-	-	-	-	-	0	
		48	+	+	+	+	+	48	-	-	-	-	-										
		24						24								24							
		48						48															

illed
te
te

Edward S. Babcock & Sons, Inc.

MAR - 9 1998

172

Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
658-3241

Lab. No. 980304-B144

Invoice No. 44069

Submitted Sampled

By: MH MJF

Employer: ESB LHMWD

Date: 3/4/98 3/4/98

Time: 1500

Laboratory Analysis Record

Time & Time set-up 3/4 @ 1530 By JR

Time from collection to set-up: 26 hr

Holding time (max. 6 hrs.) Observed: ☒ Yes ☐ No

Were samples received on ice: ☒ Yes ☐ No

Chain of custody on file: ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria														Tubes +	MPN/100ml	Fecal	Tubes +	MPN/100
		ml Planted	Presumptive					Confirmed												
1051 Northfork	10	24	+	+	+	+	+	24	+	+	+	+	+	24	+	+	+	+	+	+
		48						48												
	1	24	+	+	+	+	+	24	+	-	-	-	-	24	+	+	+	+	+	+
		48						48	-	-	-	-								
	0.1	24	-	-	-	-	-	24	-	-	-	-	-	24	-	-	-	-	-	-
		48	+	+	+	+	+	48	-	-	-	-	-							
		24						24						24						
		48						48												
1033 Southfork	10	24	+	+	+	+	+	24	+	-	-	-	-	24	+	+	+	+	+	+
		48						48	+	-	+	-								
	1	24	+	+	+	+	+	24	-	-	-	-	-	24	-	-	-	-	-	-
		48						48	-	+	-	-	-							
	0.1	24	-	-	-	-	-	24	-	-	-	-	-	24	-	-	-	-	-	-
		48	+	+	+	+	+	48	+	-	-	-	-							
		24						24						24						
		48						48												
Strawberry Crk 1021	10	24	+	+	+	+	+	24	-	+	+	+	+	24	+	+	+	+	+	+
		48						48	-											
	1	24	+	+	+	+	+	24	-	+	-	-	+	24	+	+	+	+	+	+
		48						48	-	-	-	-								
	0.1	24	-	-	-	-	-	24	-	-	-	-	-	24	-	-	-	-	-	-
		48	+	-	+	+	+	48	-	-	-	-								
		24						24						24						
		48						48												

ed	
e	
e	

Edward S. Babcock & Sons, Inc.

Edward S. Babcock & Sons Inc.

P.O. Box 432
Riverside, CA 92502

MAR 16 1998

172
Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
658-3241

Lab. No.	980311-B403
Invoice No.	44235

	Submitted	Sampled
By:	MH	WEM
Employer:	ESB	LHM
Date:	3/11/98	3/11/98
Time:	1420	

Laboratory Analysis Record

Site & Time set-up 3/11 @ 1615 By TL
Time from collection to set-up: 6 hr
Holding time (max. 6 hrs.) Observed: ☐ Yes ☐ No

Were samples received on ice: ☒ Yes ☐ No
Chain of custody on file: ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria														Tubes +	MPN/100ml	Fecal	Tubes +	MPN/100				
		ml Planted	Presumptive					Confirmed																
1135 N. Fork		10	24	+	+	+	+	+	24	+	+	+	+	+	5	80	24	+	+	+	+	+	5	80
			48						48															
		1	24	+	+	+	+	+	24	-	-	+	+	+	3		24	-	-	+	+	+	3	
			48						48	-	-													
		0.1	24	-	-	-	-	-	24	-			-	0		24	-				-	0		
			48	+	-	-	+	-	48	-			-											
			24						24							24								
			48						48															
1117 S. Fork		10	24	+	+	+	+	+	24	+	-	-	+	4	21	24	+	-	-	+	-	2	4	
			48						48	+	-		+											
		1	24	-	-	-	-	-	24	+	-	-	-	1		24	-	-	-	-	-	0		
			48	+	+	+	+	+	48	-	-	-	-											
		0.1	24	-	-	-	-	-	24	-	-	-	-	1		24	-	+	+	+	-	0		
			48	+	+	+	+	+	48	-	-	-	+											
			24						24							24								
			48						48															
Strawberry		10	24	+	+	+	+	+	24	-	+	+	+	5	90	24	-	+	+	+	+	3	14	
			48						48	+			+											
1111		1	24	+	+	+	+	+	24	-	-	+	+	2		24	-	-	-	+	-	1		
			48						48	-	-		-											
		0.1	24	+	-	-	+	-	24	+	-	-	+	2		24	-	-	-	+	-	1		
			48		+	+		+	48	-	-		-											
			24						24							24								
			48						48															

led	
te	
ie	

cc: SDSHD/RCHD

Edward S. Babcock & Sons, Inc.

(Signature)

MAR 23 1998

172
Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
658-3241

Lab. No. 980318-B647
Invoice No. 44398

Submitted Sampled
By: MH RX

Employer: ESB LHMWD

Date: 3/18/98 3/18/98

Time: 1440

Were samples received on ice: ☒ Yes ☐ No

Chain of custody on file: ☒ Yes ☐ No

Laboratory Analysis Record

te & Time set-up 3/19 @ 1600 By TR
ne from collection to set-up: 56hr
lding time (max. 6 hrs.) Observed: ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria																					
		ml Planted	Presumptive					Confirmed					Tubes +	MPN/100ml	Fecal	Tubes -	MPN/100						
North fork Stream 1120 C12=Ø	10	24	+	+	+	+	+	24	+	-	-	+	+	3	11	24	-	-	-	+	+	2	7
		48						48		-	-												
	1	24	+	+	-	-	-	24	+	-	-	-	-	1		24	+	+	-	-	-	1	
		48			+	+	+	48		-	-	-	-										
	0.1	24	-	-	-	-	-	24	-	-			0		24	-	+	+	-	-	0		
		48	-	+	+	-	-	48	-	-													
		24						24							24								
		48						48															
Southfork Stream 1110 C12=Ø	10	24	+	+	+	+	+	24	-	-	-	-	-	0	42	24	-	-	-	-	-	0	42
		48						48	-	-	-	-	-										
	1	24	+	+	-	-	+	24	-	-	-	-	-	0		24	-	-	-	-	-	0	
		48			+	+		48	-	-	-	-	-										
	0.1	24	-	-	-	-	-	24	-	-	-			0		24	-	-	-	-	-	0	
		48	+	+	+	-	-	48	-	-	-												
		24						24								24							
		48						48															
Strawberry Stream 1055 C12	10	24	+	+	+	+	+	24	+	-	-	-	+	3	11	24	-	-	-	-	+	1	4
		48						48	-	+	-												
	1	24	+	+	+	+	+	24	-	-	+	-	-	1		24	-	-	+	-	-	1	
		48						48	-	-		-	-										
	0.1	24	-	-	-	-	-	24	-	-	-	-		0		24	-	-	-	-	-	0	
		48	-	+	+	+	+	48	-	-	-	-											
		24						24								24							
		48						48															

led
e
ie

Edward S. Babcock & Sons, Inc.

Edward S. Babcock & Sons Inc.

P.O. Box 432
 Riverside, CA 92502

MAR 23 1998

172

Lake Hemet Municipal Water District

P.O. Box 5039

Hemet, CA 92544

Attn: John Loncar

658-3241

Lab. No. 980318-B648
 Invoice No. 44398

Submitted : Sampled

By: MH RN

Employer: ESB LHmad

Date: 3/18/98 3/18/98

Time: 1440 1130

Laboratory Analysis Record

te & Time set-up 3/18 @ 1600 By B

ne from collection to set-up: 16 hr

lding time (max. 6 hrs.) Observed: ☒ Yes ☐ No

Were samples received on ice: ☒ Yes ☐ No

Chain of custody on file: ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria										Tubes +	MPN/100ml	Fecal	Tubes +	MPN/100
		ml Planted	Presumptive				Confirmed									
Stream Blend	10	24	+	+	+	+	+	+	+	+	2	7	24	-	-	-
		48														0
C12	1	24	+	+	+	+	+	+	+	+	1		24	-	-	-
		48														0
	0.1	24	-	-	-	-	-	-	-	-	0		24	-	-	-
		48	-	+	+	+	+	+	+	+						0
	10	24											24			
		48														
	1	24											24			
		48														
	0.1	24											24			
		48														
	10	24											24			
		48														
	1	24											24			
		48														
	0.1	24											24			
		48														
	10	24											24			
		48														
	1	24											24			
		48														
	0.1	24											24			
		48														
	10	24											24			
		48														

led
 e
 ie

Edward S. Babcock & Sons, Inc.

[Signature]

Edward S. Babcock & Sons, Inc.

P.O. Box 432
Riverside, CA 92502

MAR 30 1998

Lab. No. 980325-B920
Invoice No. 44578

172
Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
658-3241

Submitted | Sampled
By: KS | RN/MJF
Employer: ESB | LHM
Date: 3/25/98 | 3/25/98
Time: 1500

Laboratory Analysis Record
ate & Time set-up 3/25 @ 1600 By TS
me from collection to set-up: #1 & 2 3.6 hr # 3 > 6 hr
olding time (max. 6 hrs.) Observed: ☐ Yes ☐ No

Were samples received on ice: ☒ Yes ☐ No
Chain of custody on file: ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria														Fecal		Tubes +	MPN/100						
		ml Planted	Presumptive					Confirmed					Tubes +	MPN/100ml											
① North fork 1131		10	24	+	-	+	-	+	24	+	+	+	-	+	4	13	24	+	+	+	+	-	+	4	13
		1	24	-	-	-	-	-	24	-	-	-	-	-	0		24	-	-	-	-	-	-	0	
		0.1	24	-	-	-	-	-	24	-	-	-	-	-	0		24	-	-	-	-	-	-	0	
			24						24								24								
			48						48								24								
② South fork 1119		10	24	-	-	-	-	-	24	-	-	-	-	-	1	2	24	-	-	-	-	-	-	0	22
		1	24	-	-	-	-	-	24	-	-	-	-	-	0		24	-	-	-	-	-	-	0	
		0.1	24	-	-	-	-	-	24	-	-				0		24	-	-	-				0	
			24						24								24								
			48						48								24								
③ Stream Blend 0930		10	24	+	+	+	+	+	24	+	+	+	+	+	5	300	24	+	+	+	+	+	+	5	50
		1	24	+	+	+	+	+	24	-	+	+	+	+	5		24	+	-	+	-	-	-	2	
		0.1	24	-	-	-	-	-	24	+	-	-	-	-	1		24	-	-	-	-	-	-	0	
			24						24								24								
			48						48								24								

alled
ate
ne

Edward S. Babcock & Sons, Inc.

172
 Lake Hemet Municipal Water District
 P.O. Box 5039
 Hemet, CA 92544
 Attn: John Loncar
 658-3241

MAR 30 1998

Lab. No. 980325-B 921
 Invoice No. 44578

Submitted: MH Sampled: MJF
 By: ESB LHM
 Employer: 3/25/98 3/25/98
 Date: 1500 1114
 Time:

Laboratory Analysis Record
 Date & Time set-up 3/25 @ 1600 By TS
 Time from collection to set-up: 6 hr
 Holding time (max. 6 hrs.) Observed: ☒ Yes ☐ No

Were samples received on ice: ☒ Yes ☐ No
 Chain of custody on file: ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria												Tubes +	MPN/100ml	Fecal	Tubes +	MPN/	
		ml Planted	Presumptive					Confirmed											
D Strawberry Cr.		10	24	++	++	++	++	24	++	++	++	++	24	++	++	++	++	5	900
			48					48					48					5	1
		1	24	+++	+++	+++	+++	24	+++	+++	+++	+++	24	+++	+++	+++	+++	5	
			48					48					48					3	
		0.1	24	---	---	---	---	24	-	+	-	+	+	24	---	---	---	3	
			48	+++	+++	+++	+++	48	-	-	-	-	48					1	
			24					24					24						
			48					48					48						
		10	24					24					24						
			48					48					48						
		1	24					24					24						
			48					48					48						
		0.1	24					24					24						
			48					48					48						
			24					24					24						
			48					48					48						
		10	24					24					24						
			48					48					48						
		1	24					24					24						
			48					48					48						
		0.1	24					24					24						
			48					48					48						
			24					24					24						
			48					48					48						

analyzed _____
 date _____
 me _____

Edward S. Babcock & Sons, Inc.

Edward S. Babcock & Sons Inc.

P.O. Box 432
Riverside, CA 92502

172
Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
658-3241

APR 06 1998

Lab. No.	980401-B29
Invoice No.	44721

	Submitted	Sampled
By:	MH	WEM
Employer:	ESB	LHMWD
Date:	4/1/98	4/1/98
Time:	1500	

Laboratory Analysis Record			
ate & Time set-up	4/1	@ 1530	By R
me from collection to set-up:	56hr		
olding time (max. 6 hrs.) Observed:	☒ Yes	☐ No	

Were samples received on ice:	☒ Yes	☐ No
Chain of custody on file:	☒ Yes	☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria																						
		ml Planted	Presumptive					Confirmed			Tubes +	MPN/100ml	Fecal	Tubes +	MPN/100									
North - Fork 1250 1110	10	24	+	+	+	+	+	24	+	+	+	+	-	4	17	24	+	+	+	+	+	-	3	8
		48						48					-											
	1	24	+	+	+	+	+	24	-	-	-	-	-	0		24	-	-	-	-	-	-	0	
		48						48	-	-	-	-	-											
	0.1	24	-	-	-	-	-	24	-	-	-	-	-	1		24	-	-	-	-	-	-	0	
		48	+	+	+	+	+	48	-	-	+	-	-											
		24						24								24								
		48						48																
1040 1250 Strawberry	10	24	+	+	+	+	+	24	+	+	+	+	+	5	300	24	+	+	+	+	+	+	5	30
		48						48																
	1	24	+	+	+	+	+	24	+	+	-	+	+	5		24	-	+	-	-	-	-	1	
		48						48			+													
	0.1	24	-	-	-	-	-	24	-	-	-	-	-	1		24	-	-	-	-	-	-	0	
		48	+	+	+	+	+	48	-	-	+	-	-											
		24						24								24								
		48						48																
Strawberry + S. Fork 1050 1250	10	24	+	+	+	+	+	24	+	+	+	+	+	5	240	24	+	+	+	+	+	+	4	22
		48						48																
	1	24	+	+	+	+	+	24	+	-	+	+	+	5		24	-	-	+	+	+	-	2	
		48						48		+														
	0.1	24	-	-	-	-	-	24	-	-	-	-	-	0		24	-	-	-	-	-	-	0	
		48	+	+	+	+	+	48	-	-	-	-	-											
		24						24								24								
		48						48																

illed	
te	
ne	

Edward S. Babcock & Sons, Inc.

Alissa M. [Signature]

Edward S. Babcock & Sons, Inc.

P.O. Box 432
Riverside, CA 92502

APR 13 1998

172
Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
658-3241

Lab. No. 980408-B275
Invoice No. 44912

	Submitted	Sampled
By:	NH	WEM
Employer:	ESB	LHMD
Date:	4/8/98	4/8/98
Time:	1500	

Laboratory Analysis Record

Plate & Time set-up 4/8 @ 1600 By TS
Time from collection to set-up: 6hr
Holding time (max. 6 hrs.) Observed: ☒ Yes ☐ No

Were samples received on ice: ☒ Yes ☐ No
Chain of custody on file: ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria														Tubes +	MPN/100ml	Fecal					Tubes +	MPN/100ml
		ml Planted	Presumptive					Confirmed																
D 1142 Northfork		10	24	+	+	+	+	+	24	+	+	+	-	+	5	30	24	+	+	+	-	+	4	13
			48						48				+											
		1	24	-	-	-	+	-	24	-	-	-	+	-	1		24	-	-	-	-	-	0	
			48	+	+	+	-	+	48	-	-	-	-	-										
		0.1	24	-	-	-	-	-	24	-	-	-	-	-	0		24	-	-	-	-	-	0	
			48	+	+	+	+	+	48	-	-	-	-	-										
			24						24								24							
			48						48															
E 1126 Southfork		10	24	+	-	-	+	+	24	-	-	-	+	+	3	17	24	-	-	-	+	-	1	2
			48		+	+			48	+	-	-												
		1	24	-	-	-	-	-	24	-	-	-	-	-	3		24	-	-	-	-	-	0	
			48	+	+	+	+	+	48	+	-	+	-	+										
		0.1	24	-	-	-	-	-	24	-	-	-	-	-	0		24	-	-	-	-	-	0	
			48	+	+	+	+	+	48	-	-	-	-	-										
			24						24								24							
			48						48															
F 1121 Strawberry		10	24	+	+	+	+	+	24	+	+	+	+	+	5	80	24	+	+	+	+	+	5	50
			48						48															
		1	24	-	-	-	-	-	24	-	-	+	-	+	3		24	-	+	-	+	-	2	
			48	+	+	+	+	+	48	-	+		-											
		0.1	24	-	-	-	-	-	24	-	-	-	-	-	0		24	-	-	+	-	-	0	
			48	+	+	+	+	-	48	-	-	-	-	-										
			24						24								24							
			48						48															

alled
ate
ne

Edward S. Babcock & Sons, Inc.

[Signature]

Edward S. Babcock & Sons, Inc.

P.O. Box 432
Riverside, CA 92502

APR 20 1998

172
o: Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
658-3241

Lab. No.	980415-B515
Invoice No.	45085

	Submitted	Sampled
By:	MH	MJE
Employer:	ESB	LHMWD
Date:	4/15/98	4/15/98
Time:	1440	

Laboratory Analysis Record	
ate & Time set-up	4/15/98 @ 1620 By CJC
ime from collection to set-up:	>6hr
olding time (max. 6 hrs.) Observed:	☐ Yes ☒ No

Were samples received on ice:	☒ Yes ☐ No
Chain of custody on file:	☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria																						
		ml Planted	Presumptive					Confirmed					Tubes +	MPN/100ml	Fecal	Tubes +	MPN/1							
D 0917 North Fork		10	24	+	+	+	+	+	24	+	+	+	+	+	5	30	24	+	+	+	+	+	4	1
			48						48															
		1	24	+	+	-	+	-	24	-	-	-	+	-	1		24	-	-	-	+	-	1	
			48			+		+	48	-	-	-	-	-										
		0.1	24	-	-	-	-	-	24	-	-	-	-	-	0		24	-	-	-	-	-	0	
			48	+	+	+	-	+	48	-	-	-	-	-										
			24						24								24							
			48						48															
D 0905 South Fork		10	24	+	+	+	+	+	24	-	-	-	-	-	0	42	24	-	-	-	-	-	0	2
			48						48	-	-	-	-	-										
		1	24	+	+	+	+	+	24	-	-	-	-	-	0		24	-	-	-	-	-	0	
			48						48	-	-	-	-	-										
		0.1	24	-	-	-	-	-	24	-	-	-	-	-	0		24	-	-	-	-	-	0	
			48	+	+	+	+	+	48	-	-	-	-	-										
			24						24								24							
			48						48															
3 Strawberry Creek 0900		10	24	+	+	+	+	+	24	+	+	+	+	+	5	50	24	-	-	+	+	-	1	4
			48						48															
		1	24	+	+	+	+	+	24	-	+	+	-	-	2		24	-	+	-	-	-	1	
			48						48	-			-	-										
		0.1	24	-	+	-	+	+	24	-	-	-	-	-	0		24	-	-	-	-	-	0	
			48	+		+			48	-	-	-	-	-										
			24						24								24							
			48						48															

alled	
ate	
me	

Edward S. Babcock & Sons, Inc.

Lamery, J. Chupel

APR 20 1998

Lab. No. 980415-B576
Invoice No. 415085

172
Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
658-3241

	Submitted	Sampled
By:	MTH	MJF
Employer:	ESB	LHM
Date:	4/15/98	4/15/98
Time:	1440	0928

Laboratory Analysis Record
ate & Time set-up 4/15/98 @ 1630 By CK
me from collection to set-up: >6 hr
olding time (max. 6 hrs.) Observed: ☐ Yes ☒ No

Were samples received on ice: ☒ Yes ☐ No
Chain of custody on file: ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria												Tubes +	MPN/100ml	Fecal				Tubes +	MPN/100		
		ml Planted	Presumptive					Confirmed															
D Combined Stream Water 0928	10	24	+	+	+	+	+	24	+	+	+	+	+	5	80	24	+	+	+	+	+	3	8
		48						48															
	1	24	+	+	+	+	+	24	+	+	-	-	+	3		24	-	-	-	-	-	0	
		48						48	+		-	-											
	0.1	24	+	+	-	-	-	24	-	-	-	-	-	0		24	-	-	-	-	-	0	
		48			+	+	+	48	-	-	-	-	-										
		24						24								24							
		48						48															
	10	24						24								24							
		48						48															
	1	24						24								24							
		48						48															
	0.1	24						24								24							
		48						48															
		24						24								24							
		48						48															
	10	24						24								24							
		48						48															
	1	24						24								24							
		48						48															
	0.1	24						24								24							
		48						48															
		24						24								24							
		48						48															
	10	24						24								24							
		48						48															
	1	24						24								24							
		48						48															
	0.1	24						24								24							
		48						48															
		24						24								24							
		48						48															

alled
ite
ne

Edward S. Babcock & Sons, Inc.

Lauren J. Christel

APR 27 1998

To: 172
Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
658-3241

Lab. No. 980422-B644A
Invoice No. 45221

Laboratory Analysis Record

Date & Time set-up 4/22 @ 1500 By TL

Time from collection to set-up: 56hr

Holding time (max. 6 hrs.) Observed: ☒ Yes ☐ No

	Submitted	Sampled
By:	<u>MH</u>	<u>WEM</u>
Employer:	<u>ESB</u>	<u>LHMWD</u>
Date:	<u>4/22/98</u>	<u>4/22/98</u>
Time:	<u>1410</u>	

Were samples received on ice: ☒ Yes ☐ No

Chain of custody on file: ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria																					
		ml Planted	Presumptive					Confirmed					Tubes +	MPN/100ml	Fecal	Tubes +	MPN						
D N. Fork 1135	10	24	+	+	+	+	+	24	-	-	-	+	+	4	26	24	-	+	-	+	+	3	8
		48						48	+	+	-												
	1	24	+	+	+	+	+	24	-	-	-	-	-	1		24	-	-	-	-	-	0	
		48						48	-	-	+	-	-										
	0.1	24	-	-	-	-	-	24	-	-	-	-	-	2		24	-	-	-	-	-	0	
		48	+	+	+	+	+	48	-	-	+	+	-										
		24						24								24							
		48						48															
S. Fork 1115	10	24	+	+	+	+	+	24	-	-	-	-	-	3	8	24	-	-	-	-	-	0	4
		48						48	-	-	+	+	+										
	1	24	+	+	+	+	+	24	-	-	-	-	-	0		24	-	-	-	-	-	0	
		48						48	-	-	-	-	-										
	0.1	24	+	+	-	-	+	24	-	-	-	-	-	0		24	-	-	-	-	-	0	
		48			+	+		48	-	-	-	-	-										
		24						24								24							
		48						48															
Strawberry 1107	10	24	+	+	+	+	+	24	+	+	+	+	+	5	23	24	+	+	+	+	+	5	2
		48						48															
	1	24	+	+	+	+	+	24	-	-	-	-	-	0		24	-	-	-	-	-	0	
		48						48	-	-	-	-	-										
	0.1	24	-	-	-	-	-	24	-	-	-	-	-	0		24	-	-	-	-	-	0	
		48	+	+	+	+	+	48	-	-	-	-	-										
		24						24								24							
		48						48															

alled _____

ate _____

me _____

APR 23 1998

Edward S. Babcock & Sons, Inc.

Edward S. Babcock & Sons, Inc.

P.O. Box 432
Riverside, CA 92502

APR 27 1998

Lab. No. 980422-B645A
Invoice No. 45221

172
o: Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
658-3241

	Submitted	Sampled
By:	MH	WEM
Employer:	ESB	LHM
Date:	4/22/98	4/22/98
Time:	1410	0900

Laboratory Analysis Record

Date & Time set-up 4/22 @ 1500 By PC

Time from collection to set-up: 26hr

Holding time (max. 6 hrs.) Observed: ☒ Yes ☐ No

Were samples received on ice: ☒ Yes ☐ No

Chain of custody on file: ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria														Tubes +	MPN/100ml	Fecal	Tubes +	MPN				
		ml Planted	Presumptive					Confirmed																
Combined Raw	10	24	+	+	+	+	+	24	-	+	+	+	+	+	5	30	24	-	-	+	+	+	3	8
		48						48	+															
	1	24	+	+	+	+	+	24	+	-	-	-	-	1		24	-	-	-	-	-	0		
		48						48	-	-	-	-												
	0.1	24	+	-	-	+	-	24	-	-	-	-	-	0		24	-	-	-	-	-	0		
		48	+	+		+		48	-	-	-	-	-											
		24						24								24								
		48						48																
	10	24						24								24								
		48						48																
	1	24						24								24								
		48						48																
	0.1	24						24								24								
		48						48																
		24						24								24								
		48						48																
	10	24						24								24								
		48						48																
	1	24						24								24								
		48						48																
	0.1	24						24								24								
		48						48																
		24						24								24								
		48						48																
	10	24						24								24								
		48						48																
	1	24						24								24								
		48						48																
	0.1	24						24								24								
		48						48																
		24						24								24								
		48						48																

alled
ate
me

Edward S. Babcock & Sons, Inc.

[Signature]

MAY 04 1998

To: 172
Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
658-3241

Lab. No. 980429-B859
Invoice No. 45386

	Submitted	Sampled
By:	MH	RN
Employer:	ESB	LHM
Date:	4/24/98	4/29/98
Time:	1500	

Laboratory Analysis Record

Date & Time set-up 4/29 @ 1600 By RL
Time from collection to set-up: #1 > 6hr, #2 & 3 ≤ 6hr
Holding time (max. 6 hrs.) Observed: ☐ Yes ☐ No

Were samples received on ice: ☒ Yes ☐ No
Chain of custody on file: ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria																					
		ml Planted	Presumptive					Confirmed					Tubes +	MPN/100ml	Fecal	Tubes +	MPN						
D North Fork Stream 0940	10	24	+	+	+	+	+	24	+	+	+	+	+	3	11	24	+	+	+	+	+	3	8
		48	+				+	48	-				-										
	1	24	-	-	-	-	-	24	-	-	-	-	+	1		24	-	-	-	-	-	0	
		48	+	+	+	+	+	48	-	-	-	-	-										
	0.1	24	-	-	-	-	-	24	-	-	-	-	-	0		24						0	
		48	+	+	+	+	-	48	-	-	-	-	-										
D South Fork Stream 1015	10	24	+	+	+	+	+	24	+	+	+	+	+	5	170	24	+	+	+	+	+	5	15
		48						48															
	1	24	+	+	+	+	+	24	+	+	+	-	+	4		24	+	+	+	-	+	4	
		48						48				-	-										
	0.1	24	+	-	-	-	-	24	+	-	-	-	-	1		24	+	-	-	-	-	1	
		48		-	+	+	+	48		-	-	-	-										
D Strawberry Creek 1005	10	24	+	+	+	+	+	24	+	+	+	+	+	5	130	24	+	+	+	+	+	5	13
		48						48															
	1	24	+	+	+	-	+	24	+	+	+	-	+	4		24	+	+	+	-	+	4	
		48				+		48				-	-										
	0.1	24	-	-	-	-	-	24	-	-	-	-	-	0		24	-	-	-	-	-	0	
		48	+	+	+	+	+	48	-	-	-	-	-										
		24						24								24							
		48						48															
		24						24								24							
		48						48															
		24						24								24							
		48						48															

Called _____
Date _____
Time _____
cc: SDSHD/RCHD
Edward S. Babcock & Sons, Inc.
MAY 05 1998
Allison Mac

Edward S. Babcock & Sons, Inc.

P.O. Box 432
Riverside, CA 92502

MAY 04 1998

172
To: Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
658-3241

Lab. No. 980429-B860
Invoice No. 45386

	Submitted	Sampled
By:	<u>MH</u>	<u>RN</u>
Employer:	<u>ESB</u>	<u>LHM</u>
Date:	<u>4/29/98</u>	<u>4/29/98</u>
Time:	<u>1300</u>	<u>0915</u>

Laboratory Analysis Record

Date & Time set-up 4/29 @ 1600 By PS
Time from collection to set-up: >6hr
Holding time (max. 6 hrs.) Observed: ☐ Yes ☒ No

Were samples received on ice: ☒ Yes ☐ No
Chain of custody on file: ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria														Tubes +	MPN/100ml	Fecal					Tubes +	MPN
		ml Planted	Presumptive					Confirmed																
Stream Blend		10	24	-	+	+	+	+	24	-	+	+	-	+	3	11	24	-	+	+	-	+	3	S
			48	+					48	-			-											
		1	24	-	-	+	-	-	24	-	+	-	-	-	1		24	-	-	-	-	-	0	
			48	+	+		+	+	48	-		-	-	-										
		0.1	24	-	+	-	-	-	24	-	-	-	-	-	0		24	-	-	-	-	-	0	
			48	+		+	+	+	48	-	-	-	-	-										
			24						24								24							
			48						48															
		10	24						24								24							
			48						48															
		1	24						24								24							
			48						48															
		0.1	24						24								24							
			48						48															
			24						24								24							
			48						48															
		10	24						24								24							
			48						48															
		1	24						24								24							
			48						48															
		0.1	24						24								24							
			48						48															
			24						24								24							
			48						48															

alled
ate
me

Edward S. Babcock & Sons, Inc.

Alise D. Lacy

cc: SDSHD/RCHD

MAY 05 1998

172
Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
658-3241

APR 06 1998

Lab. No.	980401-B29
Invoice No.	44721

	Submitted	Sampled
By:	MH	WEM
Employer:	ESB	LHMD
Date:	4/1/98	4/1/98
Time:	1500	

Laboratory Analysis Record	
ate & Time set-up	4/1 @ 1530 By R5
me from collection to set-up:	36hr
olding time (max. 6 hrs.) Observed:	☒ Yes ☐ No

Were samples received on ice:	☒ Yes ☐ No
Chain of custody on file:	☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria										Tubes +	MPN/100ml	Fecal	Tubes +	MPN/100							
		ml Planted	Presumptive					Confirmed															
North - Fork 1110	10	24	+	+	+	+	+	24	+	+	+	+	-	4	17	24	+	+	+	+	-	3	8
		48						48					-										
	1	24	+	+	+	+	+	24	-	-	-	-	-	0		24	-	-	-	-	-	0	
		48						48	-	-	-	-	-										
	0.1	24	-	-	-	-	-	24	-	-	-	-	-	1		24	-	-	-	-	-	0	
		48	+	+	+	+	+	48	-	-	+	-	-										
		24					24								24								
	48						48																
1040 Strawberry	10	24	+	+	+	+	+	24	+	+	+	+	+	5	300	24	+	+	+	+	+	5	30
		48						48															
	1	24	+	+	+	+	+	24	+	+	-	+	+	5		24	-	+	-	-	-	1	
		48						48			+												
	0.1	24	-	-	-	-	-	24	-	-	-	-	-	1		24	-	-	-	-	-	0	
		48	+	+	+	+	+	48	-	-	+	-	-										
		24					24								24								
	48						48																
Strawberry + S. Fork 1050	10	24	+	+	+	+	+	24	+	+	+	+	+	5	240	24	+	+	+	+	+	4	22
		48						48															
	1	24	+	+	+	+	+	24	+	-	+	+	+	5		24	-	-	+	+	-	2	
		48						48			+												
	0.1	24	-	-	-	-	-	24	-	-	-	-	-	0		24	-	-	-	-	-	0	
		48	+	+	+	+	+	48	-	-	-	-	-										
		24					24								24								
	48						48																

illed	
ite	
ne	

cc: SDSHD/RCHD

Edward S. Babcock & Sons, Inc.

Alissa M. [Signature]

Edward S. Babcock & Sons, Inc.

P.O. Box 432
Riverside, CA 92502

APR 13 1998

172
Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
658-3241

Lab. No. 980408-Ba75
Invoice No. 44912

	Submitted	Sampled
By:	NH	WEM
Employer:	ESB	LHmud
Date:	4/8/98	4/8/98
Time:	1500	

Laboratory Analysis Record

ate & Time set-up 4/8 @ 1600 By TD
ime from collection to set-up: ≤ 6hr
olding time (max. 6 hrs.) Observed: ☒ Yes ☐ No

Were samples received on ice: ☒ Yes ☐ No
Chain of custody on file: ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria														Tubes +	MPN/100ml	Fecal					Tubes +	MPN/1
		ml Planted	Presumptive					Confirmed																
D 1142 Northfork	10	24	+	+	+	+	+	24	+	+	+	-	+	5	30	24	+	+	+	-	+	4	13	
		48						48					+	1										
		24	-	-	-	+	-	24	-	-	-	+	-			24	-	-	-	-	-	0		
		48	+	+	+	-	+	48	-	-	-		-	0								0		
	0.1	24	-	-	-	-	24	-	-	-	-	-			24	-	-	-	-	-	0			
		48	+	+	+	+	+	48	-	-	-	-	-	0							0			
		24						24								24								
		48						48																
E 1126 Southfork	10	24	+	-	-	+	+	24	-	-	-	+	+	3	17	24	-	-	-	+	-	1	2	
		48		+	+			48	+	-	-													
		24	-	-	-	-	-	24	-	-	-	-	-			24	-	-	-	-	-	0		
		48	+	+	+	+	+	48	+	-	+	-	+	3								0		
	0.1	24	-	-	-	-	-	24	-	-	-	-	-			24	-	-	-	-	-	0		
		48	+	+	+	+	+	48	-	-	-	-	-	0							0			
		24						24								24								
		48						48																
F 1121 Strawberry	10	24	+	+	+	+	+	24	+	+	+	+	+	5	80	24	+	+	+	+	+	5	57	
		48						48																
		24	-	-	-	-	-	24	-	-	+	-	+	3		24	-	+	-	+	-	2		
		48	+	+	+	+	+	48	-	+		-												
	0.1	24	-	-	-	-	-	24	-	-	-	-	-			24	-	-	-	-	-	0		
		48	+	+	+	+	-	48	-	-	-	-	-	0							0			
		24						24								24								
		48						48																

alled
ate
ne

Edward S. Babcock & Sons, Inc.

Edward S. Babcock & Sons, Inc.

P.O. Box 432
Riverside, CA 92502

APR 20 1998

172
Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
658-3241

Lab. No. 980415-B575
Invoice No. 45085

	Submitted	Sampled
By:	MH	MJF
Employer:	ESB	LHMWD
Date:	4/15/98	4/15/98
Time:	1440	

Laboratory Analysis Record
ate & Time set-up 4/15/98 @ 1620 By CIC
me from collection to set-up: >6hr
olding-time (max. 6 hrs.) Observed: ☐ Yes ☒ No

Were samples received on ice: ☒ Yes ☐ No
Chain of custody on file: ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria												Tubes +	MPN/100	Fecal	Tubes +	MPN/100					
		ml Planted	Presumptive					Confirmed					Tubes +						MPN/100				
D 0917 North Fork	10	24	+	+	+	+	+	24	+	+	+	+	+	5	30	24	+	+	+	+	+	4	17
		48						48															
	1	24	+	+	-	+	-	24	-	-	-	+	-	1		24	-	-	-	+	-	1	
		48			+		+	48	-	-	-	-	-										
	0.1	24	-	-	-	-	-	24	-	-	-	-	-	0		24	-	-	-	-	-	0	
		48	+	+	+	-	+	48	-	-	-	-	-										
		24						24								24							
		48						48															
D 0905 South Fork	10	24	+	+	+	+	+	24	-	-	-	-	-	0	42	24	-	-	-	-	-	0	2
		48						48	-	-	-	-	-										
	1	24	+	+	+	+	+	24	-	-	-	-	-	0		24	-	-	-	-	-	0	
		48						48	-	-	-	-	-										
	0.1	24	-	-	-	-	-	24	-	-	-	-	-	0		24	-	-	-	-	-	0	
		48	+	+	+	+	+	48	-	-	-	-	-										
		24						24								24							
		48						48															
D Strawberry Creek 0900	10	24	+	+	+	+	+	24	+	+	+	+	+	5	50	24	-	-	-	+	-	1	4
		48						48															
	1	24	+	+	+	+	+	24	-	+	+	-	-	2		24	-	+	-	-	-	1	
		48						48	-			-	-										
	0.1	24	-	+	-	+	+	24	-	-	-	-	-	0		24	-	-	-	-	-	0	
		48	+		+			48	-	-	-	-	-										
		24						24								24							
		48						48															

illed
ite
ne

Edward S. Babcock & Sons, Inc.

Lamery & Chappell

APR 20 1998

172
Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
658-3241

Lab. No. 980415-B576
Invoice No. 415085

	Submitted	Sampled
By:	<u>MIT</u>	<u>MTF</u>
Employer:	<u>ESB</u>	<u>LHM</u>
Date:	<u>4/15/98</u>	<u>4/15/98</u>
Time:	<u>1440</u>	<u>0928</u>

Laboratory Analysis Record

Date & Time set-up 4/15/98 @ 1630 By CK

Time from collection to set-up: >6 hr

Holding time (max. 6 hrs.) Observed: ☐ Yes ☒ No

Were samples received on ice: ☒ Yes ☐ No

Chain of custody on file: ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria										Fecal	Tubes +	MPN/1
		ml Planted	Presumptive					Confirmed						
D Combined Stream Water 0928	10	24	+	+	+	+	+	+	+	+	+	+	+	3
		48												
	1	24	+	+	+	+	+	+	+	+	+	+	+	0
		48												
	0.1	24	+	+	+	+	+	+	+	+	+	+	+	0
		48												
	10	24												
		48												
	1	24												
		48												
	0.1	24												
		48												
	10	24												
		48												
	1	24												
		48												
	0.1	24												
		48												
	10	24												
		48												
	1	24												
		48												
	0.1	24												
		48												
	10	24												
		48												
	1	24												
		48												
	0.1	24												
		48												
	10	24												
		48												
	1	24												
		48												
	0.1	24												
		48												
	10	24												
		48												
	1	24												
		48												
	0.1	24												
		48												
	10	24												
		48												
	1	24												
		48												
	0.1	24												
		48												

illed

ite

ne

Edward S. Babcock & Sons, Inc.

Laurence J. Chryskal

APR 27 1998

172
o: Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
658-3241

Lab. No.	980422-B644A
Invoice No.	45221

	Submitted	Sampled
By:	MH	WEM
Employer:	ESB	LHMWD
Date:	4/22/98	4/22/98
Time:	1410	

Laboratory Analysis Record	
Date & Time set-up	4/22 @ 1500 By RL
Time from collection to set-up:	4hr
Holding time (max. 6 hrs.) Observed:	☒ Yes ☐ No

Were samples received on ice:	☒ Yes ☐ No
Chain of custody on file:	☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria														Tubes +	MPN/100ml	Fecal	Tubes +	MPN			
		ml Planted	Presumptive					Confirmed															
N. Fork 1135	10	24	+	+	+	+	+	24	-	-	-	+	+	4	26	24	-	+	-	+	+	3	8
		48						48	+	+	-												
	1	24	+	+	+	+	+	24	-	-	-	-	-	1		24	-	-	-	-	-	0	
		48						48	-	-	+	-	-										
	0.1	24	-	-	-	-	-	24	-	-	-	-	-	2		24	-	-	-	-	-	0	
		48	+	+	+	+	+	48	-	-	+	+	-										
		24						24								24							
		48						48															
S. Fork 1115	10	24	+	+	+	+	+	24	-	-	-	-	-	3	8	24	-	-	-	-	-	0	2
		48						48	-	-	+	+	+										
	1	24	+	+	+	+	+	24	-	-	-	-	-	0		24	-	-	-	-	-	0	
		48						48	-	-	-	-	-										
	0.1	24	+	+	-	-	+	24	-	-	-	-	-	0		24	-	-	-	-	-	0	
		48			+	+		48	-	-	-	-	-										
		24						24								24							
		48						48															
Strawberry 1107	10	24	+	+	+	+	+	24	+	+	+	+	+	5	23	24	+	+	+	+	+	5	2
		48						48															
	1	24	+	+	+	+	+	24	-	-	-	-	-	0		24	-	-	-	-	-	0	
		48						48	-	-	-	-	-										
	0.1	24	-	-	-	-	-	24	-	-	-	-	-	0		24	-	-	-	-	-	0	
		48	+	+	+	+	+	48	-	-	-	-	-										
		24						24								24							
		48						48															

Filed	
Date	APR 28 1998
Name	

Edward S. Babcock & Sons, Inc.

Alison M. [Signature]

Edward S. Babcock & Sons, Inc.

P.O. Box 432
Riverside, CA 92502

APR 27 1998

Lab. No. 980422-B645A
Invoice No. 45221

172
o: Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
658-3241

	Submitted	Sampled
By:	<u>MH</u>	<u>WEM</u>
Employer:	<u>ESB</u>	<u>LHM</u>
Date:	<u>4/22/98</u>	<u>4/22/98</u>
Time:	<u>1410</u>	<u>0900</u>

Laboratory Analysis Record

ate & Time set-up 4/22 @ 1500 By TC

ime from collection to set-up: 26hr

olding time (max. 6 hrs.) Observed: ☒ Yes ☐ No

Were samples received on ice: ☒ Yes ☐ No

Chain of custody on file: ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria												Tubes +	MPN/100ml	Fecal	Tubes +	MPN						
		ml Planted	Presumptive					Confirmed																
Combined Raw		10	24	+	+	+	+	+	24	-	+	+	+	+	5	30	24	-	-	+	+	+	3	8
			48						48	+														
		1	24	+	+	+	+	+	24	+	-	-	-	-	1		24	-	-	-	-	-	0	
			48						48	-	-	-	-	-										
		0.1	24	+	-	-	+	-	24	-	-	-	-	-	0		24	-	-	-	-	-	0	
			48	+	+	+	+	+	48	-	-	-	-	-										
			24						24								24							
			48						48															
		10	24						24								24							
			48						48															
		1	24						24								24							
			48						48															
		0.1	24						24								24							
			48						48															
			24						24								24							
			48						48															
		10	24						24								24							
			48						48															
		1	24						24								24							
			48						48															
		0.1	24						24								24							
			48						48															
		10	24						24								24							
			48						48															
		1	24						24								24							
			48						48															
		0.1	24						24								24							
			48						48															
		10	24						24								24							
			48						48															

alled

ate

ne

Edward S. Babcock & Sons, Inc.

[Signature]

Edward S. Babcock & Sons, Inc.

P.O. Box 432
Riverside, CA 92502

MAY 04 1998

172
Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
658-3241

Lab. No.	980429-B859
Invoice No.	45386

	Submitted	Sampled
By:	MH	RN
Employer:	ESB	LHM
Date:	4/24/98	4/29/98
Time:	1500	

Laboratory Analysis Record	
Date & Time set-up	4/29 @ 1600 By DL
Time from collection to set-up:	#1 > 6hr, #2 & 3 ≤ 6hr
Holding time (max. 6 hrs.) Observed:	☐ Yes ☐ No

Were samples received on ice: ☒ Yes ☐ No
Chain of custody on file: ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria												Tubes +	MPN/100ml	Fecal	Tubes +	MPN						
		ml Planted	Presumptive					Confirmed																
North Fork Stream 0940	10	24	+	+	+	+	-	24	-	+	+	+	-	3	11	24	-	+	+	+	-	3	8	
		48	+				+	48	-				-											
	1	24	-	-	-	-	-	24	-	-	-	-	+	1		24	-	-	-	-	-	0		
		48	+	+	+	+	+	48	-	-	-	-												
	0.1	24	-	-	-	-	-	24	-	-	-	-	0		24						0			
		48	+	+	+	+	-	48	-	-	-	-												
		24						24								24								
		48						48																
South Fork Stream 1015	10	24	+	+	+	+	+	24	+	+	+	+	+	5	170	24	+	+	+	+	+	5	17	
		48						48																
	1	24	+	+	+	+	+	24	+	+	+	-	+	4		24	+	+	+	+	-	+	4	
		48						48				-												
	0.1	24	+	-	-	-	-	24	+		-	-	-	1		24	+		-	-	-	1		
		48		-	+	+	+	48		-	-	-												
		24						24								24								
		48						48																
Strawberry Creek 1005	10	24	+	+	+	+	+	24	+	+	+	+	+	5	130	24	+	+	+	+	+	5	13	
		48						48																
	1	24	+	+	+	-	+	24	+	+	+	-	+	4		24	+	+	+	-	+	4		
		48				+		48				-												
	0.1	24	-	-	-	-	-	24	-	-	-	-	-	0		24	-	-	-	-	-	0		
		48	+	+	+	+	+	48	-	-	-	-	-											
		24						24								24								
		48						48																

alled
ate
me

cc: SDSHD/RCHD

Edward S. Babcock & Sons, Inc.
MAY 05 1998
Allison Mac

MAY 04 1998

172
Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
658-3241

Lab. No.	980429-B860
Invoice No.	45386

	Submitted	Sampled
By:	MH	RN
Employer:	ESB	LHM
Date:	4/29/98	4/29/98
Time:	1500	0915

Laboratory Analysis Record	
Date & Time set-up	4/29 @ 1600 By PS
Time from collection to set-up:	>6hr
Holding time (max. 6 hrs.) Observed:	☐ Yes ☒ No

Were samples received on ice:	☒ Yes ☐ No
Chain of custody on file:	☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria												Tubes +	MPN/100ml	Fecal	Tubes +	MPN						
		ml Planted	Presumptive					Confirmed																
Stream Blend		10	24	-	+	+	+	+	24	-	+	+	-	+	3	11	24	-	+	+	-	+	3	
			48	+					48	-			-											
		1	24	-	-	+	-	-	24	-	+	-	-	-	1		24	-	-	-	-	-	0	
			48	+	+		+	+	48	-		-	-	-										
		0.1	24	-	+	-	-	-	24	-	-	-	-	-	0		24	-	-	-	-	-	0	
			48	+		+	+	+	48	-	-	-	-	-										
			24						24								24							
			48						48															
		10	24						24								24							
			48						48															
		1	24						24								24							
			48						48															
		0.1	24						24								24							
			48						48															
			24						24								24							
			48						48															
		10	24						24								24							
			48						48															
		1	24						24								24							
			48						48															
		0.1	24						24								24							
			48						48															
			24						24								24							
			48						48															

alled	
ate	
me	

Edward S. Babcock & Sons, Inc.

Alise P. [Signature]

Edward S. Babcock & Sons, Inc.

P.O. Box 432
Riverside, CA 92502

MAY 11 1998

Lab. No.	980506-B172
Invoice No.	45555

172
Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
658-3241

	Submitted	Sampled
By:	MH	MJF
Employer:	ESB	LHM
Date:	5/6/98	5/6/98
Time:	1420	

Laboratory Analysis Record			
Date & Time set-up	5/6	@	1530 By 75
Time from collection to set-up:	≤ 6 hr		
Holding time (max. 6 hrs.) Observed:	☒ Yes ☐ No		

Were samples received on ice:	☒ Yes ☐ No
Chain of custody on file:	☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria														Tubes +	MPN/100ml	Fecal	Tubes +	MPN			
		ml Planted	Presumptive					Confirmed															
1) C12=0 North Fork 1009	10	24	+	+	+	+	+	24	+	+	+	+	+	5	110	24	+	+	+	+	+	4	2
		48						48															
	1	24	+	+	+	+	+	24	-	+	-	-	+	3		24	-	+	-	-	+	2	
		48						48	+		-	-											
	0.1	24	-	-	-	-	-	24	-	-	-	-	-	1		24	-	-	-	-	-	0	
		48	+	+	+	+	+	48	-	-	-	+	-										
2) C12=0 South Fork 0956	10	24	+	+	+	+	+	24	-	+	+	+	+	5	70	24	-	+	+	+	+	4	15
		48						48	+														
	1	24	+	+	+	+	+	24	-	-	-	-	-	2		24	-	-	-	-	-	0	
		48						48	+	-	-	+	-										
	0.1	24	+	+	+	+	+	24	-	-	-	+	-	1		24	-	-	-	+	-	1	
		48						48	-	-	-	-	-										
3) Strawberry Cr C12=0 0952	10	24	+	+	+	+	+	24	+	+	+	+	+	5	240	24	+	+	+	+	+	5	15
		48						48															
	1	24	+	+	+	+	+	24	+	+	+	+	+	5		24	+	-	+	+	+	4	
		48						48															
	0.1	24	-	-	-	-	-	24	-	-	-	-	-	0		24	-	-	-	-	-	0	
		48	+	+	+	+	+	48	-	-	-	-	-										

alled	
ate	MAY 10 1998
me	

Edward S. Babcock & Sons, Inc.

Allison M. Nally

MAY 18 1998

To: 172
Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
658-3241

Lab. No.	980573-B438
Invoice No.	45744

	Submitted	Sampled
By:	MH	WEM
Employer:	ESB	LHM
Date:	5/13/98	5/13/98
Time:	1500	

Laboratory Analysis Record	
Date & Time set-up	5/13 @ 1530 By RL
Time from collection to set-up:	6hr
Holding time (max. 6 hrs.) Observed:	☒ Yes ☐ No

Were samples received on ice:	☒ Yes ☐ No
Chain of custody on file:	☐ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria														Tubes +	MPN/100ml	Fecal	Tubes +	MPN				
		ml Planted	Presumptive					Confirmed																
N. Fork 1105	10	24	+	+	+	+	+	+	24	+	+	+	+	+	5	140	24	+	+	+	+	+	5	40
		48							48															
	1	24	+	+	+	+	+	+	24	-	-	+	-	-	3		24	-	-	-	-	-	0	
		48							48	+	-		+	-										
	0.1	24	+	-	-	-	-	+	24	+	-	-	-	+	2		24	+	-	-	-	+	2	
		48		+	+	+			48	-	-	-	-											
		24							24								24							
		48							48															
S. Fork 1045	10	24	+	+	+	+	+	+	24	+	+	+	+	+	5	140	24	+	+	+	+	+	5	5
		48							48															
	1	24	+	+	+	+	+	+	24	+	+	-	+	-	3		24	+	+	-	+	-	2	
		48							48	-		+	-											
	0.1	24	-	-	-	-	-	-	24	-	-	-	-	-	2		24	-	-	-	-	-	0	
		48	+	+	+	+	+	+	48	-	+	+	-	-										
		24							24								24							
		48							48															
Strawberry 1037	10	24	+	+	+	+	+	+	24	+	+	+	+	+	5	300	24	+	+	+	+	+	5	24
		48							48															
	1	24	+	+	+	+	+	+	24	+	+	+	+	+	5		24	+	+	+	+	+	5	
		48							48															
	0.1	24	-	-	+	-	-	-	24	-	-	-	-	-	1		24	-	-	-	-	-	0	
		48	+	+		+	+	+	48	+	-	-	-	-										
		24							24								24							
		48							48															

allied	
ate	
me	

Edward S. Babcock & Sons, Inc.

Alissa J. Mac

MAY 26 1998

172
Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
658-3241

Lab. No. 980520-B655
Invoice No. 45902

	Submitted	Sampled
By:	<u>MH</u>	<u>RN</u>
Employer:	<u>ESB</u>	<u>LHMWD</u>
Date:	<u>5/20/98</u>	<u>5/20/98</u>
Time:	<u>1445</u>	

Laboratory Analysis Record

ite & Time set-up 5/20 @ 1530 By RN
ne from collection to set-up: 6 hrs.
olding time (max. 6 hrs.) Observed: ☒ Yes ☐ No

Were samples received on ice: ☒ Yes ☐ No
Chain of custody on file: ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria												Fecal	Tubes +	MPN/100							
		ml Planted	Presumptive					Confirmed					Tubes +				MPN/100ml						
South Fork Stream 10:50	10	24	+	+	+	+	+	24	-	-	+	+	-	3	8	24	-	-	+	-	1	2	
		48						48	+	-			-										
	1	24	+	+	+	+	+	24	-	-	-	-	-	0		24	-	-	-	-	0		
		48						48	-	-	-	-	-										
	0.1	24	-	-	-	-	24	-	-	-	-	-	0		24	-	-	-	-	0			
		48	+	-	+	+	+	48	-	-	-	-			-								
		24					24								24								
		48					48																
Strawberry Creek 10:45	10	24	+	+	+	+	+	24	+	+	+	+	+	5	50	24	+	+	+	+	+	5	50
		48						48															
	1	24	+	+	+	+	+	24	+	-	-	-	-	1		24	+	-	-	-	-	1	
		48						48	-	-	-	-	-										
	0.1	24	-	-	+	-	24	-	+	-	-	-	1		24		-	+	-	-	1		
		48	-	+		+	+	48	-	-	-	-			-								
		24					24								24								
		48					48																
North Fork Stream 10:20	10	24	+	+	+	+	+	24	+	+	+	+	+	5	23	24	+	+	+	+	+	5	23
		48						48															
	1	24	-	-	-	-	24	-	-	-	-	-	0		24	-	-	-	-	0			
		48	+	+	+	+	+	48	-	-	-	-			-								
	0.1	24	-	-	-	-	24	-	-	-	-	-	0		24	-	-	-	-	0			
		48	+	+	-	+	+	48	-	-	-	-			-								
		24					24								24								
		48					48																

illed
te
ne

Edward S. Babcock & Sons, Inc.

Allison Mack

Edward S. Babcock & Sons, Inc.

P.O. Box 432
Riverside, CA 92502

MAY 26 1998

172

Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
658-3241

Lab. No. 980520-B656
Invoice No. 45902

Submitted	Sampled
By: <u>MH</u>	<u>RN</u>
Employer: <u>ESB</u>	<u>LHMWD</u>
Date: <u>5/20/98</u>	<u>5/20/98</u>
Time: <u>11:06</u>	

Laboratory Analysis Record

Plate & Time set-up 5/20 @ 1530 By NS
Time from collection to set-up: ≤ 6 hrs.
Incubating time (max. 6 hrs.) Observed: ☒ Yes ☐ No

Were samples received on ice: ☒ Yes ☐ No
Chain of custody on file: ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria												Tubes +	MPN/100ml	Fecal	Tubes +	MPN/10						
		ml Planted	Presumptive					Confirmed																
Stream Blend 11:06	10	24	+	+	+	+	+	24	+	+	+	+	+	5	80	24	+	+	+	+	+	+	4	13
		48						48																
	1	24	-	-	-	-	-	24	-	-	+	-	+	3	24	-	-	-	-	-	-	0		
		48	+	+	+	+	+	48	+	-		-												
	0.1	24	-	-	-	-	-	24	-	-	-	-	-	0	24		-	-	-	-	-	0		
		48	-	+	+	+	+	48	-	-	-	-	-											
		24						24							24									
		48						48																
	10	24						24							24									
		48						48																
	1	24						24							24									
		48						48																
	0.1	24						24							24									
		48						48																
		24						24							24									
		48						48																
	10	24						24							24									
		48						48																
	1	24						24							24									
		48						48																
	0.1	24						24							24									
		48						48																
		24						24							24									
		48						48																
	10	24						24							24									
		48						48																
	1	24						24							24									
		48						48																
	0.1	24						24							24									
		48						48																
		24						24							24									
		48						48																

led	
ie	
ie	

cc: SDSHD/RCHD

Edward S. Babcock & Sons, Inc.

Allison M. Nally

Edward S. Babcock & Sons, Inc.

P.O. Box 432
Riverside, CA 92502

JUN 01 1998

172
Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
658-3241

Lab. No. 980527-B847
Invoice No. 46052

	Submitted	Sampled
By:	<u>MH</u>	<u>MR</u>
Employer:	<u>ESB</u>	<u>LHMWD</u>
Date:	<u>5/27/98</u>	<u>5/27/98</u>
Time:	<u>1500</u>	

Laboratory Analysis Record

ite & Time set-up 5/27 @ 1545 By TV
ne from collection to set-up: > 6 hrs
olding time (max. 6 hrs.) Observed: ☐ Yes ☒ No

Were samples received on ice: ☒ Yes ☐ No
Chain of custody on file: ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria														Tubes +	MPN/100ml	Fecal	Tubes +	MPN/100ml			
		ml Planted	Presumptive					Confirmed															
South Fork 933	10	24	+	+	+	+	+	24	-	-	+	-	+	3	8	24	-	-	+	-	+	2	4
		48						48	-	+	-	-											
	1	24	+	+	+	+	+	24	-	-	-	-	-	0		24	-	-	-	-	-	0	
		48						48	-	-	-	-	-										
	0.1	24	-	-	-	-	-	24	-	-	-	-	-	0		24	-	-	-	-	-	0	
		48	-	-	-	-	-	48	-	-	-	-	-										
		24						24								24							
		48						48															
North Fork 1128	10	24	+	+	+	+	+	24	+	+	+	+	+	5	30	24	+	+	+	+	+	5	23
		48						48															
	1	24	+	+	+	+	+	24	-	-	-	-	-	0		24	-	-	-	-	-	0	
		48						48	-	-	-	-	-										
	0.1	24	-	-	+	-	+	24		-	-	-		1		24			-	-		0	
		48	-	-	-	-		48		-	+												
		24						24								24							
		48						48															
Strawberry Creek 9129	10	24	+	+	+	+	+	24	+	+	+	+	+	5	50	24	+	+	+	+	+	5	22
		48						48															
	1	24	-	-	-	-	-	24	-	+	-	+		2		24	-	-	-	-		0	
		48	+	+	+	+	-	48	-	-	-												
	0.1	24	-	-	-	-	-	24	-	-	-	-		0		24	-	+	-	-		0	
		48	+	+	-	+	-	48	-	-	-												
		24						24								24							
		48						48															

illed
te
ne

JUN 02 1998

Edward S. Babcock & Sons, Inc.

[Signature]

Edward S. Babcock & Sons, Inc.

P.O. Box 432
Riverside, CA 92502

JUN 01 1998

172
Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
658-3241

Lab. No. 980527-B848
Invoice No. 46052

	Submitted	Sampled
By:	<u>MH</u>	<u>MR</u>
Employer:	<u>ESB</u>	<u>LHMWD</u>
Date:	<u>5/27/98</u>	<u>5/27/98</u>
Time:	<u>1500</u>	

Laboratory Analysis Record

ate & Time set-up 5/27 @ 1545 By RV
ime from collection to set-up: < 6 hrs
olding time (max. 6 hrs.) Observed: ☒ Yes ☐ No

Were samples received on ice: ☒ Yes ☐ No
Chain of custody on file: ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria														Fecal	Tubes +	MPN/							
		ml Planted	Presumptive				Confirmed				Tubes +	MPN/100ml													
Stream Blend 955	10	24	+	+	+	+	+	+	24	+	+	+	+	+	5	170	24	+	+	+	+	+	+	5	7
		48								48															
	1	24	+	+	+	+	+	+	24	-	+	+	+	+	4		24	-	-	+	+	-	-	2	
		48								48	-														
	0.1	24	-	-	+	+	-	-	24	-	-	-	-	-	1		24	-	-	+	-	-	-	1	
		48	+	+			+		48	-	-	+	-	-											
		24							24								24								
		48								48															
	10	24							24								24								
		48								48															
	1	24							24								24								
		48								48															
	0.1	24							24								24								
		48								48															
		24							24								24								
		48								48															
	10	24							24								24								
		48								48															
	1	24							24								24								
		48								48															
	0.1	24							24								24								
		48								48															
		24							24								24								
		48								48															
	10	24							24								24								
		48								48															
	1	24							24								24								
		48								48															
	0.1	24							24								24								
		48								48															
		24							24								24								
		48								48															

alled
ate
me

Edward S. Babcock & Sons, Inc.

Allen Mack

JUN - 8 1998

172
Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
658-3241

Lab. No. 980603-B144
Invoice No. 46215

	Submitted	Sampled
By:	<u>MH</u>	<u>WEM</u>
Employer:	<u>ESB</u>	<u>LHM</u>
Date:	<u>6/3/98</u>	<u>6/3/98</u>
Time:	<u>1500</u>	

Laboratory Analysis Record

Time & Time set-up 6/3 @ 1600 By TL

Time from collection to set-up: _____

Incubation time (max. 6 hrs.) Observed: ☐ Yes ☐ No

Were samples received on ice: ☒ Yes ☐ No

Chain of custody on file: ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria																			
		ml Planted	Presumptive					Confirmed		Tubes +	MPN/100ml	Fecal	Tubes +	MPN/100							
① C1250 1207 Northfork	10	24	+	+	+	+	+	24	+	+	+	+	+	+	5	50					
		48						48													
	1	24	+	+	+	+	+	24	-	-	+	+	24	-	-	+	+	2			
		48						48	-	-	-										
	0.1	24	-	-	-	-	-	24					24					0			
		48	-	-	-	-	-	48													
		24						24					24								
		48						48													
② C1250 1150 Southfork	10	24	+	+	+	+	+	24	+	-	-	-	-	24	+	-	-	-	+	1	2
		48						48	-	-	-	+									
	1	24	+	+	+	+	+	24	-	-	-	-	-	24	-	-	-	-	-	0	
		48						48	-	-	-	-	-								
	0.1	24	-	-	+	-	-	24	-	-	-	-	-	24	-	-	+	-	-	0	
		48	+	+		+	+	48	-	-	-	-	-								
		24						24						24							
		48						48													
③ C1250 1142 Strawberry	10	24	+	+	+	+	+	24	+	+	+	+	+	24	+	+	+	+	+	5	30
		48						48													
	1	24	+	+	+	+	+	24	-	-	-	-	+	24	-	-	-	-	+	1	
		48						48	-	-	-	-									
	0.1	24	-	-	-	-	-	24	-	-	-	-	-	24	-	-	-	-	-	0	
		48	+	+	+	+	+	48	-	-	-	-	-								
		24						24						24							
		48						48													

RECEIVED

ed _____ JUN 9 1998

Edward S. Babcock & Sons, Inc.

Laurence Crystal

Edward S. Babcock & Sons, Inc.

P.O. Box 432
Riverside, CA 92502

JUN 15 1998

172
Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
658-3241

Lab. No. 980610-B 339
Invoice No. 46368

	Submitted	Sampled
By:	<u>RN</u>	<u>RN</u>
Employer:	<u>LHmWD</u>	<u>LHmWD</u>
Date:	<u>6-10-98</u>	<u>6-10-98</u>
Time:	<u>1445</u>	

Laboratory Analysis Record
ate & Time set-up 6/10 @ 1500 By NS
me from collection to set-up: 56hr
olding time (max. 6 hrs.) Observed: ☒ Yes ☐ No

Were samples received on ice: ☒ Yes ☐ No
Chain of custody on file: ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria												Tubes +	MPN/100ml	Fecal	Tubes +	MPN/							
		ml Planted	Presumptive					Confirmed																	
Stream Blend @0915 cl2res=0	10	24	+	+	+	+	+	24	+	+	+	+	+	5	110		24	+	+	+	+	+	5	70	
		48						48																	
	1	24	+	+	+	+	+	24	+	-	-	-	+	3			24	+	-	-	-	+	2		
		48						48		-	+	-													
	0.1	24	+	+	+	-	-	24	+	-	-	-	-	1			24	+	-	-	-	-	1		
		48				+	+	48		-	-	-	-												
		24						24									24								
		48						48																	
North Fork Stream @ 1125 cl2res=0	10	24	+	+	+	+	+	24	+	+	+	+	+	5	50		24	+	+	+	+	+	5	30	
		48						48																	
	1	24	+	-	-	-	+	-	24	+	+	-	-	-	2			24	+	-	-	-	+	1	
		48						48		-	-	-	-												
	0.1	24	-	-	-	-	-	24	-	-	-	-	-	0			24	-	-	-	-	-	0		
		48	-	+	-	-	+	48	-	-	-	-													
		24						24									24								
		48						48																	
South Fork Creek @ 1135 cl2res=0	10	24	+	+	+	+	+	24	+	+	+	+	+	5	30		24	+	+	+	+	+	5	30	
		48						48																	
	1	24	+	+	+	+	+	24	-	-	+	-	-	1			24	-	-	+	-	-	1		
		48						48	-	-		-	-												
	0.1	24	-	-	-	-	-	24	-	-	-	-	-	0			24	-	-	-	-	-	0		
		48	+	+	+	+	+	48	-	-	-	-	-												
		24						24									24								
		48						48																	

alled
ite
ne

Edward S. Babcock & Sons, Inc.

John Babcock

Edward S. Babcock & Sons, Inc.

P.O. Box 432
Riverside, CA 92502

JUN 15 1998

172

Lake Hemet Municipal Water District

P.O. Box 5039

Hemet, CA 92544

Attn: John Loncar

658-3241

Lab. No. 980610-B 340

Invoice No. 46368

Submitted

Sampled

By: RN

RN

Employer: LHMWD

LHMWD

Date: 6-10-98

6-10-98

Time: 1445

Laboratory Analysis Record

Site & Time set-up 10/10 @ 1500 By RL

Time from collection to set-up: 56 hr

Holding time (max. 6 hrs.) Observed: ☒ Yes ☐ No

Were samples received on ice: ☒ Yes ☐ No

Chain of custody on file: ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria														Tubes +	MPN/100ml	Fecal	Tubes +	MPN/100				
		ml Planted	Presumptive					Confirmed																
Special Strawberry Creek @ 1145 CLLRS-6		10	24	+	+	+	+	+	24	+	+	+	+	+	5	130	24	+	+	+	+	+	5	80
			48						48															
		1	24	+	+	+	+	+	24	+	+	-	-	+	4		24	+	+	-	-	+	3	
			48						48			-	+											
		0.1	24	+	+	+	+	+	24	-	-	-	-	-	0		24	-	-	+	+	-	0	
			48						48	-	-	-	-	-										
			24						24								24							
			48						48															
		10	24						24								24							
			48						48															
		1	24						24								24							
			48						48															
		0.1	24						24								24							
			48						48															
			24						24								24							
			48						48															
		10	24						24								24							
			48						48															
		1	24						24								24							
			48						48															
		0.1	24						24								24							
			48						48															
			24						24								24							
			48						48															

illed

te

te

cc: SDSHD/RCHD

Edward S. Babcock & Sons, Inc.

John Babcock

JUN 22 1998

Lab. No. 980617-B567
Invoice No. 46529

172

Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
658-3241

	Submitted	Sampled
By:	MH	MJF
Employer:	ESB	LHMWD
Date:	6/17/98	6/17/98
Time:	1515	

Laboratory Analysis Record

ate & Time set-up 6/17 @ 1530 By PS
ne from collection to set-up: >6hr
olding time (max. 6 hrs.) Observed: ☐ Yes ☒ No

Were samples received on ice: ☒ Yes ☐ No
Chain of custody on file: ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria																					
		ml Planted	Presumptive					Confirmed					Tubes +	MPN/100ml	Fecal		Tubes +	MPN/100ml					
1) 0707 Northfork C1250	10	24	+	+	+	+	+	24	+	+	+	+	+	5	30	24	+	+	+	+	+	5	30
		48						48															
	1	24	-	-	-	+	-	24	-	-	-	+	-	1		24	-	-	-	+	-	1	
		48	+	+	+		+	48	-	-	-		-										
	0.1	24	-	+	-	-	-	24	-	-	-	-	-	0		24	-	-	-	-	-	0	
		48	+			+	+	+	48	-	-	-	-										
		24					24	-							24								
		48						48															
2) 0659 Southfork C1250	10	24	+	+	+	+	+	24	+	-	-	-	-	3	8	24	+	-	-	-	-	1	2
		48						48		+	-	+	-										
	1	24	+	+	+	+	+	24	-	-	-	-	-	0		24	-	-	-	-	-	0	
		48						48	-	-	-	-	-										
	0.1	24	-	+	-	+	-	24	-	-	-	-	-	0		24	-	-	-	-	-	0	
		48	+			+	+	48	-	-	-	-	-										
		24					24								24								
		48						48															
3) 0654 Strawberry Cr C1250	10	24	+	+	+	+	+	24	+	+	+	+	+	5	130	24	-	+	+	+	+	4	20
		48						48															
	1	24	+	+	+	+	+	24	+	-	-	+	+	4		24	-	+	-	+	-	2	
		48						48		+	-												
	0.1	24	+	-	-	+	-	24	-	-	-	-	-	0		24	-	-	+	-	-	0	
		48	+	+			+	48	-	-	-	-	-										
		24					24								24								
		48						48															

alled
ate
me

Edward S. Babcock & Sons, Inc.

John Babcock

JUN 22 1998

172
Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
658-3241

Lab. No. 980617-B568
Invoice No. 46529

Laboratory Analysis Record

Time & Time set-up 6/17 @ 1530 By RU

Time from collection to set-up: 2.6 hr

Holding time (max. 6 hrs.) Observed: ☐ Yes ☒ No

	Submitted	Sampled
By:	MH	MJR
Employer:	ESB	LHM
Date:	6/17/98	6/17/98
Time:	1515	

Were samples received on ice: ☒ Yes ☐ No

Chain of custody on file: ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria												Tubes +	MPN/100ml	Fecal	Tubes +	MPN/100					
		ml Planted	Presumptive					Confirmed															
Combined Streams 0724 6/27	10	24	+	+	+	+	+	24	+	+	+	+	+	5	23	24	+	+	+	+	+	5	23
		48						48															
	1	24	+	+	-	-	+	24	-	-	-	-	-	0		24	-	-	-	-	-	0	
		48			+	+		48	-	-	-	-	-										
	0.1	24	-	-	-	+	-	24	-	-	-	-	-	0		24	-	-	-	-	+	0	
		48	+	+	+		+	48	-	-	-	-	-										
		24						24								24							
		48						48															
	10	24						24								24							
		48						48															
	1	24						24								24							
		48						48															
	0.1	24						24								24							
		48						48															
		24						24								24							
		48						48															
	10	24						24								24							
		48						48															
	1	24						24								24							
		48						48															
	0.1	24						24								24							
		48						48															
		24						24								24							
		48						48															
	10	24						24								24							
		48						48															
	1	24						24								24							
		48						48															
	0.1	24						24								24							
		48						48															
		24						24								24							
		48						48															

illed
te
ne

Edward S. Babcock & Sons, Inc.

John Loncar

Edward S. Babcock & Sons, Inc.

P.O. Box 432
Riverside, CA 92502

JUN 29 1998

172

Lake Hemet Municipal Water District

P.O. Box 5039

Hemet, CA 92544

Attn: John Loncar

658-3241

Lab. No.	980624-13797
Invoice No.	46703

	Submitted	Sampled
By:	MH	WEM
Employer:	ESB	LHM
Date:	6/24/98	6/24/98
Time:	1450	

Laboratory Analysis Record

ite & Time set-up 6-24-98 @ 1545 By CO
ne from collection to set-up: >6hr
olding time (max. 6 hrs.) Observed: ☐ Yes ☒ No

Were samples received on ice: ☒ Yes ☐ No

Chain of custody on file: ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria												Tubes +	MPN/100ml	Fecal	Tubes +	MPN/100			
		ml Planted	Presumptive					Confirmed													
0548 Strawberry	10	24	+	+	+	+	+	24	+	+	+	+	+	24	+	+	-	+	+	4	26
		48						48													
	1	24	+	+	+	+	+	24	+	+	+	+	-	24	-	+	+	-	-	2	
		48						48					-								
	0.1	24	-	-	-	+	-	24	-	-	-	+	-	24	-	-	-	+	-	1	
		48	+	+	+		+	48	-	-	-	-	-								
0555 S. Fork	10	24	+	+	+	+	+	24	+	+	+	+	+	24	-	-	+	+	+	3	8
		48						48													
	1	24	+	+	+	+	+	24	-	-	-	-	-	24	-	-	-	-	-	0	
		48						48	-	-	-	-	-								
	0.1	24	+	-	-	-	-	24	-					24	-					0	
		48		-	-	-	-	48	-												
0608 N. Fork	10	24	+	+	+	+	+	24	+	+	+	+	+	24	+	+	+	+	+	5	23
		48						48													
	1	24	-	-	-	-	-	24	-	-	-	+	+	24	-	-	-	-	-	0	
		48	+	+	+	+	+	48	-	-	-										
	0.1	24	-	-	-	-	-	24	-	-	-	-	-	24	-	-	-	-	-	0	
		48	+	+	+	+	+	48	-	-	-	-	-								

illed	
te	
ne	

Edward S. Babcock & Sons, Inc.

Allice M. Nacy

Edward S. Babcock & Sons, Inc.

P.O. Box 432
Riverside, CA 92502

JUN 29 1998

Lab. No. 9 80624-B79B
Invoice No. 46703

172
Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
658-3241

	Submitted	Sampled
By:	MH	WEM
Employer:	ESB	LHM
Date:	6/24/98	6/24/98
Time:	1450	0707

Laboratory Analysis Record

ate & Time set-up 6-24-98 @ 1605 By CD
me from collection to set-up: >6 hr
olding time (max. 6 hrs.) Observed: ☐ Yes ☒ No

Were samples received on ice: ☒ Yes ☐ No
Chain of custody on file: ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria														Tubes +	MPN/100ml	Fecal	Tubes +	MPN				
		ml Planted	Presumptive					Confirmed																
Combined Raw		10	24	+	+	+	+	-	24	-	+	+	-	+	3	17	24	-	+	-	-	-	1	4
			48					+	48	-			-											
		1	24	+	+	+	+	+	24	-	+	-	-	-	2		24	-	+	-	-	-	1	
			48						48	-		-	-	+										
		0.1	24	-	-	-	-	-	24	-	-	-	-	-	1		24	-	-	-	-	-	0	
			48	+	+	+	+	+	48	+	-	-	-	-										
			24						24								24							
			48						48															
		10	24						24								24							
			48						48															
		1	24						24								24							
			48						48															
		0.1	24						24								24							
			48						48															
			24						24								24							
			48						48															
		10	24						24								24							
			48						48															
		1	24						24								24							
			48						48															
		0.1	24						24								24							
			48						48															
			24						24								24							
			48						48															

illed
ate
ne

Edward S. Babcock & Sons, Inc.

Alissa Nally

Edward S. Babcock & Sons, Inc.

P.O. Box 432
Riverside, CA 92502

JUL - 6 1998

72
Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
658-3241

Lab. No.	980701-B36
Invoice No.	412877

	Submitted	Sampled
By:	MH	RN
Employer:	ESB	LHmWD
Date:	7/1/98	7/1/98
Time:	1435	

Laboratory Analysis Record	
& Time set-up	7-1-98 @ 1520 By CO
from collection to set-up:	≤ 6
ing time (max. 6 hrs.) Observed:	☒ Yes ☐ No

Were samples received on ice:	☒ Yes ☐ No
Chain of custody on file:	☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria																						
		ml Planted	Presumptive					Confirmed					Tubes +	MPN/100ml	Fecal	Tubes +	MPN/100							
Stream North Fork 1000	10	24	+	+	+	+	+	24	+	+	+	+	+	5	50	24	+	+	+	+	+	+	5	23
		48						48																
	1	24	+	+	+	+	+	24	-	-	-	-	-	2		24	-	-	-	-	-	-	0	
		48						48	+	+	-	-	-											
	0.1	24	-	-	-	-	-	24	-	-	-	-	-	0		24	-	-	-	-	-	-	0	
		48	+	+	+	+	+	48	-	-	-	-	-											
Stream outh Fork 1010	10	24	+	+	+	+	+	24	+	+	+	+	+	5	80	24	+	+	+	+	+	+	2	4
		48						48																
	1	24	+	+	+	+	+	24	+	+	-	-	+	3		24	-	-	-	-	-	-	0	
		48						48			-	-												
	0.1	24	+	+	+	+	+	24	-	-	-	-	-	0		24	-	-	-	-	-	-	0	
		48						48	-	-	-	-	-											
Strawberry Creek 1030	10	24	+	+	+	+	+	24	+	+	+	+	+	5	80	24	-	+	+	+	-	-	2	4
		48						48																
	1	24	+	+	+	+	+	24	-	+	-	-	-	3		24	+	+	+	+	+	+	0	
		48						48	+	-	-	-	+											
	0.1	24	-	-	-	-	-	24	-	-	-	-	-	0		24	-	-	-	-	-	-	0	
		48	+	+	+	+	+	48	-	-	-	-	-											
		24					24								24									
		48					48																	

id

JUL 06 1998

Edward S. Babcock & Sons, Inc.

JUL - 6 1998

172
 Lake Hemet Municipal Water District
 P.O. Box 5039
 Hemet, CA 92544
 Attn: John Loncar
 658-3241

Lab. No.	980701-B37
Invoice No.	46877

	Submitted	Sampled
By:	MH	WEM
Employer:	ESB	LHMWD
Date:	7/1/98	7/1/98
Time:	1435	0900

Laboratory Analysis Record	
Date & Time set-up <u>7-1-98</u> @ <u>1545</u> By <u>CD</u> Time from collection to set-up: <u>>6</u> Holding time (max. 6 hrs.) Observed: ☐ Yes ☒ No	

Were samples received on ice:	☒ Yes ☐ No
Chain of custody on file:	☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria																						
		ml Planted	Presumptive					Confirmed					Tubes +	MPN/100ml	Fecal	Tubes +	MPN/100							
Eggen treatment	10	24	+	+	+	+	+	24	-	-	+	+	+	4	17	24	-	-	+	+	-	-	2	4
		48						48	+	-														
Plant Combined	1	24	+	+	+	+	-	24	-	-	+	-	-	1		24	-	-					0	
		48						48	-	-		-	-											
	0.1	24	-	-	-	-	-	24	-	-	-	-	-	0		24	-	-	-	-	-	-	0	
		48	+	+	+	+	+	48	-	-	-	-	-											
		24						24								24								
		48						48																
	10	24						24								24								
		48						48																
	1	24						24								24								
		48						48																
	0.1	24						24								24								
		48						48																
		24						24								24								
		48						48																
	10	24						24								24								
		48						48																
	1	24						24								24								
		48						48																
	0.1	24						24								24								
		48						48																
		24						24								24								
		48						48																
	10	24						24								24								
		48						48																
	1	24						24								24								
		48						48																
	0.1	24						24								24								
		48						48																
		24						24								24								
		48						48																

led	
e	
ie	

Edward S. Babcock & Sons, Inc.

Alison MacG...

Edward S. Babcock & Sons, Inc.

P.O. Box 432
Riverside, CA 92502

JUL 1 4 1998

72
Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
658-3241

Lab. No.	980708-B286
Invoice No.	47062

	Submitted	Sampled
By:	MH	RWN/MJT
Employer:	ESB	LHM
Date:	7/8/98	7/8/98
Time:	1415	

Laboratory Analysis Record	
& Time set-up	7-8-98 @ 1430 By CD
from collection to set-up:	≤ 6
ing time (max. 6 hrs.) Observed:	X Yes ☐ No

Were samples received on ice: ☒ Yes ☐ No
Chain of custody on file: ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria														Tubes +	MPN/100ml	Fecal	Tubes +	MPN/100			
		ml Planted	Presumptive					Confirmed															
Stream Blend 0850	10	24	+	+	+	+	+	24	+	+	+	-	+	4	35	24	+	-	+	-	+	3	14
		48						48				-											
	1	24	+	+	+	+	+	24	+	-	-	-	+	3		24	+	-	-	-	+	2	
		48						48		-	-	+											
	0.1	24	-	-	-	-	-	24	-	-	+	-	-	2		24	-	-	-	-	-	0	
		48	+	+	+	+	+	48	-	+		-	-										
		24						24								24							
		48						48															
Strawberry Creek 1118	10	24	+	+	+	+	+	24	+	+	+	+	+	5	140	24	+	+	+	+	+	5	80
		48						48															
	1	24	+	+	+	+	+	24	-	+	-	+	+	3		24	-	+	-	+	+	3	
		48						48	-		-												
	0.1	24	-	-	-	-	-	24	-	-	-	-	+	2		24	-	-	-	-	-	0	
		48	+	+	+	+	+	48	+	-	-	-											
		24						24								24							
		48						48															
South Fork 1125	10	24	+	+	+	+	+	24	+	+	+	+	+	5	240	24	+	+	+	-	-	3	8
		48						48															
	1	24	+	+	+	+	+	24	+	-	-	-	-	5		24	-	-	-	-	-	0	
		48						48		+	+	+	+										
	0.1	24	-	-	-	-	-	24	-	-	-	-	-	0		24	-	-	-	-	-	0	
		48	+	+	+	+	+	48	-	-	-	-	-										
		24						24								24							
		48						48															

ed	
	JUL 1 1998

Edward S. Babcock & Sons, Inc.

Edward S. Babcock

Edward S. Babcock & Sons, Inc.

P.O. Box 432
 Riverside, CA 92502

JUL 14 1998

72

Lake Hemet Municipal Water District
 P.O. Box 5039
 Hemet, CA 92544
 Attn: John Loncar
 658-3241

Lab. No.	980708-B287
Invoice No.	47062

	Submitted	Sampled
By:	MH	MJF
Employer:	ESB	LHM
Date:	7/8/98	7/8/98
Time:	1415	1145

Laboratory Analysis Record	
Time set-up	7-8-98 @ 1550 By CD
Time from collection to set-up:	≤ 6
Waiting time (max. 6 hrs.) Observed:	☒ Yes ☐ No

Were samples received on ice:	☒ Yes ☐ No
Chain of custody on file:	☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria														Tubes +	MPN/100ml	Fecal	Tubes +	MPN/100				
		ml Planted	Presumptive					Confirmed																
North Fork		10	24	+	+	+	+	+	24	+	+	+	+	+	5	80	24	+	+	+	+	+	5	80
			48						48															
		1	24	+	+	+	+	+	24	+	-	-	+	+	3		24	+	-	-	+	+	3	
			48						48		-	-												
		0.1	24	-	-	-	-	-	24	-	-	-	-	-	0		24	-	-	-	-	-	0	
			48	+	+	+	+	+	48	-	-	-	-	-										
			24						24								24							
			48						48															
			24						24								24							
			48						48															
			24						24								24							
			48						48															
			24						24								24							
			48						48															
			24						24								24							
			48						48															
			24						24								24							
			48						48															
			24						24								24							
			48						48															
			24						24								24							
			48						48															
			24						24								24							
			48						48															
			24						24								24							
			48						48															
			24						24								24							
			48						48															

ed	
3	
3	

Edward S. Babcock & Sons, Inc.

[Signature]

Edwards S. Babcock & Sons, Inc.

ESTABLISHED 1906
P.O. Box 432
Riverside, CA 92502

JUL 20 1998

172
Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
658-3241

Lab. No. 480715-B-532
Invoice No. 47248

Submitted: MIT : MIF
By: ESB : LHM
Employer: ESB : LHM
Date: 7/15/98 : 7/15/98
Time: 1405

Laboratory Analysis Record
te & Time set-up 7/15 @ 1630 By TS
ne from collection to set-up: >6
lding time (max. 6 hrs.) Observed: ☐ Yes ☒ No

Were samples received on ice: ☒ Yes ☐ No
Chain of custody on file: ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria														Tubes +	MPN/100ml	Fecal	Tubes +	MPN/100ml				
		ml Planted	Presumptive					Confirmed																
0822 North fork		10	24	+	+	+	+	+	24	+	+	+	+	+	5	130	24	+	+	+	+	+	4	13
			48						48					+										
		1	24	+	+	+	+	+	24	-	-	-	+	-	4		24	-	-	-	-	-	0	
			48						48	+	+	+		-										
		0.1	24	-	+	-	-	-	24	-	-	-	-	-	0		24	-	-	-	-	-	0	
			48	+		+	+	+	48	-	-	-	-	-										
			24						24								24							
			48						48															
0810 South fork		10	24	+	+	+	+	+	24	+	+	+	+	+	5	900	24	-	+	-	+	-	2	7
			48						48															
		1	24	+	+	+	+	+	24	-	-	-	+	-	5		24	-	-	-	+	-	1	
			48						48	+	+	+		+										
		0.1	24	+	+	+	+	+	24	-	-	-	-	-	3		24	-	-	-	-	-	0	
			48						48	-	+	+	+	-										
			24						24								24							
			48						48															
Strawberry Cr. 0800		10	24	+	+	+	+	+	24	+	+	+	+	+	5	240	24	+	+	+	+	+	5	136
			48						48															
		1	24	+	+	+	+	+	24	+	+	+	+	+	5		24	+	+	+	-	+	4	
			48						48															
		0.1	24	+	+	+	-	+	24	-	-	-	-	-	0		24	-	-	-	-	-	0	
			48				+		48	-	-	-	-	-										
			24						24								24							
			48						48															

alled
ate
ne

Edward S. Babcock & Sons, Inc.

[Signature]

biology
r Testing
rdous Waste Testing
HS Certified

ESTABLISHED 1906
Edward S. Babcock & Sons, Inc.

P.O. Box 432
Riverside, CA 92502

JUL 20 1998

172

Lake Hemet Municipal Water District

P.O. Box 5039

Hemet, CA 92544

Attn: John Loncar

658-3241

Lab. No. 980715-B-533
Invoice No. 417248

Submitted : Sampled

By: MT MTF

Employer: ESB LHM

Date: 7/15/98 7/15/98

Time: 1405 0950

Laboratory Analysis Record

e & Time set-up 7/15 @ 1630 By TS

e from collection to set-up: 26

ding time (max. 6 hrs.) Observed: ☐ Yes ☒ No

Were samples received on ice: ☒ Yes ☐ No

Chain of custody on file: ☒ Yes ☐ No


Sample Marking	Standard Plate Count	Coliform Bacteria																						
		ml Planted	Presumptive					Confirmed					Tubes +	MPN/100ml	Fecal	Tubes +	MPN/100							
Combined Raw Water	10	24	+	+	+	+	+	24	-	+	+	+	+	+	5	50	24	-	+	+	-	+	3	8
		48						48	+															
	1	24	+	+	+	+	+	24	-	+	-	-	-	-	2		24	-	-	-	-	-	0	
		48						48	-		+	-	-	-										
	0.1	24	+	-	+	-	+	24	-	-	-	-	-	-	0		24	-	-	-	-	-	0	
		48		+		+		48	-	-	-	-	-	-										
		24						24									24							
		48						48																
	10	24						24									24							
		48						48																
	1	24						24									24							
		48						48																
	0.1	24						24									24							
		48						48																
		24						24									24							
		48						48																
	10	24						24									24							
		48						48																
	1	24						24									24							
		48						48																
	0.1	24						24									24							
		48						48																
	10	24						24									24							
		48						48																
	1	24						24									24							
		48						48																
	0.1	24						24									24							
		48						48																
	10	24						24									24							
		48						48																

led
te
le

JUL 21 1998

Edward S. Babcock & Sons, Inc.

[Signature]



ESTABLISHED 1906

E.S. BABCOCK
& SONS, INC.

09/09/98

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

To: Lake Hemet Municipal Water District

Attn: John Loncar

P.O. Box 5039

Hemet, CA 92544

Lab No. 980902-B084

Invoice No. 48406

	Submitted	Sampled
By: MH		RWN
Employer: ESB		LHMWD
Date: 09/02/98		09/02/98
Time: 15:00		
Sample Received on Ice: Yes		
Chain of Custody on File: Yes		

Date & Time set-up: 09/02/98 @ 1530 By: TG


Time from Collection to set-up: ≤6hr.

Holding time (max.6 hrs.) Observed: Yes


Multiple Tube Fermentation Technique
Standard Methods 9221

Sample ID	mL Planted	TOTAL Tubes +	COLIFORM MPN/100mL	FECAL COLIFORM Tubes + MPN/100mL
South Fork Cl ₂ = 0 ppm 09:55	10	5	≥1600	5 110
	1	5		3
	0.1	5		1
Strawberry Creek Cl ₂ = 0 ppm 09:45	10	5	≥1600	5 30
	1	5		1
	0.1	5		0
North Fork Stream Cl ₂ = 0 ppm 09:30	10	5	1600	5 70
	1	5		2
	0.1	4		1

cc: SDSHD/RCHD



Edward S. Babcock & Sons, Inc.



ESTABLISHED 1906

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

9/9/98

To: Lake Hemet Municipal Water District
Attn: John Loncar
P.O. Box 5039
Hemet, CA 92544

Lab No. 980902-B085
Invoice No. 48406

Submitted	Sampled
By: MH	RWN
Employer: ESB	LHMWD
Date: 09/02/98	09/02/98
Time: 15:00	11:30
Sample Received on Ice: Yes	
Chain of Custody on File: Yes	

Date & Time set-up: 09/02/98 @ 1530 By: TG
Time from Collection to set-up: ≤6hr.
Holding time (max.6 hrs.) Observed: Yes

Multiple Tube Fermentation Technique
Standard Methods 9221

<u>Sample ID</u>	<u>mL Planted</u>	<u>TOTAL Tubes +</u>	<u>COLIFORM MPN/100mL</u>	<u>FECAL COLIFORM Tubes +</u>	<u>MPN/100mL</u>
Dam Release	10	5	≥1600	5	1600
	1	5		5	
	0.1	5		4	

Edward S. Babcock & Sons, Inc.

cc: SDSHD/RCHD

172

SEP 14 1998

Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
658-3241

Lab. No. 980909-B293
Invoice No. 48558

Submitted | Sampled
By: MAH | mJF
Employer: ESB | LHmyD
Date: 9/9/98 | 9/9/98
Time: 1430

Laboratory Analysis Record

Site & Time set-up 9/9 @ 1530 By RL
Time from collection to set-up: ≤ 6 hr
Holding time (max. 6 hrs.) Observed: ☒ Yes ☐ No

Were samples received on ice: ☒ Yes ☐ No
Chain of custody on file: ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria												Fecal	Tubes +	MPN/100								
		ml Planted	Presumptive					Confirmed					Tubes +				MPN/100ml							
1124 North fork	10	24	+	+	+	+	+	24	+	+	+	+	+	5	500	24	+	+	+	+	+	+	5	500
		48						48																
		24	+	+	+	+	+	24	-	-	-	+	+	5		24	-	-	-	+	+		2	
		48						48	+	+	+													
	0.1	24	+	-	+	+	+	24	-	+	-	-	-	2		24	-	-	-	-	-		0	
		48	+					48	-		-	+	-											
		24						24								24								
		48						48																
1106 South fork	10	24	+	+	+	+	+	24	+	+	+	+	+	5	1600	24	+	+	+	+	+	+	5	130
		48						48																
		24	+	+	+	+	+	24	+	+	+	+	+	5		24	+	+	-	+	+		4	
		48						48																
	0.1	24	+	-	-	-	-	24	-	-	+	+	+	4		24	-	-	-	-	-		0	
		48		+	+	+	+	48	-	+														
		24						24								24								
		48						48																
L.H. 1020 Dam Release	10	24	+	+	+	+	+	24	+	+	+	-	-	5	500	24	-	-	-	-	-		0	< 2
		48						48				+	+											
		24	+	+	+	-	-	24	+	+	+	-	-	5		24	-	-	-	-	-		0	
		48				+	+	48				+	+											
	0.1	24	+	+	+	+	+	24	-	-	-	-	+	2		24	-	-	-	-	-		0	
		48						48	-	+	-	-												
		24						24								24								
		48						48																

DISCONTINUED

illed
te
ne

Edward S. Babcock & Sons, Inc.

Alissa M. [Signature]

Edward S. Babcock & Sons Inc.

P.O. Box 432
 Riverside, CA 92502

172

SEP 14 1998

Lake Hemet Municipal Water District

P.O. Box 5039

Hemet, CA 92544

Attn: John Loncar

658-3241

Lab. No. 980909-B294
 Invoice No. 48558

	Submitted	Sampled
By:	MH	MJF
Employer:	ESB	LHmu/D
Date:	9/9/98	9/9/98
Time:	1430	1057

Laboratory Analysis Record

Time & Time set-up 9/9 @ 1530 By TV
 Time from collection to set-up: 56 hr
 Holding time (max. 6 hrs.) Observed: ☒ Yes ☐ No

Were samples received on ice: ☒ Yes ☐ No
 Chain of custody on file: ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria											
		ml Planted	Presumptive					Confirmed					MPN/100ml
strawberry Cr.	10	24	+	+	+	+	+	+	+	+	+	5	300
		48										5	80
	1	24	+	+	+	+	+	+	+	+	+	5	
		48										3	
	0.1	24	-	-	-	-	-	-	-	-	-	1	
		48	+	+	+	+	+	+	+	+	+	0	
		24											
		48											
	10	24											
		48											
	1	24											
		48											
	0.1	24											
		48											
		24											
		48											
	10	24											
		48											
	1	24											
		48											
	0.1	24											
		48											
		24											
		48											

id _____

Edward S. Babcock & Sons, Inc.

Allison M. [Signature]

SEP 21 1998

Lab. No. 980916-B512
Invoice No. 48726

172
Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
658-3241

	Submitted	Sampled
By:	MH	MLB
Employer:	ESB	LHMWD
Date:	9/16/98	9/16/98
Time:	1505	

Laboratory Analysis Record
ate & Time set-up 9/16/98 @ 1530 By CK
me from collection to set-up: 6hr
olding time (max. 6 hrs.) Observed: ☒ Yes ☐ No

Were samples received on ice: ☐ Yes ☐ No
Chain of custody on file: ☐ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria																					
		ml Planted	Presumptive					Confirmed					Tubes +	MPN/100ml	Fecal	Tubes +	MPN/1						
South Fork @ 11:05	10	24	+	+	+	+	+	24	+	+	+	+	+	5	240	24	+	+	-	+	-	3	8
		48						48															
	1	24	+	+	-	-	+	24	+	+	-	-	+	5		24	-	-	-	-	-	0	
		48			+	+		48			+	+											
	0.1	24	-	+	-	+	+	24	-	-	-	-	-	0		24	-	-	-	-	-	0	
		48	+	+				48	-	-	-	-	-										
		24						24								24							
		48						48															
North Fork @ 11:30	10	24	+	+	+	+	+	24	+	+	+	+	+	5	300	24	+	+	+	+	+	5	30
		48						48															
	1	24	+	+	+	+	+	24	+	+	+	+	+	5		24	-	+	-	-	-	1	
		48						48															
	0.1	24	+	+	+	+	-	24	-	-	+	-	-	1		24	-	-	-	-	-	0	
		48					-	48	-	-	-	-	-										
		24						24								24							
		48						48															
Dam Release @ 10:10	10	24	+	+	+	+	+	24	+	+	+	+	+	5	70	24	-	-	-	-	-	0	42
		48						48															
	1	24	+	+	+	-	-	24	-	-	-	-	-	2		24	-	-	-	-	-	0	
		48				+	+	48	+	-	-	-	+										
	0.1	24	-	-	+	-	+	24	-	-	-	-	-	1		24	-	-	-	-	-	0	
		48	+	+		+		48	-	-	+	-	-										
		24						24								24							
		48						48															

alled
ate
me

Edward S. Babcock & Sons, Inc.

Ellie Mack

SEP 21 1998

Lab. No. 980916-B513

Invoice No. 48726

172

Lake Hemet Municipal Water District

P.O. Box 5039

Hemet, CA 92544

Attn: John Loncar

658-3241

Submitted

Sampled

By: MH

MLB

Employer: ESB

LHMWD

Date: 9/16/98

9/16/98

Time: 1505

Laboratory Analysis Record

ate & Time set-up 9/16/98 @ 1505 By: C/K

me from collection to set-up: <6hr

olding time (max. 6 hrs.) Observed: ☒ Yes ☐ No

Were samples received on ice: ☐ Yes ☐ No

Chain of custody on file: ☐ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria												Tubes +	MPN/100ml	Fecal	Tubes +	MPN/1					
		ml Planted	Presumptive					Confirmed															
Strawberry Creek @ 11:15	10	24	+	+	+	+	+	24	+	+	+	+	+	5	500	24	+	-	-	-	-	1	2
		48						48															
	1	24	+	+	+	+	+	24	+	+	+	+	+	5		24	-	-	-	-	-	0	
		48						48															
	0.1	24	+	-	+	+	-	24	-	-	+	+	-	2		24	-	-	+	-	-	0	
		48		+			+	48	-	-			-										
		24						24								24							
		48						48															
	10	24						24								24							
		48						48															
	1	24						24								24							
		48						48															
	0.1	24						24								24							
		48						48															
		24						24								24							
		48						48															
	10	24						24								24							
		48						48															
	1	24						24								24							
		48						48															
	0.1	24						24								24							
		48						48															
		24						24								24							
		48						48															
	10	24						24								24							
		48						48															
	1	24						24								24							
		48						48															
	0.1	24						24								24							
		48						48															
		24						24								24							
		48						48															

alled	
ate	
me	

Edward S. Babcock & Sons, Inc.

Miss Mac

Edward S. Babcock & Sons, Inc.

P.O. Box 432
 Riverside, CA 92502

SEP 28 1998

72

Lake Hemet Municipal Water District
 P.O. Box 5039
 Hemet, CA 92544
 Attn: John Loncar
 658-3241

Lab. No.	980923-B756
Invoice No.	48919

	Submitted	Sampled
By:	mlt	RWN
Employer:	ESB	LHmud
Date:	9/23/98	9/23/98
Time:	1:55	

Laboratory Analysis Record

Time & Time set-up 9/23 @ 1600 By RL
 Time from collection to set-up: > 6hr
 Holding time (max. 6 hrs.) Observed: ☐ Yes ☒ No

Were samples received on ice: ☒ Yes ☐ No
 Chain of custody on file: ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria																						
		ml Planted	Presumptive					Confirmed					Tubes +	MPN/100ml	Fecal	Tubes +	MPN/100							
0900 Northfork		10	24	+	+	+	+	+	24	+	+	+	+	+	5	280	24	+	+	+	+	+	5	80
			48						48															
		1	24	+	+	+	+	+	24	+	+	+	-	+	4		24	+	-	+	-	+	3	
			48						48				-											
		0.1	24	-	-	-	-	+	24	+	-	-	-	-	3		24	-	-	-	-	-	0	
			48	+	+	+	+		48	+	+	-	-											
			24						24								24							
			48						48															
0950 outhfork		10	24	+	+	+	+	+	24	+	+	+	+	+	5	300	24	-	-	-	-	-	0	<2
			48						48															
		1	24	+	+	+	+	+	24	-	-	-	-	-	5		24	-	-	-	-	-	0	
			48						48	+	+	+	+	+										
		0.1	24	+	+	+	+	+	24	-	-	-	-	-	1		24	-	-	-	-	-	0	
			48						48	-	-	+	-	-										
			24						24								24							
			48						48															
Strawberry Creek 0930		10	24	+	+	+	+	+	24	+	+	+	+	+	5	900	24	+	+	+	-	-	3	8
			48						48															
		1	24	+	+	+	+	+	24	-	-	+	+	+	5		24	-	-	-	-	-	0	
			48						48	+	+													
		0.1	24	+	+	+	+	+	24	-	-	-	+	+	3		24	-	-	-	-	-	0	
			48						48	-	-	+												
			24						24								24							
			48						48															

SEP 28 1998

Edward S. Babcock & Sons, Inc.

Alise M. [Signature]

SEP 28 1998

172
Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
658-3241

Lab. No. 980923-B757
Invoice No. 48919

	Submitted	Sampled
By:	MH	RWN
Employer:	ESB	LHM
Date:	9/23/98	9/23/98
Time:	1575	1035

Laboratory Analysis Record
Date & Time set-up 9/23 @ 1600 By DS
Time from collection to set-up: 56hr.
Holding time (max. 6 hrs.) Observed: ☒ Yes ☐ No

Were samples received on ice: ☒ Yes ☐ No
Chain of custody on file: ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria										Fecal	Tubes +	MPN/1
		ml Planted	Presumptive					Confirmed						
D Dam Release	10	24	+	+	+	+	+	24	+	+	+	+	+	0 42
		48						48			+			
	1	24	-	-	-	-	-	24	-	-	-	-	-	0
		48	+	+	+	+	+	48	+	+	+	+	+	
	0.1	24	-	-	-	-	-	24	-	-	-	-	-	0
		48	+	+	+	+	+	48	+	-	-	-	-	
	10	24						24						
		48						48						
	1	24						24						
		48						48						
	0.1	24						24						
		48						48						
	10	24						24						
		48						48						
	1	24						24						
		48						48						
	0.1	24						24						
		48						48						
	10	24						24						
		48						48						
	1	24						24						
		48						48						
	0.1	24						24						
		48						48						
	10	24						24						
		48						48						
	1	24						24						
		48						48						
	0.1	24						24						
		48						48						
	10	24						24						
		48						48						
	1	24						24						
		48						48						
	0.1	24						24						
		48						48						
	10	24						24						
		48						48						
	1	24						24						
		48						48						
	0.1	24						24						
		48						48						
	10	24						24						
		48						48						
	1	24						24						
		48						48						
	0.1	24						24						
		48						48						

illed
ite
ne

Edwards S. Babcock & Sons, Inc.

[Signature]

OCT 05 1998

72
 Lake Hemet Municipal Water District
 P.O. Box 5039
 Hemet, CA 92544
 Attn: John Loncar
 658-3241

Lab. No. 980930-B936
 Invoice No. 49063

	Submitted	Sampled
By:	<u>MH</u>	<u>MJF</u>
Employer:	<u>ESB</u>	<u>LHmuD</u>
Date:	<u>9/30/98</u>	<u>9/30/98</u>
Time:	<u>1500</u>	

Laboratory Analysis Record

Site & Time set-up 9/30 @ 1600 By MS

Time from collection to set-up: ≤ 6

Holding time (max. 6 hrs.) Observed: ☒ Yes ☐ No

Were samples received on ice: ☒ Yes ☐ No

Chain of custody on file: ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria												Tubes +	MPN/100ml	Fecal	Tubes +	MPN/100					
		ml Planted	Presumptive					Confirmed															
1131 North fork	10	24	+	+	+	+	+	24	+	+	+	+	+	5	110	24	-	-	-	-	-	0	42
		48						48															
	1	24	+	+	+	+	+	24	-	-	+	-	-	3		24	-	-	-	-	-	0	
		48						48	-	+		-	+										
	0.1	24	-	+	-	-	-	24	-	-	-	-	-	1		24	-	-	-	-	-	0	
		48	+		+	+	+	48	-	-	-	-	+										
		24						24								24							
		48						48															
1120 South fork	10	24	+	+	+	+	+	24	+	-	+	+	+	5	350	24	+	-	-	-	+	1	2
		48						48	+														
	1	24	+	+	+	+	+	24	-	-	-	-	-	4		24	-	-	-	-	+	0	
		48						48	+	+	+	-	+										
	0.1	24	-	-	-	-	-	24	-	-	-	+	-	4		24	-	-	-	-	-	0	
		48	+	+	+	+	+	48	+	+	+		-										
		24						24								24							
		48						48															
Strawberry Creek 11/11	10	24	+	+	+	+	+	24	+	+	+	+	+	5	80	24	-	-	-	-	+	1	2
		48						48															
	1	24	+	+	+	+	+	24	-	-	-	-	+	3		24	-	-	-	-	-	0	
		48						48	-	+	-	+											
	0.1	24	-	-	-	-	-	24	-	-	-	-	-	0		24	-	-	-	-	-	0	
		48	+	+	+	+	+	48	-	-	-	-	-										
		24						24								24							
		48						48															

led

ie

ie

cc: SDSHD/RCHD

Edward S. Babcock & Sons, Inc.

Ellie M. [Signature]

Edward S. Babcock & Sons. Inc.

P.O. Box 432
Riverside, CA 92502

OCT 12 1998

72
Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
658-3241

Lab. No.	981007-B216
Invoice No.	49242

	Submitted	Sampled
By:	nmh	MLB
Employer:	ESB	LHM
Date:	10/7/98	10/7/98
Time:	1620	

Laboratory Analysis Record	
Time set-up	10-7-98 @ 1655 By CLO
Time from collection to set-up:	≤ 6
Incubation time (max. 6 hrs.) Observed:	☒ Yes ☐ No

Were samples received on ice:	☒ Yes ☐ No
Chain of custody on file:	☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria														Tubes +	MPN/100ml	Fecal	Tubes +	MPN/100			
		ml Planted	Presumptive					Confirmed															
D Dam Release 1025	10	24	+	+	+	+	+	24	-	-	-	-	-	3	11	24	-	-	-	-	-	0	<2
		48						48	+	+	+	-	-										
	1	24	+	-	-	+	+	24	-	-	-	-	-	1		24	-	-	-	-	-	0	
		48		+				48	-	-	-	-	+										
	0.1	24	+	-	-	+	-	24	-	-		-		0		24	-	-		-		0	
		48		+	-		-	48	-	-		-											
		24						24								24							
		48						48															
E South Fork 1100	10	24	+	+	+	+	+	24	+	+	+	-	-	5	30	24	-	-	-	-	-	0	<2
		48						48			+	+											
	1	24	+	+	+	+	+	24	-	-	-	-	-	0		24	-	-	-	-	-	0	
		48						48	-	-	-	-	-										
	0.1	24	+	+	+	-	-	24	-	-	-	-	-	1		24	-	-	-	-	-	0	
		48				+	+	48	-	-	-	-	+										
		24						24								24							
		48						48															
F North Fork 1125	10	24	+	+	+	+	+	24	+	+	+	+	+	5	50	24	+	+	-	+	+	4	17
		48						48															
	1	24	+	+	+	+	+	24	+	+	-	-	-	2		24	+	-	-	-	-	1	
		48						48			-	-	-										
	0.1	24	+	-	+	-	+	24	-	-	-	-	-	0		24	-	-	-	-	-	0	
		48		+		+		48	-	-	-	-	-										
		24						24								24							
		48						48															

ed	
e	
e	

Edward S. Babcock & Sons, Inc.

Alissa Mack

acteriology
ater Testing
azardous Waste Testing
HS Certified

Edwards S. Babcock & Son, Inc.

ESTABLISHED 1906
P.O. Box 432
Riverside, CA 92502

Lab. No. 981007-B217
Invoice No. 49242

172
Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
658-3241

OCT 12 1998

	Submitted	Sampled
By:	MT	MLB
Employer:	ESB	LHM
Date:	10/7/98	10/7/98
Time:	1620	1110

Laboratory Analysis Record

ate & Time set-up 10-7-98 @ 1655 By CD
me from collection to set-up: ≤ 6
olding time (max. 6 hrs.) Observed: ☒ Yes ☐ No

Were samples received on ice: ☒ Yes ☐ No
Chain of custody on file: ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria												Tubes +	MPN/100ml	Fecal	Tubes +	MPN/						
		ml Planted	Presumptive					Confirmed																
Strawberry		10	24	+	+	+	+	+	24	+	+	+	+	+	5	140	24	-	-	-	-	-	0	<2
			48						48															
		1	24	+	+	-	+	+	24	-	+	-	-	-	3		24	-	-	-	-	-	0	
			48			+			48	-		-	+	+										
		0.1	24	+	-	-	+	+	24	-		+	-		2		24	-		-	-	-	0	
			48		-	+			48	+	-		-											
			24						24								24							
			48						48															
		10	24						24								24							
			48						48															
		1	24						24								24							
			48						48															
		0.1	24						24								24							
			48						48															
			24						24								24							
			48						48															
		10	24						24								24							
			48						48															
		1	24						24								24							
			48						48															
		0.1	24						24								24							
			48						48															
			24						24								24							
			48						48															

alled
ate
me

Edward S. Babcock & Sons, Inc.

Alise P. Kelly

Bacteriology
Water Testing
Hazardous Waste Testing
California Certified

ESTABLISHED 1906
Edward S. Babcock & Sons, Inc.

P.O. Box 432
Riverside, CA 92502

OCT 19 1998

To: 172
Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
658-3241

Lab. No. 981014-B 414
Invoice No. 49392

	Submitted	Sampled
By:	MH	RWN
Employer:	ESB	LHMWD
Date:	10/14/98	10/14/98
Time:	1500	

Laboratory Analysis Record

Date & Time set-up 10/14 @ 1600 By TV

Time from collection to set-up: > 6 hr

Holding time (max. 6 hrs.) Observed: ☐ Yes ☒ No

Were samples received on ice: ☒ Yes ☐ No

Chain of custody on file: ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria																						
		ml Planted	Presumptive					Confirmed					Tubes +	MPN/100ml	Fecal	Tubes +	MF							
① C12-8 0820 Northfork Stream		10	24	+	+	+	+	+	24	+	+	+	+	+	5	50	24	-	-	-	-	-	0	<
			48						48						2								0	
		1	24	+	+	+	+	+	24	-	-	-	-	-	2		24	-	-	-	-	-	0	
			48						48	-	+	+	-	-	0								0	
		0.1	24	-	-	-	-	-	24	-	-	-	-	-	0		24	-	-	-	-	-	0	
			48	+	+	+	+	+	48	-	-	-	-	-									0	
			24						24								24							
			48						48															
② C12-8 0935 Southfork Stream		10	24	+	+	+	+	+	24	-	+	-	+	+	5	350	24	-	-	-	-	-	0	<
			48						48	+		+			4								0	
		1	24	+	+	+	+	+	24	-	+	-	-	-	4		24	-	-	-	-	-	0	
			48						48	+		+	-	+	4								0	
		0.1	24	+	-	+	-	-	24	-	-	-	+	4		24	-	-	-	-	-	-	0	
			48		+		+	+	48	-	+	+	+	+									0	
			24						24								24							
			48						48															
③ C12-8 0930 Strawberry Creek		10	24	+	+	+	+	+	24	+	+	+	+	+	5	900	24	-	-	-	-	-	0	<
			48						48														0	
		1	24	+	+	+	+	+	24	+	+	-	+	+	5		24	-	-	-	-	-	0	
			48						48			+											0	
		0.1	24	+	-	-	-	+	24	-	-	-	-	3		24	-	-	-	-	-	-	0	
			48		+	+	+		48	-	+	+	+	-									0	
			24						24								24							
			48						48															

Called 901 00 003
Date 10/14/98
Time 11

Edward S. Babcock & Sons, Inc.

[Signature]

teriology
er Testing
ardous Waste Testing
HS Certified

ESTABLISHED 1906

Edward S. Babcock & Sons, Inc.

P.O. Box 432
Riverside, CA 92502

72

Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
658-3241

OCT 19 1998

Lab. No.	981014-B415
Invoice No.	49392

Submitted	Sampled
By: MH	RWN
Employer: ESB	LHMWD
Date: 10/14/98	10/14/98
Time: 1500	1120

Laboratory Analysis Record

te & Time set-up 10/14 @ 1600 By TS
ie from collection to set-up: 56 hr
lding time (max. 6 hrs.) Observed: ☒ Yes ☐ No

Were samples received on ice: ☐ Yes ☐ No
Chain of custody on file: ☐ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria												Tubes +	MPN/100ml	Fecal	Tubes +	MPN/100						
		ml Planted	Presumptive					Confirmed																
④ Dam Release Ch=0		10	24	+	+	+	+	+	24	-	+	+	+	+	5	110	24	-	+	-	+	-	2	4
			48						48	+														
		1	24	+	+	+	+	+	24	-	-	-	-	-	3		24	-	-	-	-	-	0	
			48						48	+	-	-	+	+										
		0.1	24	+	+	+	-	+	24	-	-	-	-	-	1		24	-	-	-	-	-	0	
			48				+		48	-	-	-	+	-										
			24						24								24							
			48						48															
		10	24						24								24							
			48						48															
		1	24						24								24							
			48						48															
		0.1	24						24								24							
			48						48															
			24						24								24							
			48						48															
		10	24						24								24							
			48						48															
		1	24						24								24							
			48						48															
		0.1	24						24								24							
			48						48															
			24						24								24							
			48						48															

led	307	10/19/98
e		
e		

Edward S. Babcock & Sons, Inc.

Alissa M. [Signature]

OCT 26 1998

Lab. No. 981021-B645
Invoice No. 49566

Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
658-3241

	Submitted	Sampled
By:	MH	MJF
Employer:	ESB	LHmud
Date:	10/21/98	10/21/98
Time:	1415	

Laboratory Analysis Record

te & Time set-up 10/21 @ 1500 By TL

ne from collection to set-up: ≤ 6 hrs.

lding time (max. 6 hrs.) Observed: ☒ Yes ☐ No

Were samples received on ice: ☒ Yes ☐ No

Chain of custody on file: ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria														Tubes +	MPN/100ml	Fecal	Tubes +	MPN/100					
		ml Planted	Presumptive					Confirmed																	
D 1107 North fork		10	24	+	+	+	+	+	24	+	+	+	+	+	5	130	24	+	+	-	+	+	+	3	11
			48						48																
		1	24	+	+	+	+	+	24	+	+	-	+	-	4		24	-	-	-	+	-	1		
			48						48			-	+												
		0.1	24	+	+	-	-	-	24	-	-	-	-	0		24	-	-	-	-	-	0			
			48			+	+	+	48	-	-	-	-			-									
			24						24							24									
			48						48																
D 1043 Strawberry Cr.		10	24	+	+	+	+	+	24	+	+	+	+	5	130	24	-	-	-	-	-	0	42		
			48						48																
		1	24	+	+	+	+	+	24	-	-	-	+	-	4		24	-	-	-	-	-	0		
			48						48	-	+	+	+												
		0.1	24	-	-	-	-	-	24	-	-	-	-	0		24	-	-	-	-	-	0			
			48	+	+	+	+	-	48	-	-	-	-			-									
			24						24							24									
			48						48																
D 1053 Southfork		10	24	+	+	+	+	+	24	+	+	+	+	5	75	24	-	-	-	+	+	2	4		
			48						48																
		1	24	+	+	+	+	+	24	-	-	-	+	2		24	-	-	-	-	-	0			
			48						48	-	+	-	-												
		0.1	24	-	-	-	-	-	24	-	-	-	-	3		24	-	-	-	-	-	0			
			48	+	+	+	+	+	48	+	+	-	+			-									
			24						24							24									
			48						48																

illed

ite

ne

007 3 1998

Edward S. Babcock & Sons, Inc.

Allison M. [Signature]

cc: SDSHD/RCHD

NOV 02 1998

172
Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
658-3241

Lab. No. 981028-B878
Invoice No. 49733

Submitted: MH
Sampled: MLB
By: ESB
Employer: LHMWD
Date: 10/28/98
Time: 1415

Laboratory Analysis Record
ate & Time set-up 10/28/98 @ 1530 By CC
ne from collection to set-up: 5 hr
olding time (max. 6 hrs.) Observed: ☒ Yes ☐ No

Were samples received on ice: ☒ Yes ☐ No
Chain of custody on file: ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria														Tubes +	MPN/100ml	Fecal	Tubes +	MPN			
		ml Planted	Presumptive					Confirmed															
No. Fork 0950	10	24	+	+	+	+	+	24	+	+	+	+	+	5	1600	24	+	+	+	+	+	5	70
		48						48															
	1	24	+	+	+	+	+	24	+	+	+	+	+	5		24	+	+	+	+	+	2	
		48						48															
	0.1	24	+	-	-	+	+	24	-	-	-	+	-	4		24	+	-	-	+	+	1	
		48	+	+				48	-	+	+	+	+										
		24						24								24							
		48						48															
So. Fork 0925	10	24	+	+	+	+	+	24	+	+	+	+	+	5	85	24	+	-	-	-	-	1	
		48						48															
	1	24	+	+	+	+	+	24	-	-	-	-	-	2		24	+	+	+	+	+	0	
		48						48	-	-	+	-	+										
	0.1	24	+	-	-	-	-	24	-	+	+	-	-	4		24	+	+	+	+	+	0	
		48	+	+	+	+	+	48	-			+	+										
		24						24								24							
		48						48															
Strawberry Creek 0940	10	24	+	+	+	+	+	24	+	+	+	+	+	5	170	24	+	+	+	+	+	5	80
		48						48															
	1	24	+	+	+	+	+	24	+	-	+	+	+	4		24	+	+	+	+	+	3	
		48						48	-														
	0.1	24	-	+	+	+	+	24	+	-	-	-	-	1		24	+	+	+	+	+	0	
		48	+					48	-	-	-	-	-										
		24						24								24							
		48						48															

alled
ate
me

Edward S. Babcock & Sons, Inc.

[Signature]

acteriology
ater Testing
azardous Waste Testing
HS Certified

Edwa d S. Babcock & Son , Inc.

P.O. Box 432
Riverside, CA 92502

NOV 02 1998

Lab. No. 981028-8879
Invoice No. 49733

172
Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
658-3241

	Submitted	Sampled
By:	MH	JL
Employer:	ESB	LHMWD
Date:	10/28/98	10/28/98
Time:	1415	1105

Laboratory Analysis Record
ate & Time set-up 10/28/98 @ 1540 By cc
ime from collection to set-up: 4 hr
olding time (max. 6 hrs.) Observed: ☒ Yes ☐ No

Were samples received on ice: ☒ Yes ☐ No
Chain of custody on file: ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria												Fecal	Tubes +	MPN							
		ml Planted	Presumptive					Confirmed					Tubes +				MPN/100ml						
Lake Release		10	24	+	+	+	+	-	24	-	-	-	-	1	4	24	-	-	-	-	-	0	<
			48					+	-	48	+	-	-			-							
		1	24	-	+	+	-	+	24	-	-	+	-	1		24	-	-	-	+	-	0	
			48	+				+	-	48	-	-	-		-								
		0.1	24	+	-	-	-	-	24	-				0		24	-					0	
			48		-	-	-	-	-	48	-												
			24						24							24							
			48							48													
		10	24						24							24							
			48							48													
		1	24						24							24							
			48							48													
		0.1	24						24							24							
			48							48													
			24						24							24							
			48							48													
		10	24						24							24							
			48							48													
		1	24						24							24							
			48							48													
		0.1	24						24							24							
			48							48													
			24						24							24							
			48							48													

Called _____
Date _____
Time _____

Edward S. Babcock & Sons, Inc.

cc: SDSHD/RCHD

Edward S. Babcock & Sons, Inc.

P.O. Box 432
Riverside, CA 92502

NOV 09 1998

172

Lake Hemet Municipal Water District

P.O. Box 5039

Hemet, CA 92544

Attn: John Loncar

658-3241

Lab. No. 981104-B155
Invoice No. 49901

	Submitted	Sampled
By:	<u>MH</u>	<u>RWN</u>
Employer:	<u>ESB</u>	<u>LHmud</u>
Date:	<u>11/4/98</u>	<u>11/4/98</u>
Time:	<u>1515</u>	

Laboratory Analysis Record

ate & Time set-up 11/4 @ 1600 By R

me from collection to set-up: > 6hr

olding time (max. 6 hrs.) Observed: ☐ Yes ☒ No

Were samples received on ice: ☒ Yes ☐ No

Chain of custody on file: ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria																					
		ml Planted	Presumptive					Confirmed					Tubes +	MPN/100ml	Fecal	Tubes +	MPN/						
① Northfork Stream 0800	10	24	+	+	+	+	+	24	+	+	+	+	+	5	900	24	-	-	+	-	+	2	4
		48						48															
	1	24	+	+	+	+	+	24	+	-	+	+	-	5		24	-	-	-	-	-	0	
		48						48	+			+											
	0.1	24	+	+	+	+	+	24	-	-	-	-	-	3		24	+	-	-	-	-	0	
		48						48	+	+	+	-	-										
		24						24								24							
		48						48															
② Southfork Stream 0915	10	24	+	+	+	+	+	24	-	-	-	-	-	5	80	24	-	-	-	-	-	0	<
		48						48	+	+	+	+	+										
	1	24	+	+	+	+	+	24	-	-	-	-	-	3		24	-	-	-	-	-	0	
		48						48	+	-	-	+	+										
	0.1	24	+	+	+	+	+	24	-	-	-	-	-	0		24	-	-	-	-	-	0	
		48						48	-	-	-	-	-										
		24						24								24							
		48						48															
③ Strawberry Creek 0855	10	24	+	+	+	+	+	24	+	+	+	+	+	5	900	24	+	+	+	+	+	3	11
		48						48															
	1	24	+	+	+	+	+	24	-	+	+	+	-	5		24	-	+	+	-	-	1	
		48						48	+			+											
	0.1	24	-	-	-	-	-	24	-	-	-	-	-	3		24	-	-	-	-	-	0	
		48	+	+	+	-	+	48	+	+	-	-	+										
		24						24								24							
		48						48															

Called
Date
Time

Edward S. Babcock & Sons, Inc.

Alissa M. [Signature]

Edward S. Babcock & Sons, Inc.

P.O. Box 432
Riverside, CA 92502

NOV 16 1998

172
Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
658-3241

Lab. No. 981110-B302
Invoice No. 10021

	Submitted	Sampled
By:	RWN	MJF
Employer:	LHM	LHM
Date:	11/10/98	11/10/98
Time:	6:20	

Laboratory Analysis Record

Site & Time set-up 11/10 @ 1345 By RS
Time from collection to set-up: ≤ 6 hr
Holding time (max. 6 hrs.) Observed: ☒ Yes ☐ No

Were samples received on ice: ☒ Yes ☐ No
Chain of custody on file: ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria										Fecal		Tubes +	MPN/100						
		ml Planted	Presumptive					Confirmed								Tubes +	MPN/100ml				
① 0945 North Fork	10	24	+	+	+	+	+	24	+	+	+	+	+	24	+	-	-	+	-	2	9
		48						48													
	1	24	+	+	+	+	+	24	+	-	+	+	+	24	-	-	-	+	+	2	
		48						48	+												
	0.1	24	+	-	-	-	-	24	-	-	-	-	-	24	-	-	-	-	-	0	
		48		+	+	+	+	48	+	+	+	+	-								
			24					24						24							
			48					48													
② 0926 Strawberry Ck	10	24	+	+	+	+	+	24	+	+	+	+	+	24	-	+	+	+	+	4	26
		48						48													
	1	24	+	+	+	+	+	24	-	+	+	+	+	24	-	+	+	+	-	2	
		48						48	+												
	0.1	24	-	+	+	-	+	24	-	-	-	+	-	24	-	-	-	-	-	0	
		48	+			+		48	+	-	-		-								
			24					24						24							
			48					48													
③ 0932 South Fork	10	24	+	+	+	+	+	24	-	-	+	-	-	24	-	-	-	-	-	0	<6
		48						48	+	+		-	+								
	1	24	+	+	+	+	+	24	-	-	-	-	-	24	-	-	-	-	-	0	
		48						48	-	+	+	-	-								
	0.1	24	+	-	-	-	+	24	-	-	-	-	-	24	-	-	-	-	-	0	
		48		+	+	+		48	-	+	+	-	-								
			24					24						24							
			48					48													

ulled DEF
te DEF
ne DEF

Edward S. Babcock & Sons, Inc.

cc: SDSHD/RCHD

NOV 23 1998

Lab. No. 981118-B 531
Invoice No. 10207

172
Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
658-3241

	Submitted	Sampled
By:	<u>VS</u>	<u>MLB</u>
Employer:	<u>ESB</u>	<u>LHMWD</u>
Date:	<u>11/18/98</u>	<u>11/18/98</u>
Time:	<u>1415</u>	

Laboratory Analysis Record

ate & Time set-up 11/18 @ 1530 By VS
ime from collection to set-up: ≤ 6 hr
olding time (max. 6 hrs.) Observed: ☒ Yes ☐ No

Were samples received on ice: ☒ Yes ☐ No
Chain of custody on file: ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria											
		ml Planted	Presumptive					Confirmed					MPN/100ml
1 No. Fork C12=0	10	24	+	+	+	+	+	+	+	+	+	+	5
		48											
	1	24	+	+	+	+	+	+	+	+	+	+	5
		48											
	0.1	24	-	-	-	-	-	-	-	-	-	-	1
		48	+	+	+	+	+	+	+	+	+	+	
		24											
		48											
2 So. Fork C12=0	10	24	+	+	+	+	+	+	+	+	+	+	4
		48											
	1	24	+	+	+	+	+	+	+	+	+	+	1
		48											
	0.1	24	-	-	-	-	-	-	-	-	-	-	0
		48	+	+	+	+	+	+	+	+	+	+	
		24											
		48											
3 Strawberry Cr. C12=0	10	24	+	+	+	+	+	+	+	+	+	+	5
		48											
	1	24	+	+	+	+	+	+	+	+	+	+	3
		48											
	0.1	24	-	-	-	-	-	-	-	-	-	-	3
		48	+	+	+	+	+	+	+	+	+	+	
		24											
		48											

Called DECEMBER
ate 11/18/98
ime 11/18/98

Edward S. Babcock & Sons, Inc.

Alison M. [Signature]

NOV 23 1998

Lab. No. 981118-B532
Invoice No. 10207

172
Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
658-3241

	Submitted	Sampled
By:	<u>KS</u>	<u>MLB</u>
Employer:	<u>ESB</u>	<u>LHMWD</u>
Date:	<u>11/18/98</u>	<u>11/18/98</u>
Time:	<u>1415</u>	<u>0940</u>

Laboratory Analysis Record
ate & Time set-up 11/18 @ 1530 By KS
me from collection to set-up: ≤ 6 hr.
olding time (max. 6 hrs.) Observed: ☒ Yes ☐ No

Were samples received on ice: ☒ Yes ☐ No
Chain of custody on file: ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria														Tubes +	MPN/100ml	Fecal	Tubes +	MPN				
		ml Planted	Presumptive					Confirmed																
④ Dam Release C1250		10	24	+	+	+	+	+	24	-	-	-	-	-	1	4	24	-	-	-	-	-	0	42
			48						48	+	-	-	-	-										
		1	24	+	+	+	+	-	24	-	-	-	-	-	0		24	-	-	-	-	-	0	
			48					+	48	-	-	-	-	-										
		0.1	24	-	-	-	-	+	24	-	-	-	-	-	1		24	-	-	-	-	-	0	
			48	-	+	+	+	+	48	+	-	-	-	-										
			24						24								24							
			48						48															
		10	24						24								24							
			48						48															
		1	24						24								24							
			48						48															
		0.1	24						24								24							
			48						48															
			24						24								24							
			48						48															
		10	24						24								24							
			48						48															
		1	24						24								24							
			48						48															
		0.1	24						24								24							
			48						48															
			24						24								24							
			48						48															

alled
ate
me

Edward S. Babcock & Sons, Inc.

[Signature]

cc: SDSHD/RCHD

NOV 30 1998

172
Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
658-3241

Lab. No. 981125-B744
Invoice No. 10378

Submitted | Sampled
By: MH | RWN
Employer: ESB | LHM
Date: 11/25/98 | 11/25/98
Time: 1415

Laboratory Analysis Record
Date & Time set-up 11/25 @ 1600 By JL
Time from collection to set-up: 26hr
Holding time (max. 6 hrs.) Observed: ☐ Yes ☒ No

Were samples received on ice: ☒ Yes ☐ No
Chain of custody on file: ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria																					
		ml Planted	Presumptive					Confirmed					Tubes +	MPN/100ml	Fecal	Tubes +	MPN						
① 0835 North Fork Creek	10	24	+	+	+	+	+	24	+	+	+	-	-	5	140	24	+	+	+	+	+	4	15
		48						48				+	+										
	1	24	-	+	+	+	-	24	+	-	-	+	-	3		24	-	-	-	+	+	1	
		48	+				+	48	-	-		+											
	0.1	24	-	-	-	-	-	24	-	-	-	-	-	2		24	-	-	-	-	-	0	
		48	+	+	+	+	+	48	-	+	+	-	-										
② 0912 South Fork Creek	10	24	+	+	+	+	+	24	+	-	-	+	-	5	350	24	-	-	-	-	-	0	4
		48						48		+	+		+										
	1	24	+	+	+	+	+	24	+	+	-	-	-	4		24	-	-	-	-	-	0	
		48						48	+		+	-	+										
	0.1	24	-	-	-	-	-	24	-	+	-	+	-	4		24	-	-	-	-	-	0	
		48	+	+	+	+	+	48	+		+		-										
③ 0900 Strawberry Creek	10	24	+	+	+	+	+	24	+	+	+	-	+	5	170	24	-	-	-	-	-	0	6
		48						48				+											
	1	24	-	+	-	-	-	24	-	+	-	+	-	4		24	+	+	-	-	-	1	
		48	+		+	+	+	48	-		+		+										
	0.1	24	-	+	+	+	-	24	-	-	-	-	-	1		24	-	-	-	-	-	0	
		48	+				-	48	+	-	-	-	-										
		24					24								24								
		48					48																

Called
Date
Time

Edward S. Babcock & Sons, Inc.

John Loncar

cc: SDSHD/RCHD

Edward S. Babcock & Sons Inc.

P.O. Box 432
Riverside, CA 92502

DEC - 7 1998

172
Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
658-3241

Lab. No. 981202-B83
Invoice No. 10507

	Submitted	Sampled
By:	MH	MJF
Employer:	ESB	LHM
Date:	12/2/98	12/2/98
Time:	1505	

Laboratory Analysis Record

ate & Time set-up 12/2 @ 1615 By RV
ne from collection to set-up: ≤ 6 hr
olding time (max. 6 hrs.) Observed: ☒ Yes ☐ No

Were samples received on ice: ☒ Yes ☐ No
Chain of custody on file: ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria														Tubes +	MPN/100ml	Fecal	Tubes +	MPN/100ml			
		ml Planted	Presumptive					Confirmed															
① North Fork 1158	10	24	+	+	+	+	+	24	+	+	-	+	-	5	900	24	+	+	-	+	-	3	11
		48						48			+	+											
	1	24	-	+	+	-	-	24	-	+	-	+	+	5		24	-	+	-	+	+	1	
48		+			+	+	48	+		+													
	0.1	24	-	-	-	-	-	24	-	-	-	+	-	3		24	-	-	-	-	-	0	
		48	+	+	+	+	+	48	-	+	+	-	-										
		24						24								24							
48							48																
② South Fork 1144	10	24	+	+	+	+	+	24	+	+	+	+	+	5	110	24	+	+	+	-	-	2	4
		48						48															
	1	24	+	+	+	+	+	24	-	-	-	-	-	3		24	-	-	-	-	-	0	
48							48	+	+	+	-	-											
	0.1	24	+	-	-	-	-	24	-	-	-	-	-	4		24	-	-	-	-	-	0	
		48		+	+	+	+	48	-	+	+	+	+										
		24						24								24							
48							48																
③ Strawberry Cr 1139	10	24	+	+	+	+	+	24	+	+	+	+	+	5	170	24	+	-	+	+	+	3	8
		48						48															
	1	24	+	-	-	+	-	24	-	-	+	+	-	4		24	-	-	-	-	-	0	
48			+	+		+	48	+	+			-											
	0.1	24	-	-	-	-	-	24	-	-	-	-	-	1		24	-	-	-	-	-	0	
		48	+	+	+	+	+	48	+	-	-	-	-										
		24						24								24							
48							48																

alled
ate
me

Edward S. Babcock & Sons, Inc.

[Signature]

cc: SDSHD/RCHD

DEC 15 1988

172

Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
658-3241

Lab. No. 981209-B317
Invoice No. 10678

Submitted | Sampled
By: MH | MLB
Employer: ESB | LHMWD
Date: 12/9/88 | 12/9/88
Time: 1510

Laboratory Analysis Record
e & Time set-up 12/9 @ 1630 By TV
e from collection to set-up: >6hr
ding time (max. 6 hrs.) Observed: ☐ Yes ☒ No

Were samples received on ice: ☒ Yes ☐ No
Chain of custody on file: ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria												Fecal	Tubes +	MPN/100							
		ml Planted	Presumptive					Confirmed					Tubes +				MPN/100ml						
So. Fork 0940	10	24	+	+	+	+	+	24	-	-	-	-	-	24	-	-	-	-	-	0	<2		
		48						48	+	+	+	+	+	5	90								
	1	24	+	+	-	+	+	24	-	-	+	-	-	24	-	-	-	-	-	0			
		48			+			48	-	+	-	-	-	2									
	0.1	24	-	-	-	-	-	24	+	-	-	-	+	24	-	-	-	-	-	0			
		48	+	+	+	+	+	48	-	-	-	-		2									
		24						24						24									
		48						48															
No. Fork 1000	10	24	+	+	+	+	+	24	+	+	+	+	+	5	300	24	+	+	+	+	+	5	300
		48						48															
	1	24	+	+	+	+	+	24	+	+	+	+	+	5		24	+	+	+	+	+	5	
		48						48															
	0.1	24	-	-	+	+	-	24	-	-	-	+		1		24	-	-	-	+		1	
		48	+	+			-	48	-	-	-	-											
		24						24								24							
		48						48															
Strawberry Crk 0950	10	24	+	-	+	+	+	24	+	+	+	-	+	5	240	24	+	-	-	-	-	1	4
		48		+				48				+											
	1	24	+	-	+	-	+	24	-	+	+	+	+	5		24	-	-	-	-	+	1	
		48		+		+		48	+														
	0.1	24	-	-	-	-	-	24	-	-	-	-		0		24	-	-	-	-	-	0	
		48	+	+	+	+	-	48	-	-	-	-											
		24						24								24							
		48						48															

illed
te
ne

Edward S. Babcock & Sons, Inc.

Ellie Mael

Microbiology
Testing
Wastewater Testing
MS Certified

ESTABLISHED 1906
Edward S. Babcock & Sons, Inc.
P.O. Box 432
Riverside, CA 92502

DEC 21 1998

172
Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
658-3241

Lab. No. 981216-B571
Invoice No. 10838

	Submitted	Sampled
By:	MH	RWN
Employer:	ESB	RCWD
Date:	12/16/98	12/16/98
Time:	1445	

Laboratory Analysis Record

Time set-up 12/16 @ 1545 By JS

Time from collection to set-up: >6hr

Incubation time (max. 6 hrs.) Observed: ☐ Yes ☒ No

Were samples received on ice: ☒ Yes ☐ No

Chain of custody on file: ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria												Tubes +	MPN/100ml	Fecal	Tubes +	MPN/100					
		ml Planted	Presumptive					Confirmed															
Northfork Stream 0845	10	24	+	+	+	+	+	24	+	+	+	+	+	5	500	24	+	+	+	+	+	1	4
		48						48	+			+	+										
	1	24	+	-	-	-	-	24	+	-	+	+	+	5		24	+	-	-	-	-	1	
		48		+	+	+	+	48	+														
	0.1	24	-	-	+	-	-	24	-	-	-	-	-	2		24	-	-	-	-	-	0	
		48	+	+		+	+	48	-	-	-	+	+										
		24						24								24							
		48						48															
Southfork Stream 0930	10	24	+	+	+	+	+	24	+	+	+	+	+	5	240	24	+	+	-	-	-	2	7
		48						48															
	1	24	-	-	-	+	-	24	-	-	-	+	-	5		24	-	-	-	+	-	1	
		48	+	+	+		+	48	+	+	+		+										
	0.1	24	-	-	-	-	-	24	-	-	-	-	-	0		24	-	-	-	-	-	0	
		48	+	+	+	-	+	48	-	-	-	-	-										
		24						24								24							
		48						48															
Strawberry Creek 0920	10	24	+	+	-	+	+	24	-	-	+	-	+	4	33	24	-	-	-	-	-	0	42
		48			+			48	+	+		-											
	1	24	+	-	-	-	+	24	-	-	-	-	-	3		24	-	-	-	-	-	0	
		48		+	+	+		48	-	+	+	+	-										
	0.1	24	-	-	-	-	-	24	-	-	-	-	-	1		24	-	-	-	-	-	0	
		48	-	+	-	+	-	48	+		-												
		24						24								24							
		48						48															

led 350

te 350

te 350

Edward S. Babcock & Sons, Inc.

John S. Babcock

Edward S. Babcock & Sons Inc.

P.O. Box 432
Riverside, CA 92502

172

Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
658-3241

DEC 29 1998

Lab. No.	98223-B736
Invoice No.	11002

	Submitted	Sampled
By:	MH	MJF
Employer:	ESB	LHM
Date:	12/23/98	12/23/98
Time:	1400	

Laboratory Analysis Record	
Media & Time set-up	12/23 @ 1500 By R
Time from collection to set-up:	46 hr.
Incubation time (max. 6 hrs.) Observed:	☒ Yes ☐ No

Were samples received on ice:	☒ Yes ☐ No
Chain of custody on file:	☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria												Fecal	Tubes +	MPN/100																
		ml Planted	Presumptive					Confirmed					Tubes +				MPN/100ml															
① 612-8 North Fork 1043	10	24	+	+	+	+	+	24	-	-	+	-	+	24	+	+	+	+	+	24	2	9	24	+	+	+	+	+	+	24	2	4
		48							48	-	-		-																			
	1	24	+	+	+	+	+	24	-	-	-	-	-								1		24	+	+	+	+	+	+			0
		48							48	-	-	-	-	+																		
	0.1	24	-	-	-	-	-	24	-	-	-	-	-								1		24	+	+	+	+	+	+			0
		48	+	+	+	+	+	+	48	+	-	-	-	-																		
		24						24															24									
		48							48																							
② 012-8 South Fork 1033	10	24	+	+	+	+	+	24	-	-	-	-	-								2	9	24	+	+	+	+	+	+			0 < 2
		48							48	+	+	+	-	-																		
	1	24	+	+	+	+	+	24	-	-	-	-	-								0		24	+	+	+	+	+	+			0
		48							48	-	-	-	-	-																		
	0.1	24	-	-	-	-	-	24	-	-	-	-	-								2		24	+	+	+	+	+	+			0
		48	+	+	+	+	+	+	48	-	+	-	-	+																		
		24						24															24									
		48							48																							
③ 012-8 Strawberry Cr. 1027	10	24	-	-	-	-	-	24	-	+	-	-	-								3	14	24	+	+	+	+	+	+			0 < 2
		48	+	+	+	+	+	+	48	-		-	+	+																		
	1	24	-	-	-	-	-	24	-	-	-	-	+								2		24	+	+	+	+	+	+			0
		48	+	+	+	+	+	+	48	+	-	-	-	-																		
	0.1	24	-	-	-	-	-	24	-	-	-	-	-								0		24	+	+	+	+	+	+			
		48	-	-	-	-	-	-	48	-	-	-	-	-																		
		24						24															24									
		48							48																							

illed	
te	
re	

cc: SDSHD/RCHD

Edward S. Babcock & Sons, Inc.

Laureny Chynal

172
Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
658-3241

JAN 04 1999

Lab. No. 981230-PBB73
Invoice No. 11106

Laboratory Analysis Record

Time & Time set-up 12/30 @ 1500 By JR
Time from collection to set-up: > 6 hrs.
Holding time (max. 6 hrs.) Observed: ☐ Yes ☒ No

Submitted | Sampled
By: MA | MLB
Employer: ESB | LHMD
Date: 12/30/98 | 12/30/98
Time: 1445

Were samples received on ice: ☒ Yes ☐ No
Chain of custody on file: ☒ Yes ☐ No


Sample Marking	Standard Plate Count	Coliform Bacteria														Fecal	Tubes +	MPN/100					
		ml Planted	Presumptive					Confirmed					Tubes +	MPN/100ml									
① 11270 North Fork 0925	10	24	+	+	+	+	+	24	-	+	-	-	-	5	90	24	-	+	-	-	-	1	2
		48						48	+		+	+	+										
	1	24	-	-	+	+	-	24	-	-	-	-	-	2		24	-	-	-	-	-	0	
		48	+	+			+	48	-	-	+	+	-										
	0.1	24	-	-	-	-	-	24	+	+	-	-	-	2		24	-	-	-	-	-	0	
		48	+	+	+	+	+	48			-	-	-										
		24						24								24							
		48						48															
② 11270 South Fork 0850	10	24	+	+	+	+	+	24	-	-	-	-	-	3	17	24	-	-	-	-	-	0	<2
		48						48	+	+	+	-	-										
	1	24	+	+	+	+	+	24	-	-	-	-	-	3		24	-	-	-	-	-	0	
		48						48	+	+	-	+	-										
	0.1	24	-	-	-	-	+	24	-	-	-	-	-	0		24	-	-	-	-	-	0	
		48	+	+	+	+		48	-	-	-	-	-										
		24						24								24							
		48						48															
③ 11270 Strawberry Crk 0910	10	24	+	+	+	+	+	24	-	-	-	-	+	5	170	24	-	-	-	-	+	1	4
		48						48	+	+	+	+											
	1	24	-	-	-	-	+	24	-	-	-	-	+	3		24	-	-	-	-	+	1	
		48	+	+	+	+		48	-	-	+	+											
	0.1	24	-	-	-	-	-	24	+	-	-	-	-	3		24	-	-	-	-	-	0	
		48	+	+	+	+	+	48		-	+	+	-										
		24						24								24							
		48						48															

illed
te
ne

JAN 05 1999

Edward S. Babcock & Sons, Inc.

[Signature]



Environmental Laboratory Certification #1156
6100 C Valley Court Riverside, CA 92507-0704
P.O. Box 432 Riverside, CA 92502-0432
PH (909) 653-3351 FAX (909) 653-1662
e-mail: esbsales@aol.com
www.babcocklabs.com

01/12/99

To: Lake Hemet Municipal Water District
Attn: John Loncar
P.O. Box 5039
Hemet, CA 92544

Lab No. 990106-B139
Invoice No. 11247

Submitted	Sampled
By: MH	RWN
Employer: ESB	LHMWD
Date: 01/06/99	01/06/99
Time: 15:20	
Sample Received on Ice: Yes	
Chain of Custody on File: Yes	


Date & Time set-up: 01/06/99 @ 1630 By: TG
Time from Collection to set-up: >6hr.
Holding time (max.6 hrs.) Observed: No

Multiple Tube Fermentation Technique
Standard Methods 9221

<u>Sample ID</u>	<u>mL Planted</u>	<u>TOTAL Tubes +</u>	<u>COLIFORM MPN/100mL</u>	<u>FECAL COLIFORM Tubes +</u>	<u>MPN/100mL</u>
Northfork Stream 09:00	10	5	130	0	2
	1	4		1	
	0.1	0		0	
Southfork Stream 09:45	10	5	500	0	<2
	1	5		0	
	0.1	2		0	
Strawberry Creek 09:30	10	5	300	0	<2
	1	5		0	
	0.1	1		0	

Edward S. Babcock & Sons, Inc.

cc: SDSHD/RCHD



Environmental Laboratory Certification #1156
6100 C Valley Court Riverside, CA 92507-0704
P.O. Box 432 Riverside, CA 92502-0432
PH (909) 653-3351 FAX (909) 653-1662
e-mail: esbsales@aol.com
www.babcocklabs.com

1/12/99

To: Lake Hemet Municipal Water District
Attn: John Loncar
P.O. Box 5039
Hemet, CA 92544

Lab No. 990106-B140
Invoice No. 11247

	<u>Submitted</u>	<u>Sampled</u>
By: MH		RWN
Employer: ESB		LHMWD
Date: 01/06/99		01/06/99
Time: 15:20		11:20
Sample Received on Ice: Yes		
Chain of Custody on File: Yes		

Date & Time set-up: 01/06/99 @ 1630 By: TG
Time from Collection to set-up: ≤6hr.
Holding time (max.6 hrs.) Observed: Yes

Multiple Tube Fermentation Technique
Standard Methods 9221

<u>Sample ID</u>	<u>mL Planted</u>	<u>TOTAL Tubes +</u>	<u>COLIFORM MPN/100mL</u>	<u>FECAL COLIFORM Tubes +</u>	<u>MPN/100mL</u>
Dam Release	10	5	1600	0	<2
	1	5		0	
	0.1	4		0	

Edward S. Babcock & Sons, Inc.

cc: SDSHD/RCHD

Edward S. Babcock & Sons Inc.

P.O. Box 432
Riverside, CA 92502

172
Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
658-3241

JAN 18 1999

Lab. No. 090113-B366
Invoice No. 11430

	Submitted	Sampled
By:	<u>MH</u>	<u>MJF</u>
Employer:	<u>ESB</u>	<u>LHMD</u>
Date:	<u>1/13/99</u>	<u>1/13/99</u>
Time:	<u>1500</u>	

Laboratory Analysis Record
Incubation & Time set-up 1/13 @ 1600 By JB
Time from collection to set-up: ≤ 6 hr
Incubation time (max. 6 hrs.) Observed: ☒ Yes ☐ No

Were samples received on ice: ☒ Yes ☐ No
Chain of custody on file: ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria												Tubes +	MPN/100ml	Fecal	Tubes +	MPN/100	
		ml Planted	Presumptive					Confirmed											
① Northfork 1142	10	24	+	+	+	+	+	24	+	+	+	+	+	4	17	24		0	<2
		48	+					48	+	+	+	+							
	1	24	+	+	+	+	+	24	+	+	+	+	+	1		24		0	
		48	+	+	+	+	+	48	+	+	+	+							
	0.1	24	+	+	+	+	+	24	+	+	+	+	+	0		24		0	
		48	+	+	+	+	+	48	+	+	+	+							
		24						24								24			
		48						48											
② Southfork 1131	10	24	+	+	+	+	+	24	+	+	+	+	5	500	24		0	<2	
		48	+					48	+	+	+	+							
	1	24	+	+	+	+	+	24	+	+	+	+	5		24		0		
		48	+	+	+	+	+	48	+	+	+	+							
	0.1	24	+	+	+	+	+	24	+	+	+	+	2		24		0		
		48	+	+	+	+	+	48	+	+	+	+							
		24						24							24				
		48						48											
③ Strawberry Cr 1124	10	24	+	+	+	+	+	24	+	+	+	+	5	130	24		0	<2	
		48	+					48	+	+	+	+							
	1	24	+	+	+	+	+	24	+	+	+	+	4		24		0		
		48	+	+	+	+	+	48	+	+	+	+							
	0.1	24	+	+	+	+	+	24	+	+	+	+	0		24		0		
		48	+	+	+	+	+	48	+	+	+	+							
		24						24							24				
		48						48											

alled
ite
ne

cc: SDSHD/RCHD

Edward S. Babcock & Sons, Inc.

[Signature]

acteriology
ater Testing
azardous Waste Testing
HS Certified

ESTABLISHED 1906

Edwa. J S. Babcock & Sons, Inc.

P.O. Box 432
Riverside, CA 92502

172

Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
658-3241

JAN 18 1999

Lab. No. 990113-B367
Invoice No. 11430

	Submitted	Sampled
By:	MH	MJF
Employer:	ESB	LHMD
Date:	1/13/99	1/13/99
Time:	1500	1050

Laboratory Analysis Record

ate & Time set-up 1/13 @ 1600 By JS
me from collection to set-up: 46hr
olding time (max. 6 hrs.) Observed: ☒ Yes ☐ No

Were samples received on ice: ☒ Yes ☐ No

Chain of custody on file: ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria														Tubes +	MPN/100ml	Fecal	Tubes +	MPN/1				
		ml Planted	Presumptive					Confirmed																
④ L.H. Dam Release		10	24	+	+	+	-	+	24	-	+	-	-	-	3	20	24	-	-	-	-	-	0	<2
			48				+		48	-		+	+	-										
		1	24	-	-	-	-	-	24	-	-	+	-	-	4		24	-	-	-	-	-	0	
			48	+	+	+	+	+	48	+	-		+	+										
		0.1	24	-	-	-	-	-	24	-	-	-	-	-	0		24	-	-	-	-	-	0	
			48	+	+	-	-	-	48	-	-	-	-	-										
			24						24								24							
			48						48															
		10	24						24								24							
			48						48															
		1	24						24								24							
			48						48															
		0.1	24						24								24							
			48						48															
			24						24								24							
			48						48															
		10	24						24								24							
			48						48															
		1	24						24								24							
			48						48															
		0.1	24						24								24							
			48						48															
			24						24								24							
			48						48															
		10	24						24								24							
			48						48															
		1	24						24								24							
			48						48															
		0.1	24						24								24							
			48						48															
			24						24								24							
			48						48															

illed
ite
ne

cc: SDSHD/RCHD

Edward S. Babcock & Sons, Inc.

[Signature]

Edwa. J S. Babcock & Sons, Inc.

P.O. Box 432
Riverside, CA 92502

172
Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
658-3241

JAN 25 1999

Lab. No.	990120-B550
Invoice No.	11588

	Submitted	Sampled
By:	MT	MLB
Employer:	ESB	LHM
Date:	1/20/99	1/20/99
Time:	1420	

Laboratory Analysis Record	
ate & Time set-up	1/20 @ 1445 By JS
ime from collection to set-up:	≤ 6 hr
olding time (max. 6 hrs.) Observed:	☒ Yes ☐ No

Were samples received on ice:	☒ Yes ☐ No
Chain of custody on file:	☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria														Tubes +	MPN/100ml	Fecal	Tubes +	MPN		
		ml Planted	Presumptive					Confirmed														
① North Fork 1055	10	24	+	+	+	+	+	24	+	+	+	+	+	4	40	24	+	+	+	+	2	7
		48	+					48	+	+												
	1	24	+	+	+	+	+	24	+	+	+	+	+	4		24	+	+	+	+	1	
		48	+	+				48	+	+		+	+									
	0.1	24	+	+	+	+	+	24	+	+	+	+	+	2		24	+	+	+	+	0	
		48	+	+	+	+	+	48	+	+	+	+	+									
		24						24								24						
		48						48														
② South Fork 1010	10	24	+	+	+	+	+	24	+	+	+	+	+	5	≥1600	24	+	+	+	+	0	<6
		48						48					+									
	1	24	+	+	+	+	+	24	+	+	+	+	+	5		24	+	+	+	+	0	
		48	+	+			+	48	+	+	+	+	+									
	0.1	24	+	+	+	+	+	24	+	+	+	+	+	5		24	+	+	+	+	0	
		48	+	+	+	+	+	48	+	+		+	+									
		24						24								24						
		48						48														
③ Strawberry Crk. 1030	10	24	+	+	+	+	+	24	+	+	+	+	+	5	110	24	+	+	+	+	2	4
		48						48			+	+										
	1	24	+	+	+	+	+	24	+	+	+	+	+	3		24	+	+	+	+	0	
		48	+	+	+	+	+	48	+	+	+	+	+									
	0.1	24	+	+	+	+	+	24	+	+	+	+	+	1		24	+	+	+	+	0	
		48	+	+	+	+	+	48	+	+	+	+	+									
		24						24								24						
		48						48														

alled	JAN 25 1999
ite	
ne	

Edward S. Babcock & Sons, Inc.

cc: SDSHD/RCHD

172
to: Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
658-3241

JAN 25 1999

Lab. No. 99 0120-B551
Invoice No. 11588

	Submitted	Sampled
By:	<u>MT</u>	<u>MLB</u>
Employer:	<u>ESB</u>	<u>LHM</u>
Date:	<u>1/20/99</u>	<u>1/20/99</u>
Time:	<u>1420</u>	<u>0920</u>

Laboratory Analysis Record
Date & Time set-up 1/20 @ 1445 By MT
Time from collection to set-up: ≤ 6 hr
Holding time (max. 6 hrs.) Observed: ☒ Yes ☐ No

Were samples received on ice: ☒ Yes ☐ No
Chain of custody on file: ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria												Tubes +	MPN/100ml	Fecal	Tubes +	MPN						
		ml Planted	Presumptive					Confirmed																
4) Dam Release		10	24	+	+	+	+	+	24	+	+	+	+	+	5	≥1600	24	+	+	+	+	+	5	23
			48						48															
		1	24	+	-	-	-	-	24	-	+	+	+	-	5		24	-	-	-	-	-	0	
			48		+	+	+	+	48	+				+										
		0.1	24	-	-	-	-	-	24	+	-	-	-	5		24	-	-	-	-	-	0		
			48	+	+	+	+	+	48		+	+	+			+								
			24						24							24								
			48						48															
		10	24						24							24								
			48						48															
		1	24						24							24								
			48						48															
		0.1	24						24							24								
			48						48															
			24						24							24								
			48						48															
		10	24						24							24								
			48						48															
		1	24						24							24								
			48						48															
		0.1	24						24							24								
			48						48															
			24						24							24								
			48						48															

alled
ate
me

Edward S. Babcock & Sons, Inc.

Allison

cc: SDSHD/RCHD

Edwa. J S. Babcock & Son, Inc.

P.O. Box 432
Riverside, CA 92502

172
Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
658-3241

FEB 01 1999

Lab. No. 0190127-B750
Invoice No. 11748

Submitted | Sampled
By: MH | RWN
Employer: ESB | LHMUD
Date: 1/27/99 | 1/27/99
Time: 1515

Laboratory Analysis Record

ate & Time set-up 1/27 @ 1600 By TS
ime from collection to set-up: >6hr
olding time (max. 6 hrs.) Observed: ☐ Yes ☒ No

Were samples received on ice: ☒ Yes ☐ No
Chain of custody on file: ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria														Tubes +	MPN/100ml	Fecal				Tubes +	MPN					
		ml Planted	Presumptive					Confirmed																				
1 Northfork Stream 0850	10	24	+	+	+	+	+	+	24	-	-	+	+	-	24	-	-	+	+	-	24	-	-	+	+	-	2	4
		48							48	+	+			-	4	44												
	1	24	-	-	-	-	-	-	24	+	-	-	-	-	4		24	-	-	-	-	-	-	-	-	-	6	
		48	+	+	+	+	+	+	48		+	+	+	-														
	0.1	24	-	-	-	-	-	-	24	-		-	-		3		24	-	-	-	-	-	-	-	-	0		
		48	-	+	-	+	+	+	48	+		+	+	+														
		24							24								24											
		48							48																			
2 Southfork Stream 0920	10	24	+	+	+	+	+	+	24	-	-	-	+	-	5	900	24	-	-	-	-	+	-	-	-	+	1	2
		48							48	+	+	+		+														
	1	24	-	-	-	-	-	-	24	-	-	-	-	-	5		24	+	+	+	+	+	+	+	+	+	0	
		48	+	+	+	+	+	+	48	+	+	+	+	+														
	0.1	24	-	-	-	-	-	-	24	-	-	-	-	-	3		24	-	-	-	-	-	-	-	-	-	0	
		48	+	+	+	+	+	+	48	+	+	+	-	-														
		24							24								24											
		48							48																			
3 Strawberry Creek 0915	10	24	+	+	+	+	+	+	24	+	-	-	-	-	4	33	24	+	-	-	-	-	-	-	-	-	1	2
		48							48	-	+	+	+															
	1	24	-	+	+	+	-	-	24	-	-	-	-	-	3		24	-	-	-	-	-	-	-	-	-	0	
		48	+				+		48	+	-	-	+	+														
	0.1	24	-	-	-	-	-	-	24	-	-	-	-	-	1		24	-	-	-	-	-	-	-	-	-	0	
		48	+	+	+	+	+	+	48	-	-	-	-	+														
		24							24								24											
		48							48																			

alled
ate
ne

Edward S. Babcock & Sons, Inc.

Ellis D. Babcock



Lake Hemet Municipal Water District
P.O. Bpx 5039
Hemet, CA. 92544
Attn: John Loncar
PH: 658-3241

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

FEB 08 1999

Lab No. 990203-B114
Invoice No. 11900

	Submitted	Sampled
By	MH	MJF
Employer	ESB	LHMWD
Date	2/3/99	2/3/99
Time	1510	

Samples received on ice ☒ Yes ☐ No
Chain of Custody on file ☒ Yes ☐ No

Laboratory Analysis Record

Date & time of set-up 2-3 @ 1600 By RS

Time from collection to set-up: 26 hr

Holding time (max. 6 hrs.) observed: ☒ Yes ☐ No

Date & time of readings:

Pres.	Pres.	Conf.	Conf.	Fecal
24hr.	48hr.	24hr.	48hr.	24hr.
1430	1400	1430 1475	1425 1300	1430

Called

Date/Time

cc:SDSHD/RCHD

FEB 01 1999

EDWARD S. BABCOCK & SONS, INC.



E.S. BABCOCK
& SONS, INC.

ESTABLISHED 1906

TO: #172

Lake Hemet Municipal Water District
P.O. Bpx 5039
Hemet, CA. 92544
Attn: John Loncar
PH: 658-3241

FEB 16 1999

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

Lab No. 990210-B343

Invoice No. 12071

	Submitted	Sampled
By	<u>mt</u>	<u>MLB</u>
Employer	<u>ESB</u>	<u>LHmud</u>
Date	<u>2/10/99</u>	<u>2/10/99</u>
Time	<u>1535</u>	

Laboratory Analysis Record
Date & time of set-up 2-10 @ 1630 By RL
Time from collection to set-up: 36 hr
Holding time (max. 6 hrs.) observed: ☒ Yes ☐ No

Date & time of readings:

Pres.	Pres.	Conf.	Conf.	Fecal
24hr.	48hr.	24hr.	48hr.	24hr.
<u>1500</u>	<u>1400</u>	<u>1500</u>	<u>1100</u>	<u>1500</u>

Samples received on ice ☒ Yes ☐ No
Chain of Custody on file ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221														Tubes +	MPN/100ml	Fecal					Tubes +	MPN		
		ml Planted	Presumptive					Confirmed																		
① D930 North Fork	10	24	+	+	+	+	+	+	+	+	+	+	+	+	5	500	24	+	+	+	+	+	+	+	5	36
		48																								
		24	+	+	+	+	+	+	+	+	+	+	+	+	5		24	-	-	+	-	-	-		1	
	1	48																								
		24	-	+	-	-	-	-	-	-	-	-	-	-	2		24	-	-	-	-	-	-		0	
		48	+	+	+	+	+	+	+	+	+	+	+	+												
	0.1	24															24									
		48																								
		24															24									
		48																								
		24																								
		48																								
② D900 South Fork	10	24	+	+	+	+	+	+	+	+	+	+	+	3	23	24	-	-	-	-	-	-	-	0	2	
		48																								
		24	+	+	+	+	+	+	+	+	+	+	+	3		24	-	-	-	-	-	-	-	0		
	1	48																								
		24	-	+	-	-	-	-	-	-	-	-	-	2		24	-	-	-	-	-	-	-	0		
		48																								
	0.1	24	-	-	-	-	-	-	-	-	-	-	-			24	-	-	-	-	-	-	-	0		
		48	+	+	+	+	+	+	+	+	+	+	+													
		24															24									
		48																								
		24																								
		48																								
③ Strawberry Creek	10	24	+	+	+	+	+	+	+	+	+	+	+	5	220	24	+	+	+	+	+	+	+	5	82	
		48																								
		24	+	+	+	+	+	+	+	+	+	+	+	4		24	-	+	+	+	+	-	-	3		
	1	48																								
		24	-	-	-	-	-	-	-	-	-	-	-	2		24	-	-	-	-	-	-	-	0		
		48																								
	0.1	24	+	+	+	+	+	+	+	+	+	+														
		48																								
		24															24									
		48																								
		24																								
		48																								


Called

Date/Time

FEB 17 1999

cc: SDSHD/RCHD

EDWARD S. BABCOCK & SONS, INC.



E.S. BABCOCK
& SONS, INC.

ESTABLISHED 1908

TO: #172

Lake Hemet Municipal Water District
P.O. Bpx 5039
Hemet, CA. 92544
Attn: John Loncar
PH: 658-3241

FEB 22 1999

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

Lab No. 990217-B494
Invoice No. 12197

	Submitted	Sampled
By	MH	RWN
Employer	ESB	LHMUD
Date	2/17/99	2/17/99
Time	1455	

Laboratory Analysis Record

Date & time of set-up 2-17 @ 1530 By DS

Time from collection to set-up: > 4hr

Holding time (max. 6 hrs.) observed: ☐ Yes ☒ No

Date & time of readings:

Pres.	Pres.	Conf.	Conf.	Fecal
24hr.	48hr.	24hr.	48hr.	24hr.
<u>1590</u>	<u>1230</u>	<u>1345</u>	<u>1230</u>	<u>1400</u>

Samples received on ice ☒ Yes ☐ No
Chain of Custody on file ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221												Tubes +	MPN/100ml	Focal	Tubes +	MP						
		ml Plated	Presumptive					Confirmed																
① North Fork Stream 0810 C12 = Ø		10	24	+	+	+	+	+	+	24	+	+	+	+	3	14	24	+	+	+	+	+	1	
		1	24	+	+	+	+	+	+	24	+	+	+	+	2		24	+	+	+	+	+	0	
		0.1	24	+	+	+	+	+	+	24	+	+	+	+	0		24	+	+	+	+	+	0	
			24							24							24							
② South Fork Stream 0910 C12 = Ø		10	24	+	+	+	+	+	+	24	+	+	+	+	5	220	24	+	+	+	+	+	D	<
		1	24	+	+	+	+	+	+	24	+	+	+	+	4		24	+	+	+	+	+	0	
		0.1	24	+	+	+	+	+	+	24	+	+	+	+	2		24	+	+	+	+	+	0	
			24							24							24							
③ Strawberry Creek 0850 C12 = Ø		10	24	+	+	+	+	+	+	24	+	+	+	+	5	130	24	+	+	+	+	+	1	6
		1	24	+	+	+	+	+	+	24	+	+	+	+	4		24	+	+	+	+	+	0	
		0.1	24	+	+	+	+	+	+	24	+	+	+	+	0		24	+	+	+	+	+	0	
			24							24							24							


Called

Date/Time

cc: SDSHD/RCHD

FEB 22 1999

Allison Neal
EDWARD S. BABCOCK & SONS, INC.



E.S. BABCOCK
& SONS, INC.

ESTABLISHED 1906

TO: #172

MAR 11 1999

Lake Hemet Municipal Water District
P.O. Bpx 5039
Hemet, CA. 92544
Attn: John Loncar
PH: 658-3241

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

Lab No. 990224-B708

Invoice No. 12359

	Submitted	Sampled
By	<u>MH</u>	<u>MJF</u>
Employer	<u>ESB</u>	<u>LHmuD</u>
Date	<u>2/24/99</u>	<u>2/24/99</u>
Time	<u>1515</u>	

Laboratory Analysis Record
Date & time of set-up 2-27 @ 1600 By RS
Time from collection to set-up: 26 hr
Holding time (max. 6 hrs.) observed: ☐ Yes ☒ No
Date & time of readings:

Pres.	Pres.	Conf.	Conf.	Fecal
24hr.	48hr.	24hr.	48hr.	24hr.
<u>1400</u>	<u>1300</u>	<u>1430/1400</u>	<u>1300/1300</u>	<u>1400/1400</u>

Samples received on ice ☒ Yes ☐ No
Chain of Custody on file ☒ Yes ☐ No

Sample Marking	Standard Plate Count	ml Planted	Coliform Bacteria SM 9221										Tubes +	MPN/100ml	Focal	Tubes +	MPN/100ml							
			Presumptive					Confirmed																
① North fork 0940		10	24	+	+	+	+	+	24	+	-	-	-	+	5	50	24	-	-	-	-	+	1	2
			48						48	+	+	+												
			24	+	+	+	+	+	24	-	-	-	-	-				24	-	-	-	-		
		1	24	+	+	+	+	+	24	-	-	-	-	-	1		24	-	-	-	-	-	0	
			48						48	-	-	+	-	-										
			24	-	-	-	-	-	24	-	-	-	-	-				24	-	-	-	-		
		0.1	24	-	-	-	-	-	24	-	-	-	-	-	1		24	-	-	-	-	+	0	
			48	+	+	+	+	+	48	+	-	-	-	-										
			24	-	-	-	-	-	24	-	-	-	-	-				24	-	-	-	-		
			24						24								24							
			48						48															
			24	+	+	+	+	+	24	-	-	-	-	-				24	-	-	-	-		
② South fork 0925		10	24	+	+	+	+	+	24	-	-	-	-	-	2	9	24	-	-	-	-	-	0	<2
			48						48	-	-	+	+	-										
			24	+	+	+	+	+	24	-	-	-	-	-				24	-	-	-	-		
		1	24	+	+	+	+	+	24	-	-	-	-	-	1		24	-	-	-	-	-	0	
			48						48	+	-	-	-	-										
			24	+	+	+	+	+	24	-	-	-	-	-				24	-	-	-	-		
		0.1	24	+	+	+	+	+	24	-	-	-	-	-	1		24	-	-	-	-	-	0	
			48						48	-	-	+	-	-										
			24	-	-	-	-	-	24	-	-	-	-	-				24	-	-	-	-		
			24						24								24							
			48						48															
			24	+	+	+	+	+	24	+	-	-	-	+				24	-	-	-	-		
③ Strawberry Cr. 0918		10	24	+	+	+	+	+	24	+	-	-	-	+	5	170	24	-	-	-	-	-	0	<2
			48						48	+	+	+												
			24	+	+	+	+	+	24	-	-	-	-	-				24	-	-	-	-		
		1	24	+	+	+	+	+	24	-	-	-	-	-	3		24	-	-	-	-	-	0	
			48						48	+	+	+	-	-										
			24	-	-	-	-	-	24	-	-	-	-	-				24	-	-	-	-		
		0.1	24	-	-	-	-	-	24	-	-	-	-	-	3		24	-	-	-	-	-	0	
			48	+	+	+	+	+	48	-	+	+	-	+										
			24	-	-	-	-	-	24	-	-	-	-	-				24	-	-	-	-		
			24						24								24							
			48						48															
			24	+	+	+	+	+	24	-	+	+	-	+				24	-	-	-	-		


Called

MAR 02 1999

Date/Time

cc: SDSHD/RCHD

EDWARD S. BABCOCK & SONS, INC.



ESTABLISHED 1906

TO: #172

Lake Hemet Municipal Water District
P.O. Bpx 5039
Hemet, CA. 92544
Attn: John Loncar
PH: 658-3241

MAR - 8 1999

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

Lab No. 990303-B133

Invoice No. 12536

	Submitted	Sampled
By	<u>MH</u>	<u>MLB</u>
Employer	<u>ESB</u>	<u>LHMWD</u>
Date	<u>3/3/99</u>	<u>3/3/99</u>
Time	<u>1505</u>	

Samples received on ice	☒ Yes	☐ No
Chain of Custody on file	☒ Yes	☐ No


Laboratory Analysis Record
Date & time of set-up 3-5 @ 1540 By RS
Time from collection to set-up: 60hr
Holding time (max. 6 hrs.) observed: ☒ Yes ☐ No
Date & time of readings:
Pres. 24hr. 1400 Pres. 48hr. 1250 Conf. 24hr. 1430 Conf. 48hr. 1240 Fecal 24hr. 1400

Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221										Fecal	Tubes +	MPN/100									
		ml Planted	Presumptive					Confirmed															
① 1100 No. Fork	10	24	+	+	+	+	+	24	+	+	+	+	+	5	80	24	+	+	+	+	+	5	50
		48						48															
	1	24	+	+	+	+	+	24	+	+	-	-	-	3		24	+	+	+	+	-	2	
		48						48	+		-	-	+										
	0.1	24	+	-	-	-	+	24	-				-	0		24	+				-	0	
		48		-	-	-		48	-				-										
		24						24								24							
		48						48															
② 1017 So. Fork	10	24	+	+	+	+	+	24	-	-	-	-	-	5	50	24	+	+	+	+	+	0	12
		48						48	+	+	+	+	+										
	1	24	+	+	+	+	+	24	-	-	-	-	-	2		24	+	+	+	+	+	0	
		48						48	+	+	-	-	-										
	0.1	24	+	+	+	+	+	24	-	-	-	-	-	0		24	+	+	+	+	+	0	
		48						48	-	-	-	-	-										
		24						24								24							
		48						48															
③ Strawberry Creek 1040	10	24	+	+	+	+	+	24	+	+	+	+	+	5	90	24	+	+	+	+	+	0	2
		48						48					+										
	1	24	+	+	+	+	+	24	-	-	+	-	-	2		24	+	+	+	+	+	1	
		48						48	-	-	-	+											
	0.1	24	+	-	-	+	+	24	-	-	-	-	-	2		24	+	+	+	+	+	0	
		48		-	-			48	-	+	+	-											
		24						24								24							
		48						48															

Called

Date/Time

EDWARD S. BABCOCK & SONS, INC.



E.S. BABCOCK
& SONS, INC.

ESTABLISHED 1906

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

MAR 15 1999

TO: #172

Lake Hemet Municipal Water District
P.O. Bpx 5039
Hemet, CA. 92544
Attn: John Loncar
PH: 658-3241

Lab No. 990310-B349

Invoice No. 12687

	Submitted	Sampled
By	<u>MH</u>	
Employer	<u>ESB</u>	<u>LHmud</u>
Date	<u>3/10/99</u>	<u>3/10/99</u>
Time	<u>1100</u>	

Laboratory Analysis Record
Date & time of set-up 3/10/99 @ 1610 By CL
Time from collection to set-up: >6hr
Holding time (max. 6 hrs.) observed: ☐ Yes ☒ No
Date & time of readings:

Pres.	Pres.	Conf.	Conf.	Fecal
24hr.	48hr.	24hr.	48hr.	24hr.
<u>1415</u>	<u>1310</u>	<u>1412</u>	<u>1310</u>	<u>1420</u>

Samples received on ice ☒ Yes ☐ No
Chain of Custody on file ☒ Yes ☐ No


Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221										Fecal		Tubes +	MPN/100								
		ml Planted	Presumptive					Confirmed															
			24	48	24	48	24	48	24	48	24	48	24			48							
① Strawberry Creek 0830	10	24	+	+	+	+	+	24	-	-	-	-	-	5	30	24	-	-	-	-	-	0	<2
		48						48	+	+	+	+	+										
	1	24	+	+	+	+	+	24	-	-	-	-	-	1		24	-	-	-	-	-	0	
		48						48					+										
	0.1	24	-	+	-	-	+	24	-			-	0		24	-	-	-	-	-	0		
		48	-		-	-		48	-			-											
		24						24							24								
		48						48															
② Northfork Stream 0810	10	24	+	+	+	+	+	24	-	-	-	-	5	70	24	+	+	+	+	+	0	<2	
		48						48	+	+	+	+	+										
	1	24	+	+	+	+	+	24	-	-	-	-	2		24	-	-	-	-	-	0		
		48						48	-	+	-	+	-										
	0.1	24	-	-	-	-	-	24	-	-	-	-	1		24	-	-	-	-	-	0		
		48	+	+	+	+	-	48	+	-	-	-											
		24						24							24								
		48						48															
③ Southfork Stream 0845	10	24	+	+	+	+	+	24	-	-	-	-	5	280	24	-	-	-	-	-	0	<2	
		48						48	+	+	+	+	+										
	1	24	+	+	+	+	+	24	-	-	-	-	4		24	-	-	-	-	-	0		
		48						48	-	+	+	+	+										
	0.1	24	-	-	-	+	+	24	-	-	-	-	3		24	-	-	-	-	-	0		
		48	+	+	+			48	+	+	+	-	-										
		24						24							24								
		48						48															

Called

Date/Time

cc: SDSHD/RCHD

EDWARD S. BABCOCK & SONS, INC.



E.S. BABCOCK
& SONS, INC.

ESTABLISHED 1906

TO: #172

Lake Hemet Municipal Water District
P.O. Bpx 5039
Hemet, CA. 92544
Attn: John Loncar
PH: 658-3241

MAR 22 1999

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

Lab No. 990317-B54B

Invoice No. 12850

	Submitted	Sampled
By	MH	MJF
Employer	ESB	LHMD
Date	3/17/99	3/17/99
Time	1500	

Laboratory Analysis Record
Date & time of set-up 3-17 @ 1530 By RS
Time from collection to set-up: 60 hr
Holding time (max. 6 hrs.) observed: ☒ Yes ☐ No
Date & time of readings:

Pres.	Pres.	Conf.	Conf.	Fecal
24hr.	48hr.	24hr.	48hr.	24hr.
1330	1300	1300 1330	1230 1300	1300 1330

Samples received on ice ☒ Yes ☐ No
Chain of Custody on file ☒ Yes ☐ No


Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221										Tubes +	MPN/100ml	Fecal	Tubes +	MPN/100							
		ml Planted	Presumptive					Confirmed															
① 1119 Northfork	10	24	+	+	+	+	+	24	+	+	+	+	+	5	50	24	+	+	+	+	+	4	13
		48						48				+											
	1	24	-	+	+	+	+	24	+	-	-	-	-	1		24	-	-	-	-	-	0	
		48	+					48		-	-	-	-										
	0.1	24	-	+	+	-	-	24	-	-	-	-	-	1		24	-	-	-	-	-	0	
		48	+			-	+	48	-	+	-	-	-										
		24						24								24							
		48						48															
② 1105 Southfork	10	24	+	+	+	+	+	24	-	+	+	-	-	5	50	24	-	+	-	-	-	1	2
		48						48	+			+	+										
	1	24	+	+	+	+	+	24	-	-	-	-	-	2		24	-	-	-	-	-	0	
		48						48	+	+	-	-	-										
	0.1	24	+	+	+	+	+	24	-	-	-	-	-	0		24	-	-	-	-	-	0	
		48						48	-	-	-	-	-										
		24						24								24							
		48						48															
③ 1058 Strawberry Cr	10	24	+	+	+	+	+	24	+	+	+	+	+	5	70	24	+	+	+	+	+	4	13
		48						48				+											
	1	24	+	-	+	+	+	24	-	-	-	-	-	2		24	-	-	-	-	-	0	
		48	+					48	+	+	-	-	-										
	0.1	24	-	+	+	-	-	24	-	-	-	-	-	1		24	-	-	-	-	-	0	
		48	+			+	+	48	-	+	-	-	-										
		24						24								24							
		48						48															

Called

Date/Time

cc: SDSHD/RCHD

EDWARD S. BABCOCK & SONS, INC.



E.S. BABCOCK
& SONS, INC.

ESTABLISHED 1906

TO: #172

Lake Hemet Municipal Water District
P.O. Bpx 5039
Hemet, CA. 92544
Attn: John Loncar
PH: 658-3241

MAR 29 1999

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

Lab No. 990324-B777

Invoice No. 13028

	Submitted	Sampled
By	<u>MH</u>	<u>MLB</u>
Employer	<u>ESB</u>	<u>LHmud</u>
Date	<u>3/24/99</u>	<u>3/24/99</u>
Time	<u>1510</u>	

Laboratory Analysis Record				
Date & time of set-up <u>3-24</u> @ <u>1515</u> By <u>TL</u>				
Time from collection to set-up: <u>56hr</u>				
Holding time (max. 6 hrs.) observed: ☒ Yes ☐ No				
Date & time of readings:				
Pres.	Pres.	Conf.	Conf.	Fecal
24hr.	48hr.	24hr.	48hr.	24hr.
<u>1400</u>	<u>1320</u>	<u>1315</u>	<u>1300</u>	<u>1305</u>

Samples received on ice ☒ Yes ☐ No
Chain of Custody on file ☒ Yes ☐ No


Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221																					
		ml Planted	Presumptive					Confirmed					Tubes +	MPN/100ml	Focal	Tubes +	MPN/100						
① No. Fork 0950	10	24	+	+	+	+	+	24	+	+	-	-	+	5	75	24	+	+	+	-	-	2	4
		48						48		+	+												
	1	24	+	+	+	+	+	24	-	-	-	-	2		24	-	-	-	-	-	0		
		48						48	+	+	-	-			-								
	0.1	24	+	-	-	-	-	24	+	+		-	+	3		24	-	-	-	-	-	0	
		48		+	-	+	+	48				-											
② So. Fork 0915	10	24	+	+	+	+	+	24	-	-	-	-	5	110	24	-	-	-	-	-	0	<2	
		48						48	+	+	+	+			+								
	1	24	+	+	+	+	+	24	-	-	-	-	3		24	-	-	-	-	-	0		
		48						48	+	+	-	-			+								
	0.1	24	+	+	+	+	+	24	-	-	-	-	-	1		24	-	-	-	-	-	0	
		48						48	-	-	-	+	-										
③ Strawberry Creek 0930	10	24	+	+	+	+	+	24	-	+	-	-	5	30	24	-	-	-	-	-	0	<2	
		48						48	+		+	+			+								
	1	24	+	+	+	+	+	24	-	-	-	-	0		24	-	-	-	-	-	0		
		48						48	-	-	-	-											
	0.1	24	+	+	+	+	+	24	-	-	-	-	-	1		24	-	-	-	-	-	0	
		48						48	-	-	+	-	-										
0.01	24						24								24								
	48						48																

Called

Date/Time

cc: SDSHD/RCHD

EDWARD S. BABCOCK & SONS, INC.



E.S. BABCOCK
& SONS, INC.

ESTABLISHED 1906

TO: #172

Lake Hemet Municipal Water District

P.O. Bpx 5039

Hemet, CA. 92544

Attn: John Loncar

PH: 658-3241

APR 05 1999

6100 Quail Valley Court Riverside, CA 92507

P.O. Box 432 Riverside, CA 92502

PH (909) 653-3351 FAX (909) 653-1662

Environmental Laboratory Certification #1156

Lab No. 990331-B984

Invoice No. 13188

	Submitted	Sampled
By	<u>MT</u>	<u>RWN</u>
Employer	<u>ESB</u>	<u>LHMWD</u>
Date	<u>3/31/99</u>	<u>3/31/99</u>
Time	<u>1445</u>	

Laboratory Analysis Record

Date & time of set-up 3-21 @ 1545 By RV

Time from collection to set-up: 26hr

Holding time (max. 6 hrs.) observed: ☐ Yes ☒ No

Date & time of readings:

Pres.	Pres.	Conf.	Conf.	Fecal
24hr.	48hr.	24hr.	48hr.	24hr.
<u>1345</u>	<u>1345</u>	<u>1345</u>	<u>1345</u>	<u>1345</u>

Samples received on ice ☒ Yes ☐ No
Chain of Custody on file ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221														Tubes +	MPN/100ml	Fecal	Tubes +	MPN/100				
		ml Planted	Presumptive					Confirmed																
① Northfork Stream 0835	10	24	+	+	+	+	+	+	24	+	+	+	+	+	5	240	24	+	+	+	+	+	2	7
		48							48	+	+													
	1	24	+	+	+	+	+	+	24	+	+	+	+	+	5		24	+	+	+	+	+	1	
	0.1	24	+	+	+	+	+	+	24	+	+	+	+	+	0		24	+	+	+	+	+	0	
		48							48	+	+	+	+	+										
		24							24								24							
② Southfork Stream 0015	10	24	+	+	+	+	+	+	24	+	+	+	+	+	5	900	24	+	+	+	+	+	3	8
		48							48	+	+	+	+	+										
	1	24	+	+	+	+	+	+	24	+	+	+	+	+	5		24	+	+	+	+	+	0	
	0.1	24	+	+	+	+	+	+	24	+	+	+	+	+	3		24	+	+	+	+	+	0	
		48							48	+	+	+	+	+										
		24							24								24							
③ Strawberry Creek 0900	10	24	+	+	+	+	+	+	24	+	+	+	+	+	5	130	24	+	+	+	+	+	0	<2
		48							48	+	+	+	+	+										
	1	24	+	+	+	+	+	+	24	+	+	+	+	+	4		24	+	+	+	+	+	0	
	0.1	24	+	+	+	+	+	+	24	+	+	+	+	+	0		24	+	+	+	+	+	0	
		48							48	+	+	+	+	+										
		24							24								24							

Called

APR 03 1999

Date/Time

cc: SDSHD/RCHD

EDWARD S. BABCOCK & SONS, INC.



E.S. BABCOCK
& SONS, INC.

ESTABLISHED 1906

TO: #172

Lake Hemet Municipal Water District
P.O. Bpx 5039
Hemet, CA. 92544
Attn: John Loncar
PH: 658-3241

APR 05 1999

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

Lab No. 990331-B985

Invoice No. 13188

	Submitted	Sampled
By	<u>mt</u>	<u>RWN</u>
Employer	<u>ESB</u>	<u>LHMD</u>
Date	<u>3/31/99</u>	<u>3/31/99</u>
Time	<u>1445</u>	<u>1105</u>

Laboratory Analysis Record
Date & time of set-up 3-31 @ 1575 By RS
Time from collection to set-up: 26hr
Holding time (max. 6 hrs.) observed: ☒ Yes ☐ No

Pres.	Pres.	Conf.	Conf.	Fecal
24hr.	48hr.	24hr.	48hr.	24hr.
<u>1315</u>	<u>1245</u>	<u>1330</u>	<u>1245</u>	<u>1345</u>

Samples received on ice ☒ Yes ☐ No
Chain of Custody on file ☒ Yes ☐ No


Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221														Fecal	Tubes +	MPN/100ml	Tubes +	MPN/100ml			
		ml Plated	Presumptive					Confirmed					Tubes +	MPN/100ml									
④ Spillway	10	24	+	-	+	+	-	24	-	+	-	-	-	2	12	24	-	-	-	-	-	0	2
		48	+				+	48	-	+	-	-	-										
	1	24	-	-	-	-	-	24	-	-		+	-	2		24	-	-	-	+	+	0	
		48	+	+	-	+	+	48	-	-		+	-										
	0.1	24	-	-	-	-	-	24	-					1		24	-					0	
		48	+	-	-	-	-	48	-														
		24						24								24							
		48						48															
	10	24						24								24							
		48						48															
	1	24						24								24							
		48						48															
	0.1	24						24								24							
		48						48															
		24						24								24							
		48						48															
	10	24						24								24							
		48						48															
	1	24						24								24							
		48						48															
	0.1	24						24								24							
		48						48															
		24						24								24							
		48						48															
	10	24						24								24							
		48						48															
	1	24						24								24							
		48						48															
	0.1	24						24								24							
		48						48															
		24						24								24							
		48						48															

Called

Date/Time

cc: SDSHD/RCHD

EDWARD S. BABCOCK & SONS, INC.



E.S. BABCOCK
& SONS, INC.

ESTABLISHED 1906

TO: #172

Lake Hemet Municipal Water District
P.O. Bpx 5039
Hemet, CA. 92544
Attn: John Loncar
PH: 658-3241

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

APR 12 1999

Lab No. 990407-B215

Invoice No. 13369

	Submitted	Sampled
By	<u>MH</u>	<u>MJF</u>
Employer	<u>ESB</u>	<u>LHmu</u>
Date	<u>4/7/99</u>	<u>4/7/99</u>
Time	<u>1530</u>	

Laboratory Analysis Record					
Date & time of set-up <u>4-7-99 @ 1540</u> By <u>CE</u>					
Time from collection to set-up: <u>≤ 6</u>					
Holding time (max. 6 hrs.) observed: ☒ Yes ☐ No					
Date & time of readings:					
Pres.	Pres.	Conf.	Conf.	Fecal	
24hr.	48hr.	24hr.	48hr.	24hr.	
<u>1400</u>	<u>1400</u>	<u>1540</u>	<u>1540</u>	<u>1500</u>	<u>1700</u>

Samples received on ice	☒ Yes ☐ No
Chain of Custody on file	☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221										Tubes +	MPN/100ml	Focal	Tubes +	MPN/100									
		ml Planted	Presumptive					Confirmed																	
① North Fork 0959	10	24	+	+	+	+	+	+	24	+	+	+	+	+	5	350	24	+	+	+	+	+	+	5	50
		48							48																
	1	24	+	+	+	+	+	+	24	+	-	+	-	-	4		24	+	-	+	-	-	-	2	
		48							48	+		+	-												
	0.1	24	-	+	-	-	-	-	24	-	-	-	-	-	4		24	-	-	-	-	-	-	0	
		48	+		+	+	+		48	+	+	+	-	+											
② South Fork 0947	10	24	-	-	+	+	-	+	24	+	-	-	+	+	5	1600	24	-	-	-	-	-	-	0	<2
		48	+	+			+		48	+	+														
	1	24	+	+	+	+	+	+	24	-	-	-	-	-	5		24	-	-	-	-	-	-	0	
		48							48	+	+	+	+	+											
	0.1	24	-	+	-	+	-	+	24	+	-	+	-	+	4		24	-	-	-	-	-	-	0	
		48	+		+		+		48	+		-													
③ Strawberry Cr 0943	10	24	+	+	+	+	+	+	24	+	+	+	+	-	5	140	24	-	-	-	-	-	-	0	<2
		48							48					+											
	1	24	+	+	+	+	+	+	24	-	-	+	-	-	3		24	-	-	-	-	-	-	0	
		48							48	+	-		+	-											
	0.1	24	-	-	-	-	-	-	24	-	-	+	-	-	2		24	-	-	-	-	-	-	0	
		48	+	+	+	+	+	+	48	-	+		-	-											
		24						24									24								
		48							48																

Called

Date/Time

cc: SDSHD/RCHD

EDWARD S. BABCOCK & SONS, INC.



E.S. BABCOCK
& SONS, INC.

ESTABLISHED 1906

TO: #172

Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA. 92544
Attn: John Loncar
PH: 658-3241

APR 19 1999

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

Lab No. 990414-B401

Invoice No. 13518

	Submitted	Sampled
By	MH	MLB
Employer	ESB	LH/mud
Date	4/14/99	4/14/99
Time	1500	

Samples received on ice ☒ Yes ☐ No
Chain of Custody on file ☒ Yes ☐ No

Laboratory Analysis Record
Date & time of set-up 4-14 @ 1530 By TL
Time from collection to set-up: 26 hr
Holding time (max. 6 hrs.) observed: ☐ Yes ☐ No
Date & time of readings:
Pres. 24hr. 1930 Pres. 48hr. 1400 Conf. 24hr. 1400 Conf. 48hr. 1330 Fecal 24hr. 1230


Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221										Focal	Tubes +	MPN/100									
		ml Plated	Presumptive					Confirmed															
① North Fork 0945	10	24	+	+	+	+	+	24	+	+	+	+	+	5	900	24	+	+	+	+	+	5	50
		48						48															
	1	24	+	-	+	+	-	24	+	-	-	+	+	5	24	+	+	-	-	+	-	2	
		48		+			+	48	+	+													
	0.1	24	-	-	-	-	-	24	-	-	-	-	-	3	24	-	-	-	-	-	0		
		48	+	+	+	+	+	48	+	-	-	+	+										
		24						24							24								
		48						48															
② South Fork 0915	10	24	+	+	+	+	+	24	+	-	-	-	-	5	70	24	-	-	-	-	-	0	22
		48						48	+	+	+	+											
	1	24	+	+	+	+	+	24	-	-	-	-	-	2	24	-	-	-	-	-	0		
		48						48	+	-	+	-	-										
	0.1	24	+	-	-	+	+	24	-	-	-	-	-	1	24	-	-	-	-	-	0		
		48	+	+				48	-	+	-	-	-										
		24						24							24								
		48						48															
③ Strawberry Creek 0930	10	24	+	+	+	+	+	24	+	+	+	+	+	5	300	24	+	+	+	+	+	5	300
		48						48															
	1	24	+	+	+	+	+	24	+	+	+	+	-	5	24	+	+	+	-	-	5		
		48						48															
	0.1	24	+	-	+	-	-	24	+	-	-	-	-	1	24	+	-	-	-	-	1		
		48	+		+	+		48	-	-	-	-											
		24						24							24								
		48						48															

Called

Date/Time

cc: SDSHD/RCHD

EDWARD S. BABCOCK & SONS, INC.



ESTABLISHED 1906

TO: #172

Lake Hemet Municipal Water District
P.O. Bpx 5039
Hemet, CA. 92544
Attn: John Loncar
PH: 658-3241

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

Lab No. 990421-B663

Invoice No. 13700

APR 26 1999

	Submitted	Sampled
By	MH	RWN
Employer	ESB	RCUD
Date	4/21/99	4/21/99
Time	1430	

Laboratory Analysis Record					
Date & time of set-up	4/21 @ 1530		By TS		
Time from collection to set-up:	26hr				
Holding time (max. 6 hrs.) observed:	☐ Yes ☒ No				
Date & time of readings:					
Pres. 24hr.	Pres. 48hr.	Conf. 24hr.	Conf. 48hr.	Fecal 24hr.	
1300	1230	1300	1230	1330 1400	

Samples received on ice ☒ Yes ☐ No
Chain of Custody on file ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria SM 921																						
		ml Planted	Presumptive					Confirmed			Tubes +	MPN/100ml	Fecal	Tubes +	MPN/10									
① North Fork Stream 0820		10	24	+	+	+	+	+	24	+	+	+	-	-	5	80	24	+	-	-	-	-	1	2
			48						48				+	+										
		1	24	+	+	+	+	+	24	-	-	-	-	-			24	-	-	-	-	-		0
			48						48	+	+	+	-	-	3									
		0.1	24	+	+	+	+	+	24	-	-	-	-	-	0		24	-	-	-	-	-		0
			48						48	-	-	-	-	-										
			24						24								24							
			48						48															
② Strawberry Creek 0845		10	24	+	+	+	+	+	24	-	-	-	-	-	5	300	24	-	+	+	+	-		0 42
			48						48	+	+	+	+	+										
		1	24	-	-	-	-	-	24	-	-	-	-	-			24	-	-	-	-	-		0
			48	+	+	+	+	+	48	+	+	+	+	+	5									0
		0.1	24	-	-	+	-	+	24	-	-	-	-	-			24	-	-	-	-	+		0
			48	+	+		+		48	-	-	-	+		1									
			24						24								24							
			48						48															
③ South Fork Stream 0900		10	24	+	+	+	+	+	24	+	-	+	+	+	5	350	24	-	-	+	+	+		3 11
			48						48	+														
		1	24	+	+	+	+	+	24	+	-	-	-	-	4		24	-	-	-	-	-		0
			48						48	+	+	-	+											
		0.1	24	+	-	+	-	-	24	-	+	+	+	+	4		24	-	+	+	-	-		1
			48	+		+	+		48	-														
			24						24								24							
			48						48															


Called

Date/Time

cc: SDSHD/RCHD

APR 26 1999

EDWARD S. BABCOCK & SONS, INC.



E.S. BABCOCK
& SONS, INC.

ESTABLISHED 1906

TO: #172

Lake Hemet Municipal Water District
P.O. Bpx 5039
Hemet, CA. 92544
Attn: John Loncar
PH: 658-3241

MAY 03 1999

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

Lab No. 990428-B865

Invoice No. 13851

	Submitted	Sampled
By	MT	MJF
Employer	ESB	LH MWD
Date	4/28/99	4/28/99
Time	1445	

Laboratory Analysis Record					
Date & time of set-up	4-28 @ 1500		By TS		
Time from collection to set-up:	26hr				
Holding time (max. 6 hrs.) observed:	☒ Yes ☐ No				
Date & time of readings:					
Pres. 24hr.	Pres. 48hr.	Conf. 24hr.	Conf. 48hr.	Fecal 24hr.	
1310	1400	1320 1300	1245 1230	1300 1330	

Samples received on ice ☒ Yes ☐ No
Chain of Custody on file ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221												Tubes +	MPN/100ml	Fecal	Tubes +	MPN/100ml	
		ml Planted	Presumptive				Confirmed												
① Special North fork 1035 C/2=0	10	24	+	+	+	+	+	+	+	24	+	+	+	+	+	+	+	+	+
		48									48			+	+				
	1	24	+	+	+	+	+	+	+	24									
	1	48								48	+	+		+					
		0.1	24							24				+					
	48	+	+	+	+	+	+	+	48		+								
		24								24									
		48								48									
	② Special South fork 1022 C/2=0	10	24	+	+	+	+	+	+	24		+							
48										48	+		+	+	+				
1		24	+	+	+	+	+	+	24										
	1	48							48	+	+	+	+	+					
		0.1	24	+	+	+	+	+	+	24									
	48	+	+	+	+	+	+	+	48										
		24								24									
		48								48									
	③ Strawberry Cr special 1013 C/2=0	10	24	+	+	+	+	+	+	24	+	+	+	+	+	+	+	+	
48										48									
1		24	+	+	+	+	+	+	24										
	1	48							48	+	+			+					
		0.1	24							24									
	48	+	+	+	+	+	+	+	48										
		24								24									
		48								48									


Called

MAY 04 1999

Date/Time

cc: SDSHD/RCHD

EDWARD S. BABCOCK & SONS, INC.



ESTABLISHED 1906

TO: #172

Lake Hemet Municipal Water District
P.O. Bpx 5039
Hemet, CA. 92544
Attn: John Loncar
PH: 658-3241

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

MAY 10 1999

Lab No. 990505-B174Invoice No. 14050

	Submitted	Sampled
By	<u>MH</u>	<u>MLB</u>
Employer	<u>ESB</u>	<u>LHMWD</u>
Date	<u>5/5/99</u>	<u>5/5/99</u>
Time	<u>1500</u>	

Laboratory Analysis Record

Date & time of set-up 5-5 @ 1600 By TVTime from collection to set-up: 56hr.Holding time (max. 6 hrs.) observed: ☐ Yes ☒ No

Date & time of readings:

Pres.	Pres.	Conf.	Conf.	Fecal
24hr.	48hr.	24hr.	48hr.	24hr.
<u>1400</u>	<u>1500</u>	<u>1400</u>	<u>1345</u>	<u>1400</u>

Samples received on ice ☒ Yes ☐ No
Chain of Custody on file ☐ Yes ☐ No


Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221																					
		ml Planted	Presumptive				Confirmed				Tubes +	MPN/100ml	Focal	Tubes +	MPN/100ml								
① So. Fork 9:45	10	24	+	+	+	+	+	24	+	+	+	+	+	+	24	-	+	+	-	-	2	4	
		48						48						5	50								
	1	24	+	+	+	+	+	24	-	-	-	-	-		24	-	-	-	-	-	0		
		48						48	-	+	-	+	-	2									
	0.1	24	-	-	-	-	+	24	-	-	-	-	-		24	-	-	-	-	-	0		
		48	+	+	+	+	+	48	-	-	-	-	-	0									
② Strawberry Creek 10:00	10	24	+	+	+	+	+	24	+	+	+	+	+	5	220	24	+	+	+	+	+	5	50
		48						48															
	1	24	+	+	+	+	+	24	+	-	+	-	-	4		24	+	-	+	-	-	2	
		48						48	-		+	+											
	0.1	24	-	+	-	-	-	24	+	-	-	-	-		24	-	-	-	-	-	0		
		48	+		+	+	+	48	-	-	-	+		2									
③ No. Fork 10:30	10	24	+	+	+	+	+	24	+	+	+	+	+	5	50	24	+	+	+	+	+	3	6
		48						48															
	1	24	+	+	+	+	+	24	-	+	-	-	-		24	-	-	-	-	-	0		
		48						48	-		-	+	-	2									
	0.1	24	-	-	+	+	+	24	-	-	-	-	-		24	-	-	-	-	-	0		
		48	+	+				48	-	-	-	-	-	0									
		24					24								24								
		48						48															
		24					24								24								
		48						48															
		24					24								24								
		48						48															

Called

Date/Time

cc: SDSHD/RCHD

EDWARD S. BABCOCK & SONS, INC.



E.S. BABCOCK
& SONS, INC.

ESTABLISHED 1906

TO: #172

Lake Hemet Municipal Water District
P.O. Bpx 5039
Hemet, CA. 92544
Attn: John Loncar
PH: 658-3241

MAY 17 1999

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

Lab No. 990512-B412

Invoice No. 14234

	Submitted	Sampled
By	<u>KS</u>	<u>RWN</u>
Employer	<u>ESB</u>	<u>LHmuD</u>
Date	<u>5/12/99</u>	<u>5/12/99</u>
Time	<u>1400</u>	

Laboratory Analysis Record

Date & time of set-up 5-12 @ 1440 By RS

Time from collection to set-up: 6hr

Holding time (max. 6 hrs.) observed: ☒ Yes ☐ No

Date & time of readings:

Pres.	Pres.	Conf.	Conf.	Fecal
24hr.	48hr.	24hr.	48hr.	24hr.
<u>1245</u>	<u>1130</u>	<u>1240</u>	<u>1140</u>	<u>1300</u>

Samples received on ice ☒ Yes ☐ No
Chain of Custody on file ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221														Tubes +	MPN/100ml	Fecal	Tubes +	MP			
		ml Plated	Presumptive					Confirmed															
① North Fork Stream 1045	10	24	+	+	+	+	+	24	+	+	+	+	+	5	1600	24	+	+	+	+	+	5	2
		48						48															
		24	+	+	+	+	+	24	-	-	-	-	5	24		+	+	+	+	+	0		
	1	48						48	+	+	+	+	+										
		0.1	24	-	-	-	-	-	24	-	-	+	+	+	4	24	+	+	+	+	+	0	
			48	+	+	+	+	+	48	-	+												
② South Fork Stream 1110	10	24	+	+	+	+	+	24	-	-	-	-	-	5	1600	24	+	+	+	+	+	0	<
		48						48	+	+	+	+	+										
		24	+	-	+	+	+	24	-	-	-	-	-	5		24	+	+	+	+	+	0	
	1	48	+					48	+	+	+	+	+										
		0.1	24	-	-	-	-	+	24	-	-	+	-	4	24	+	+	+	+	+	0		
			48	-	+	+	+		48	+	+	+	+										
③ Spillway Release 0955	10	24	-	-	-	+	-	24	-	-	-	+	+	5	23	24	-	-	-	-	-	0	<
		48	+	+	+		+	48	+	+	+												
		24	-	-	-	-	-	24	-	-	-	-	0	24		+	+	+	+	+	0		
	1	48	-	+	+	-	+	48	-	-	-	-											
		0.1	24	-	-	-	-	-	24					0	24								
			48	-	-	-	-	-	48														
		24						24								24							
		48						48															
		24						24								24							
	0.1	48						48															
		24						24								24							
		48						48															

Called


Date/Time

cc: SDSHD/RCHD

RECEIVED

MAY 18 1999

Allison MacLachlan
EDWARD S. BABCOCK & SONS, INC.



E.S. BABCOCK
& SONS, INC.

ESTABLISHED 1906

TO: #172

Lake Hemet Municipal Water District
P.O. Bpx 5039
Hemet, CA. 92544
Attn: John Loncar
PH: 658-3241

MAY 25 1999

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

Lab No. 990519-B680

Invoice No. 14431

	Submitted	Sampled
By	<u>KS</u>	<u>MJF</u>
Employer	<u>ESB</u>	<u>LHmwd</u>
Date	<u>5/19/99</u>	<u>5/19/99</u>
Time	<u>1400</u>	

Laboratory Analysis Record				
Date & time of set-up	<u>5/19 @ 1445</u>	By	<u>DS</u>	
Time from collection to set-up:	<u>4.6 hr</u>			
Holding time (max. 6 hrs.) observed:	☐ Yes ☐ No			
Date & time of readings:				
Pres. 24hr.	Pres. 48hr.	Conf. 24hr.	Conf. 48hr.	Fecal 24hr.
<u>1245</u>	<u>1345</u>	<u>1300</u>	<u>1150/1200</u>	<u>1300/1315</u>

Samples received on ice ☒ Yes ☐ No
Chain of Custody on file ☒ Yes ☐ No


Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221										Focal	Tubes +	MPN/100									
		ml Planted	Presumptive					Confirmed							Tubes +	MPN/100ml							
① North Fork 1135	10	24	+	+	+	+	+	24	+	+	-	-	+	5	110	24	+	+	+	+	+	2	4
		48						48			+	+											
	1	24	+	+	+	+	+	24	-	-	-	-	-	3		24	-	-	-	-	-	0	
		48						48	+	-	-	+	+										
	0.1	24	-	+	-	-	-	24	-				-	1		24	-	-			-	0	
		48	-		-	-	+	48	+			-											
② South Fork 1141	10	24	+	+	+	+	+	24	+	+	-	-	-	5	80	24	-	-	-	-	-	0	<2
		48						48			+	+	+										
	1	24	+	+	+	+	+	24	-	-	-	-	-	3		24	-	-	-	-	-	0	
		48						48	+	+	+	-	-										
	0.1	24	-	+	-	+	-	24	-		-			0		24	-	-	-	-	-	0	
		48	-		-	-	-	48	-		-												
③ Strawberry Cr 1133	10	24	+	+	+	+	+	24	+	+	+	+	+	5	130	24	-	+	-	-	-	1	2
		48						48															
	1	24	+	-	+	+	+	24	-		+	+	+	4		24	-		-	-	-	0	
		48	-					48	+														
	0.1	24	-	-	-	-	-	24	-					0		24						0	
		48	-	-	-	-	-	48															
	24						24								24								
	48						48																

Called

Date/Time

cc: SDSHD/RCHD

EDWARD S. BABCOCK & SONS, INC.



E.S. BABCOCK
& SONS, INC.

ESTABLISHED 1906

TO: #172

Lake Hemet Municipal Water District

P.O. Bpx 5039

Hemet, CA. 92544

Attn: John Loncar

PH: 658-3241

6100 Quail Valley Court Riverside, CA 92507

P.O. Box 432 Riverside, CA 92502

PH (909) 653-3351 FAX (909) 653-1662

Environmental Laboratory Certification #1156

MAY 25 1999

Lab No. 990579-B681

Invoice No. 14431

	Submitted	Sampled
By	<u>KS</u>	<u>MJF</u>
Employer	<u>ESB</u>	<u>LHM</u>
Date	<u>5/19/99</u>	<u>5/19/99</u>
Time	<u>1400</u>	<u>0925</u>

Samples received on ice ☒ Yes ☐ No
Chain of Custody on file ☒ Yes ☐ No

Laboratory Analysis Record

Date & time of set-up 5-19 @ 1945 By RV

Time from collection to set-up: 56 hr

Holding time (max. 6 hrs.) observed: ☒ Yes ☐ No

Date & time of readings:

Pres.	Pres.	Conf.	Conf.	Fecal
24hr.	48hr.	24hr.	48hr.	24hr.
<u>1245</u>	<u>1345</u>	<u>1300</u>	<u>1200</u>	<u>1300/1315</u>

Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221																		
		ml Planted	Presumptive					Confirmed					Tubes +	MPN/100ml	Fecal			Tubes +	MPN/100	
④ Lake Hemet at Spillway	10	24	-	-	-	-	24	-	-	-	-	1	2	24	-	-	-	-	0	<
		48	-	+	-	-	48	+	-	-	-			-						
	1	24	-	-	-	-	24	-	-	-	-	0		24	-	-	+	-	0	
		48	-	-	+	+	48	-	-	-	-									
	0.1	24	-	-	-	-	24	-	-	-	-	0		24	-	-	-	-	0	
		48	-	-	-	-	48	-	-	-	-									
		24	-	-	-	-	24	-	-	-	-			24	-	-	-	-		
		48	-	-	-	-	48	-	-	-	-									
	10	24	-	-	-	-	24	-	-	-	-			24	-	-	-	-		
		48	-	-	-	-	48	-	-	-	-									
	1	24	-	-	-	-	24	-	-	-	-			24	-	-	-	-		
		48	-	-	-	-	48	-	-	-	-									
	0.1	24	-	-	-	-	24	-	-	-	-			24	-	-	-	-		
		48	-	-	-	-	48	-	-	-	-									
		24	-	-	-	-	24	-	-	-	-			24	-	-	-	-		
		48	-	-	-	-	48	-	-	-	-									
	10	24	-	-	-	-	24	-	-	-	-			24	-	-	-	-		
		48	-	-	-	-	48	-	-	-	-									
	1	24	-	-	-	-	24	-	-	-	-			24	-	-	-	-		
		48	-	-	-	-	48	-	-	-	-									
	0.1	24	-	-	-	-	24	-	-	-	-			24	-	-	-	-		
		48	-	-	-	-	48	-	-	-	-									
		24	-	-	-	-	24	-	-	-	-			24	-	-	-	-		
		48	-	-	-	-	48	-	-	-	-									
	10	24	-	-	-	-	24	-	-	-	-			24	-	-	-	-		
		48	-	-	-	-	48	-	-	-	-									
	1	24	-	-	-	-	24	-	-	-	-			24	-	-	-	-		
		48	-	-	-	-	48	-	-	-	-									
	0.1	24	-	-	-	-	24	-	-	-	-			24	-	-	-	-		
		48	-	-	-	-	48	-	-	-	-									
		24	-	-	-	-	24	-	-	-	-			24	-	-	-	-		
		48	-	-	-	-	48	-	-	-	-									

Called

Date/Time

cc: SDSHD/RCHD

EDWARD S. BABCOCK & SONS, INC.



ESTABLISHED 1906

TO: #172

Lake Hemet Municipal Water District

P.O. Box 5039

Hemet, CA. 92544

Attn: John Loncar

PH: 658-3241

6100 Quail Valley Court Riverside, CA 92507

P.O. Box 432 Riverside, CA 92502

PH (909) 653-3351 FAX (909) 653-1662

Environmental Laboratory Certification #1156

JUN 01 1999

Lab No. 990526-B902

Invoice No. 14607

	Submitted	Sampled
By	K.S.	MLB
Employer	ESB	LHMWD
Date	5/26/99	5/26/99
Time	1400	

Laboratory Analysis Record

Date & time of set-up 5/26 @ 1445 By R

Time from collection to set-up: 56 min

Holding time (max. 6 hrs.) observed: ☒ Yes ☐ No

Date & time of readings:

Pres.	Pres.	Conf.	Conf.	Fecal
24hr.	48hr.	24hr.	48hr.	24hr.
1300	1300	1500	1515	1330

Samples received on ice ☒ Yes ☐ No

Chain of Custody on file ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221										Tubes +	MPN/100ml	Focal	Tubes +	MPN											
		all Plated	Presumptive					Confirmed																			
① Strawberry Creek 1015	10	24	+	+	+	+	+	24	+	+	+	-	-	5	300	24	-	+	-	-	-	1	0				
		48						48	+			+	+														
		24	+	+	+	+	+	24	-	-	-	-	-					24	-	-	-			-	-		
		48						48	+	+	+	+	+			+											
		24	-	-	-	-	+	24	-	-	-	-	-					24	-	-	-			-	-		
	1	24	+	+	+	+	+	24	-	-	-	-	-	5		24	-	-	-	-	-	0					
		48						48	+	+	+	+	+														
		24	+	+	+	+	+	24	-	-	-	-	-					24	-	-	-			-	-		
		48						48	+	+	+	+	+														
		24	-	-	-	-	+	24	-	-	-	-	-					24	-	-	-			-	-		
	0.1	24	+	+	+	+	+	24	-	-	-	+	-	1		24	-	-	-	-	-	0					
		48						48	-	-	-	+	-														
		24	+	+	+	+	+	24	-	-	-	-	-					24	-	-	-			-	-		
		48						48	-	-	-	-	-														
		24	+	+	+	+	+	24	-	-	-	-	-					24	-	-	-			-	-		
② So. Fork 1020	10	24	+	+	+	+	+	24	+	+	+	+	+	5	21600	24	+	+	+	+	+	+	5	23			
		48						48																			
		24	+	+	+	+	+	24	-	+	-	-	-					24	-	-	-	-			-		
		48						48	+		+	+	+														
		24	-	-	-	+	+	24	+	-	-	-	-					24	-	-	-	+			+		
	1	24	+	+	+	+	+	24	-	+	-	-	-	5		24	-	-	-	-	-		0				
		48						48	+		+	+	+														
		24	+	+	+	+	+	24	-	+	-	-	-					24	-	-	-	-			-		
		48						48	+		+	+	+														
		24	-	-	-	+	+	24	+	-	-	-	-					24	-	-	-	+			+		
	0.1	24	+	+	+		24	+	+	+	+	+		5		24	-	-	-	+	+		0				
		48					48	-	-	-	-	-															
		24	+	+	+	+	+	24	-	-	-	-	-					24	-	-	-	-			-		
		48						48	-	-	-	-	-														
		24	+	+	+	+	+	24	-	-	-	-	-					24	-	-	-	-			-		
③ No. Fork	10	24	+	+	+	+	+	24	+	+	+	+	+	5	240	24	+	+	+	+	+		5	30			
		48						48																			
		24	+	+	+	+	+	24	-	-	+	-	-					24	-	-	+	-			-		
		48						48	+	+		+	+														
		24	+	+	+	+	-	24	-	-	-	-	-					24	-	-	-	-			-		
	1	24	+	+	+	+	+	24	-	-	+	-	-	5		24	-	-	+	-	-		1				
		48						48	+	+		+	+														
		24	+	+	+	+	-	24	-	-	-	-	-					24	-	-	-	-			-		
		48						48	-	-	-	-	-														
		24	+	+	+	+	+	24	-	-	-	-	-					24	-	-	-	-			-		
	0.1	24	+	+	+	+	+	24	-	-	-	-	-	0		24	-	-	-	-	-		0				
		48						48	-	-	-	-	-														
		24	+	+	+	+	+	24	-	-	-	-	-					24	-	-	-	-			-		
		48						48	-	-	-	-	-														
		24	+	+	+	+	+	24	-	-	-	-	-					24	-	-	-	-			-		


Called

Date/Time

cc: SDSHD/RCHD

JUN 01 1999

EDWARD S. BABCOCK & SONS, INC.



E.S. BABCOCK
& SONS, INC.

ESTABLISHED 1906

TO: #172

Lake Hemet Municipal Water District
P.O. Bpx 5039

Hemet, CA. 92544
Attn: John Loncar
PH: 658-3241

JUN 01 1999

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

Lab No. 990526-B903

Invoice No. 14607

	Submitted	Sampled
By	<u>K.S.</u>	<u>MLB</u>
Employer	<u>ESB</u>	<u>LHMWD</u>
Date	<u>5/26/99</u>	<u>5/26/99</u>
Time	<u>1400</u>	

Laboratory Analysis Record				
Date & time of set-up	<u>5/26 @ 1445</u>	By	<u>TS</u>	
Time from collection to set-up:	<u>≤ 6 hrs.</u>			
Holding time (max. 6 hrs.) observed:	☒ Yes ☐ No			
Date & time of readings:				
Pres. 24hr. <u>1300</u>	Pres. 48hr. <u>1300</u>	Conf. 24hr. <u>1500</u>	Conf. 48hr. <u>1145</u>	Fecal 24hr. <u>1300</u>

Samples received on ice ☒ Yes ☐ No
Chain of Custody on file ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221										Tubes +	MPN/100ml	Fecal				Tubes +	MP					
		ml Planted	Presumptive					Confirmed																
① Dam Release 9:10		10	24	+	+	+	+	+	24	+	+	+	+	+	5	1600	24	+	+	+	+	+	5	3
			48						48															
(FROM NEW VALVE)		1	24	-	-	+	-	-	24	+	+	-	+	+	5		24	-	-	-	-	-	0	
			48	+	+		+	+	48			+												
COLLECTED @ WEIR		0.1	24	-	-	+	+	-	24	-	+	+	-	+	4		24	-	-	+	+	-	1	
			48	+	+			+	48	-			+											
			24						24								24							
			48						48															
			24						24								24							
			48						48															
			24						24								24							
			48						48															
			24						24								24							
			48						48															
			24						24								24							
			48						48															
			24						24								24							
			48						48															
			24						24								24							
			48						48															
			24						24								24							
			48						48															


Called

Date/Time

cc: SDSHD/RCHD

RECEIVED
JUN 01 1999

Allison M. [Signature]
EDWARD S. BABCOCK & SONS, INC.



ESTABLISHED 1906

TO: #172

Lake Hemet Municipal Water District

P.O. Bpx 5039

Hemet, CA. 92544

Attn: John Loncar

PH: 658-3241

6100 Quail Valley Court Riverside, CA 92507

P.O. Box 432 Riverside, CA 92502

PH (909) 653-3351 FAX (909) 653-1662

Environmental Laboratory Certification #1156

JUN 05 1999

Lab No. 990602-B128

Invoice No. 14786

	Submitted	Sampled
By	J. Loncar	MLB
Employer	LHMWD	
Date	6/2/99	6/2/99
Time	1655	

Laboratory Analysis Record				
Date & time of set-up	6/2/99 @ 1700	By	CIC	
Time from collection to set-up:	2.5 hr			
Holding time (max. 6 hrs.) observed:	☒ Yes ☐ No			
Date & time of readings:				
Pres. 24hr.	Pres. 48hr.	Conf. 24hr.	Conf. 48hr.	Fecal 24hr.
1500		1500	1420	1600

Samples received on ice	☐ Yes ☐ No
Chain of Custody on file	☐ Yes ☐ No


Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221														Tubes +	MPN/100ml	Fecal	Tubes +	MP					
		ml Planted	Presumptive					Confirmed																	
① No. Fork 1450		10	24	+	+	+	+	+	24	+	+	+	+	+	5	500	24	+	+	+	+	+	5	17	
			48						48																
		1	24	+	+	+	+	+	24	+	+	+	+	+	5		24	+	+	+	+	+	4		
			48						48																
		D.1	24	+	+	+	+	+	24	+	-	-	-	-	2		24	+	-	-	-	-	1		
			48						48	-	-	-	+												
			24						24								24								
			48						48																
② So. Fork 1410		10	24	+	+	+	+	+	24	+	+	-	-	-	5	70	24	+	+	-	-	-	1	2	
			48						48	+	+	+	+	+											
		1	24	+	+	+	+	+	24	-	-	-	+	-	2		24	+	-	-	-	+	-	1	
			48						48	+	+	-	-	-											
		D.1	24	+	+	+	+	+	24	-	-	-	-	-	1		24	+	-	-	-	-	0		
			48						48	-	-	-	+												
			24						24								24								
			48						48																
③ Strawberry Creek 1420		10	24	+	+	+	+	+	24	+	+	+	+	+	5	500	24	+	+	+	+	+	5	2	
			48						48																
		1	24	+	+	+	+	+	24	+	+	+	+	+	5		24	+	+	+	+	+	5		
			48						48																
		D.1	24	+	+	+	+	+	24	-	-	-	-	-	2		24	+	-	-	-	-	0		
			48						48	-	-	-	+	+											
			24						24								24								
			48						48																

Called

Date/Time

cc: SDSHD/RCHD

EDWARD S. BABCOCK & SONS, INC.



ESTABLISHED 1906

TO: #172

Lake Hemet Municipal Water District

P.O. Box 5039

Hemet, CA. 92544

Attn: John Loncar

PH: 658-3241

JUN 15 1999

6100 Quail Valley Court Riverside, CA 92507

P.O. Box 432 Riverside, CA 92502

PH (909) 653-3351 FAX (909) 653-1662

Environmental Laboratory Certification #1156

Lab No. 990602-B81

Invoice No. 14752

	Submitted	Sampled
By	KS	RWN
Employer	ESB	LHM
Date	6/2/99	6/2/99
Time	1400	1050

Laboratory Analysis Record

Date & time of set-up 6/2 @ 1450 By RW

Time from collection to set-up: 2.5 hr

Holding time (max. 6 hrs.) observed: ☒ Yes ☐ No

Date & time of readings:

Pres.	Pres.	Conf.	Conf.	Fecal
24hr.	48hr.	24hr.	48hr.	24hr.
1320		1315	1245	1320

Samples received on ice ☒ Yes ☐ No

Chain of Custody on file ☒ Yes ☐ No


Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221										Tubes +	MPN/100ml	Focal	Tubes +	M								
		ml Planted	Presumptive					Confirmed																
Dam Release		10	24	+	+	+	+	+	24	+	+	+	+	+	5	300	24	+	+	+	+	+	5	
			48						48															
		1	24	+	+	+	+	+	24	+	+	+	+	+	5		24	+	+	+	+	+	3	
			48						48															
		0.1	24	+	+	+	+	+	24	-	-	-	-	-	1		24	-	-	-	-	-	0	
			48						48	-	-	-	-	+										
			24						24								24							
			48						48															
			24						24								24							
			48						48															
			24						24								24							
			48						48															
			24						24								24							
			48						48															
			24						24								24							
			48						48															
			24						24								24							
			48						48															
			24						24								24							
			48						48															
			24						24								24							
			48						48															
			24						24								24							
			48						48															
			24						24								24							
			48						48															
			24						24								24							
			48						48															

Called

Date/Time

cc: SDSHD/RCHD

EDWARD S. BABCOCK & SONS, INC.



ESTABLISHED 1906

TO: #172

Lake Hemet Municipal Water District
P.O. Bpx 5039
Hemet, CA. 92544
Attn: John Loncar
PH: 658-3241

JUN 14 1999

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

Lab No. 990609-B360

Invoice No. 14961

	Submitted	Sampled
By	<u>KS</u>	<u>MP/MJF</u>
Employer	<u>ESB</u>	<u>LHMD</u>
Date	<u>6/9/99</u>	<u>6/9/99</u>
Time	<u>1340</u>	

Laboratory Analysis Record

Date & time of set-up 6/9 @ 1410 By RS

Time from collection to set-up: ≤ 6

Holding time (max. 6 hrs.) observed: ☒ Yes ☐ No

Date & time of readings:

Pres.	Pres.	Conf.	Conf.	Fecal
24hr.	48hr.	24hr.	48hr.	24hr.
<u>1220</u>	<u>1115</u>	<u>1330</u>	<u>1245</u>	<u>1345</u>

Samples received on ice ☒ Yes ☐ No
Chain of Custody on file ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221														Tubes +	MPN/100ml	Fecal					Tubes +	MPN
		ml Planted	Presumptive					Confirmed																
① North Fork River 0815	10	24	+	+	+	+	+	24	+	+	+	+	+	5	280	24	-	+	+	+	+	4	13	
		48						48																
	1	24	+	+	+	+	+	24	-	-	-	-	-	4		24	-	-	-	-	-	0		
		48						48	-	+	+	+	+											
	0.1	24	-	-	-	-	+	24	-	-	-	-	-	3		24	-	-	-	-	-	0		
		48	+	+	+	+		48	-	+	+	+	-											
② South Fork River 0740	10	24					24									24								
		48						48																
	1	24	+	+	+	+	+	24	+	+	+	+	+	5	900	24	+	+	+	+	+	5	30	
		48						48																
	0.1	24	+	+	+	+	+	24	-	-	-	+	-	5		24	-	-	+	-	-	1		
		48						48	+	+		+	+											
③ L.H. Dam Release 0626	10	24	+	+	+	+	+	24	+	+	+	+	+	5	900	24	+	+	-	+	-	3	8	
		48						48																
	1	24	+	+	+	+	+	24	-	-	-	-	-	5		24	-	-	-	-	-	0		
		48						48	+	+	+	+	+											
	0.1	24	-	+	-	-	-	24	-	-	-	-	+	3		24	-	-	-	-	-	0		
		48	+		+	+	+	48	-	+	-	+	-											
		24					24									24								
		48						48																
		24					24									24								
		48						48																
		24					24									24								
		48						48																

Called

Date/Time

cc: SDSHD/RCHD

EDWARD S. BABCOCK & SONS, INC.



E.S. BABCOCK
& SONS, INC.

ESTABLISHED 1906

TO: #172

Lake Hemet Municipal Water District

P.O. Bpx 5039

Hemet, CA. 92544

Attn: John Loncar

PH: 658-3241

JUN 14 1999

6100 Quail Valley Court Riverside, CA 92507

P.O. Box 432 Riverside, CA 92502

PH (909) 653-3351 FAX (909) 653-1662

Environmental Laboratory Certification #1156

Lab No. 990609-B361

Invoice No. 14961

	Submitted	Sampled
By	KS	MP
Employer	ESB	LHM
Date	6/9/99	6/9/99
Time	1340	0730

Laboratory Analysis Record
Date & time of set-up 6/9 @ 1420 By JS

Time from collection to set-up: >6hr

Holding time (max. 6 hrs.) observed: ☐ Yes ☒ No

Date & time of readings:

Pres.	Pres.	Conf.	Conf.	Fecal
24hr.	48hr.	24hr.	48hr.	24hr.
<u>1320</u>	<u>1300</u>	<u>1330</u>	<u>1345</u>	<u>1345</u>

Samples received on ice ☒ Yes ☐ No
Chain of Custody on file ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221										Fecal		Tubes +	MPN/100ml	
		ml Plated	Presumptive					Confirmed								
D Strawberry Creek		10	24	+	+	+	+	+	24	+	+	+	+	+	5	280
			48						48							
		1	24	-	+	-	+	-	24	-	-	-	-	-	4	
			48	+		+		+	48	+	+	+	-	+		
		0.1	24	+	-	+	-	-	24	-	-	-	-	-	3	
			48		+		+	+	48	-	+	-	+	+		
			24						24							
			48						48							
		10	24						24							
			48						48							
		1	24						24							
			48						48							
		0.1	24						24							
			48						48							
			24						24							
			48						48							
		10	24						24							
			48						48							
		1	24						24							
			48						48							
		0.1	24						24							
			48						48							
			24						24							
			48						48							


Called

Date/Time

cc: SDSHD/RCHD

JUN 13 1999

EDWARD S. BABCOCK & SONS, INC.



E.S. BABCOCK
& SONS, INC.

ESTABLISHED 1906

TO: #172

Lake Hemet Municipal Water District
P.O. Bpx 5039
Hemet, CA. 92544
Attn: John Loncar
PH: 658-3241

JUN 21 1999

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

Lab No. 990616-B534

Invoice No. 15119

	Submitted	Sampled
By	<u>KS</u>	<u>MLB</u>
Employer	<u>ESB</u>	<u>LHmud</u>
Date	<u>6/16/99</u>	<u>6/16/99</u>
Time	<u>1400</u>	

Laboratory Analysis Record

Date & time of set-up 6/16 @ 1405 By KS

Time from collection to set-up: 56hr

Holding time (max. 6 hrs.) observed: ☒ Yes ☐ No

Date & time of readings:

Pres.	Pres.	Conf.	Conf.	Fecal
24hr.	48hr.	24hr.	48hr.	24hr.
<u>1215</u>	<u>1130</u>	<u>1330</u>	<u>1330</u>	<u>1330</u>

Samples received on ice ☒ Yes ☐ No
Chain of Custody on file ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221																Tubes +	MPN/100ml	Fecal	Tubes +	MPN/100ml	
		ml Planted	Presumptive					Confirmed															
① 1110 No. Fork	10	24	+	+	+	+	+	24	+	+	+	+	+	5	240	24	-	+	+	+	-	3	11
		48						48															
	1	24	+	+	+	+	+	24	+	-	-	+	+	5		24	-	-	-	+	-	1	
		48						48		+	+												
	0.1	24	+	+	+	+	+	24	-	-	-	-	0		24	-	-	-	-	-	0		
		48						48	-	-	-	-											
		24						24							24								
		48						48															
② 1035 So. Fork	10	24	+	+	+	+	+	24	+	-	+	-	+	5	500	24	+	-	+	-	+	3	8
		48						48		+	+												
	1	24	+	+	+	+	+	24	-	-	-	-	5		24	-	-	-	-	-	0		
		48						48	+	+	+	+		+									
	0.1	24	+	+	+	+	+	24	-	-	-	-	2		24	-	-	-	-	-	0		
		48						48	-	-	+	-		+									
		24						24							24								
		48						48															
③ Strawberry Creek 1050	10	24	+	+	+	+	+	24	+	+	+	+	+	5	500	24	+	+	+	+	+	5	23
		48						48															
	1	24	+	+	+	+	+	24	+	+	+	+	+	5		24	-	-	-	-	-	0	
		48						48															
	0.1	24	+	+	+	-	-	24	-	-	+	-	-	2		24	-	-	-	-	-	0	
		48				+	+	48	-	-	-	+											
		24						24							24								
		48						48															

Called

Date/Time

cc: SDSHD/RCHD

EDWARD S. BABCOCK & SONS, INC.



TO: #172

Lake Hemet Municipal Water District
P.O. Bpx 5039
Hemet, CA. 92544
Attn: John Loncar
PH: 658-3241

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

Lab No. 990616-B585

Invoice No. 15119

JUN 21 1999

	Submitted	Sampled
By	KS	MLB
Employer	ESB	LHMLD
Date	6/16/99	6/16/99
Time	1400	1010

Samples received on ice ☒ Yes ☐ No
Chain of Custody on file ☐ Yes ☒ No

Laboratory Analysis Record
Date & time of set-up 6/16 @ 1430 By RS
Time from collection to set-up: 6 hr
Holding time (max. 6 hrs.) observed: ☒ Yes ☐ No

Date & time of readings:

Pres.	Pres.	Conf.	Conf.	Fecal
24hr.	48hr.	24hr.	48hr.	24hr.
1240		1330	1240	1330


Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221										Tubes +	MPN/100ml	Fecal	Tubes +	MPN/100								
		ml Planted	Presumptive					Confirmed																
④ Dam Release		10	24	+	+	+	+	+	24	-	-	-	-	-	5	1600	24	-	-	-	-	-	D	<2
			48						48	+	+	+	+	+										
		1	24	+	+	+	+	+	24	-	-	-	-	-	5		24	-	-	-	-	-	D	
			48						48	+	+	+	+	+										
		0.1	24	+	+	+	+	+	24	-	-	-	-	-	4		24	-	-	-	-	-	D	
			48						48	+	-	+	+	+										
			24						24								24							
			48						48															
		10	24						24								24							
			48						48															
		1	24						24								24							
			48						48															
		0.1	24						24								24							
			48						48															
			24						24								24							
			48						48															
		10	24						24								24							
			48						48															
		1	24						24								24							
			48						48															
		0.1	24						24								24							
			48						48															
			24						24								24							
			48						48															
		10	24						24								24							
			48						48															
		1	24						24								24							
			48						48															
		0.1	24						24								24							
			48						48															
			24						24								24							
			48						48															

Called

Date/Time

cc: SDSHD/RCHD

EDWARD S. BABCOCK & SONS, INC.



E.S. BABCOCK
& SONS, INC.

ESTABLISHED 1906

TO: #172

Lake Hemet Municipal Water District JUN 28 1999
P.O. Bpx 5039
Hemet, CA. 92544
Attn: John Loncar
PH: 658-3241

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

Lab No. 990623-B825

Invoice No. 15307

	Submitted	Sampled
By	<u>KS</u>	<u>RWN</u>
Employer	<u>ESB</u>	<u>LHmud</u>
Date	<u>6/23/99</u>	<u>6/23/99</u>
Time	<u>1345</u>	

Laboratory Analysis Record
Date & time of set-up 6/23 @ 1430 By TS
Time from collection to set-up: 6hr
Holding time (max. 6 hrs.) observed: ☒ Yes ☐ No
Date & time of readings:

Pres.	Pres.	Conf.	Conf.	Fecal
24hr.	48hr.	24hr.	48hr.	24hr.
<u>1255</u>	<u>1320</u>	<u>1230</u>	<u>1330</u>	<u>1315</u>

Samples received on ice ☒ Yes ☐ No
Chain of Custody on file ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221										Tubes +	MPN/100ml	Fecal	Tubes +	MPN/100						
		ml Planted	Presumptive					Confirmed														
① North Fork Creek 0835 C12=Ø	10	24	+	+	+	+	+	+	24	+	+	+	+	+	24	-	+	-	+	-	2	4
		48							48													
	1	24	+	+	+	+	+	+	24	+	+	+	+	+	24						0	
		48							48													
	0.1	24	-	+	+	+	+	+	24	-	-	-	-	+	24						0	
		48	+						48	-	+	+	+									
		24							24						24							
		48							48													
② Strawberry Creek 0905 C12=Ø	10	24	+	+	+	+	+	+	24	+	+	+	+	+	24	+	+	+	+	+	5	17c
		48							48													
	1	24	+	+	+	+	+	+	24	+	+	+	+	-	24	+	+	+	+	-	4	
		48							48					+								
	0.1	24	+	+	+	+	+	+	24	-	-	-	+	+	24	-			+	-	1	
		48							48	-	+	+										
		24							24						24							
		48							48													
③ South Fork Stream 0930 C12=Ø	10	24	+	-	+	+	+	+	24	+	+	+	-	-	24	+	-			-	1	2
		48		+					48				+	+								
	1	24	+	+	+	+	+	+	24	-	-	-	-	+	24	-				-	0	
		48							48	+	+	+	+									
	0.1	24	+	-	-	+	-	24	-		-	-	-		24	-			-	-	0	
		48		-	+		+		48	-		-	+	-								
		24							24						24							
		48							48													


Called

Date/Time

cc: SDSHD/RCHD

JUN 28 1999

EDWARD S. BABCOCK & SONS, INC.



E.S. BABCOCK
& SONS, INC.

ESTABLISHED 1906

TO: #172

Lake Hemet Municipal Water District
P.O. Bpx 5039
Hemet, CA. 92544
Attn: John Loncar
PH: 658-3241

JUN 28 1999

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

Lab No. 990623-B825

Invoice No. 15307

	Submitted	Sampled
By	<u>KS</u>	<u>RWN</u>
Employer	<u>ESB</u>	<u>LHMUD</u>
Date	<u>6/23/99</u>	<u>6/23/99</u>
Time	<u>1345</u>	<u>1100</u>

Laboratory Analysis Record

Date & time of set-up 6/23 @ 1430 By RS

Time from collection to set-up: 26hr

Holding time (max. 6 hrs.) observed: ☒ Yes ☐ No

Date & time of readings:

Pres.	Pres.	Conf.	Conf.	Fecal
24hr.	48hr.	24hr.	48hr.	24hr.
<u>1300</u>		<u>1230</u>	<u>1230</u>	<u>1315</u>

Samples received on ice ☒ Yes ☐ No
Chain of Custody on file ☒ Yes ☐ No


Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221										Tubes +	MPN/100ml	Fecal	Tubes +	MPN/100								
		ml Plated	Presumptive					Confirmed																
(4) Dam Release C12-50		10	24	+	+	+	+	+	24	-	-	-	+	-	5	170	24	-	-	-	+	-	1	2
			48						48	+	+	+	+	-										
		1	24	+	+	+	+	+	24	-	-	-	-	-	3		24	-	-	-	-	-	0	
			48						48	+	-	+	+	-										
		0.1	24	+	+	+	+	+	24	-	-	-	-	-	3		24	-	-	-	-	-	0	
			48						48	-	+	+	-	+										
			24						24								24							
			48						48															
		10	24						24								24							
			48						48															
		1	24						24								24							
			48						48															
		0.1	24						24								24							
			48						48															
			24						24								24							
			48						48															
		10	24						24								24							
			48						48															
		1	24						24								24							
			48						48															
		0.1	24						24								24							
			48						48															
			24						24								24							
			48						48															

Called

Date/Time

cc: SDSHD/RCHD

EDWARD S. BABCOCK & SONS, INC.



ESTABLISHED 1906

TO: #172

Lake Hemet Municipal Water District
P.O. Bpx 5039
Hemet, CA. 92544
Attn: John Loncar
PH: 658-3241

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

JUL 07 1999

Lab No. 990630-B1027

Invoice No. 15463

	Submitted	Sampled
By	KS	MTF
Employer	ESB	LHmwd
Date	6-30-99	6-30-99
Time	1405	

Laboratory Analysis Record

Date & time of set-up 6/30/99 @ 1500 By D

Time from collection to set-up: < 6

Holding time (max. 6 hrs.) observed: ☒ Yes ☐ No

Date & time of readings:

Pres.	Pres.	Conf.	Conf.	Fecal
24hr.	48hr.	24hr.	48hr.	24hr.
<u>1315</u>	<u>1300</u>	<u>1300</u>	<u>1215</u>	<u>1300</u>

Samples received on ice ☒ Yes ☐ No
Chain of Custody on file ☒ Yes ☐ No


Sample Marking <i>Special</i>	Standard Plate Count	Coliform Bacteria SM 9221																						
		ml Planted	Presumptive					Confirmed					Tubes +	MPN/100ml	Fecal			Tubes +	MPN					
① L.H. Dam Release @0900	10	24	+	+	+	+	+	+	24	-	-	-	+	-	4	26	24	-	-	-	+	-	1	2
		48							48	-	+	+		+										
	1	24	+	+	+	+	+	24	-	-	-	-	-	2		24	-	-	-	-	-	0		
		48						48	+	-	-	-	+											
	0.1	24	+	+	+	+	+	24	-	-	-	-	-	1		24	-	-	-	-	-	0		
		48						48	-	-	-	-	+											
		24					24									24								
		48					48																	
② Strawberry Creek @1045	10	24	+	+	+	+	+	24	+	+	+	+	+	5	1600	24	-	-	-	+	-	1	2	
		48						48																
	1	24	+	+	+	+	+	24	+	-	-	-	+	5		24	-	-	-	-	-	0		
		48						48		+	+	+												
	0.1	24	-	-	-	-	-	24	-	+	+	-	-	4		24	-	-	-	-	-	0		
		48	+	+	+	+	+	48	+			+	-											
		24					24									24								
		48					48																	
③ South Fork @1051	10	24	+	+	+	+	+	24	+	-	-	-	+	5	900	24	-	-	-	+	-	1	2	
		48						48		+	+	+												
	1	24	+	+	+	+	+	24	-	-	+	-	-	5		24	-	-	-	-	-	0		
		48						48	+	+		+	+											
	0.1	24	+	+	-	-	-	24	-	-	-	-	-	3		24	-	-	-	+	-	0		
		48			+	+	+	48	-	+	+	-	+											
		24					24									24								
		48					48																	

Called

Date/Time

cc: SDSHD/RCHD

EDWARD S. BABCOCK & SONS, INC.



E.S. BABCOCK
& SONS, INC.

ESTABLISHED 1906

TO: #172

Lake Hemet Municipal Water District

P.O. Box 5039

Hemet, CA. 92544

Attn: John Loncar

PH: 658-3241

JUL 07 1999

6100 Quail Valley Court Riverside, CA 92507

P.O. Box 432 Riverside, CA 92502

PH (909) 653-3351 FAX (909) 653-1662

Environmental Laboratory Certification #1156

Lab No. 990630-B1028

Invoice No. 15463

	Submitted	Sampled
By	<u>KS</u>	<u>MJF</u>
Employer	<u>ESB</u>	<u>LHmud</u>
Date	<u>6-30-99</u>	<u>6-30-99</u>
Time	<u>1405</u>	<u>1111</u>

Laboratory Analysis Record
Date & time of set-up 6/30/99 @ 1500 By CD
Time from collection to set-up: 56
Holding time (max. 6 hrs.) observed: ☒ Yes ☐ No
Date & time of readings:

Pres.	Pres.	Conf.	Conf.	Fecal
24hr.	48hr.	24hr.	48hr.	24hr.
<u>1315</u>	<u>1300</u>	<u>1300</u>	<u>1215</u>	<u>1300</u>

Samples received on ice ☒ Yes ☐ No
Chain of Custody on file ☒ Yes ☐ No


Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221																							
		ml Planted	Presumptive					Confirmed					Tubes +	MPN/100ml	Fecal			Tubes +	MPN						
④ north fork		10	24	+	+	+	+	+	+	24	+	+	+	+	+	5	900	24	+	-	+	-	+	3	8
			48								48														
		1	24	+	+	+	+	+	+	24	+	-	-	-	-	5		24	+	-	-	-	-	0	
			48								48		+	+	+			+							
		0.1	24	+	+	-	+	-		24	-	-	-	-	+	3		24	-	-	-	-	-	0	
			48			+		+			48	-	+	-	+										
			24							24								24							
			48								48														
		10	24							24								24							
			48								48														
		1	24							24								24							
			48								48														
		0.1	24							24								24							
			48								48														
			24							24								24							
			48								48														
		10	24							24								24							
			48								48														
		1	24							24								24							
			48								48														
		0.1	24							24								24							
			48								48														
			24							24								24							
			48								48														

Called

Date/Time

cc: SDSHD/RCHD

EDWARD S. BABCOCK & SONS, INC.



E.S. BABCOCK
& SONS, INC.

ESTABLISHED 1906

TO: #172

Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA. 92544
Attn: John Loncar
PH: 658-3241

JUL 12 1999

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

Lab No. 990707-B178

Invoice No. 15614

	Submitted	Sampled
By	<u>KS</u>	<u>MLB</u>
Employer	<u>ESB</u>	<u>LHmud</u>
Date	<u>7-7-99</u>	<u>7-7-99</u>
Time	<u>1440</u>	

Laboratory Analysis Record
Date & time of set-up 7/7/99 @ 1305 By CS
Time from collection to set-up: 36
Holding time (max. 6 hrs.) observed: ☒ Yes ☐ No
Date & time of readings:

Pres.	Pres.	Conf.	Conf.	Fecal
24hr.	48hr.	24hr.	48hr.	24hr.
<u>132</u>	<u>145</u>	<u>125</u>	<u>140</u>	<u>1345</u>

Samples received on ice ☒ Yes ☐ No
Chain of Custody on file ☒ Yes ☐ No

Sample Marking <i>Special</i>	Standard Plate Count	Coliform Bacteria SM 9221												Tubes +	MPN/100ml	Focal	Tubes +	MPN/100						
		ml Planted	Presumptive					Confirmed																
① Dam Release	10	24	+	+	+	+	+	24	+	+	+	+	+	5	240	24	+	+	+	+	+	+	1	2
		48						48		+														
	1	24	+	+	+	+	+	24	+	+	+	+	+	5		24	+	+	+	+	+	+	0	
		48						48	+		+	+	+											
	0.1	24	+	+	+	+	+	24	+	+	+	+	+	0		24	+	+	+	+	+	+	0	
		48	+	+	+	+	+	48	+	+	+	+	+											
② South Fork @1030	10	24	+	+	+	+	+	24	+	+	+	+	+	5	≥1600	24	+	+	+	+	+	+	2	7
		48						48																
	1	24	+	+	+	+	+	24	+	+	+	+	+	5		24	+	+	+	+	+	+	1	
		48	+	+				48					+											
	0.1	24	+	+	+	+	+	24	+	+	+	+	+	5		24	+	+	+	+	+	+	0	
		48	+	+	+	+	+	48	+	+	+	+	+											
③ Strawberry Creek @1040	10	24	+	+	+	+	+	24	+	+	+	+	+	5	≥1600	24	+	+	+	+	+	+	1	4
		48						48																
	1	24	+	+	+	+	+	24	+	+	+	+	+	5		24	+	+	+	+	+	+	1	
		48						48																
	0.1	24	+	+	+	+	+	24	+	+	+	+	+	5		24	+	+	+	+	+	+	0	
		48						48																
		24						24								24								
		48						48																
		24						24								24								
		48						48																
		24						24								24								
		48						48																


Called

Date/Time

cc: SDSHD/RCHD

JUL 13 1999

EDWARD S. BABCOCK & SONS, INC.



E.S. BABCOCK
& SONS, INC.

ESTABLISHED 1906

TO: #172

Lake Hemet Municipal Water District

P.O. Bpx 5039

Hemet, CA. 92544

Attn: John Loncar

PH: 658-3241

JUL 12 1999

6100 Quail Valley Court Riverside, CA 92507

P.O. Box 432 Riverside, CA 92502

PH (909) 653-3351 FAX (909) 653-1662

Environmental Laboratory Certification #1156

Lab No. 990707-3179

Invoice No. 15614

	Submitted	Sampled
By	<u>KS</u>	<u>MLB</u>
Employer	<u>ESB</u>	<u>LHmwd</u>
Date	<u>7-7-99</u>	<u>7-7-99</u>
Time	<u>1440</u>	<u>1100</u>

Samples received on ice ☒ Yes ☐ No
Chain of Custody on file ☒ Yes ☐ No

Laboratory Analysis Record
Date & time of set-up 7/7/99 @ 1510 By CO
Time from collection to set-up: 56
Holding time (max. 6 hrs.) observed: ☒ Yes ☐ No
Date & time of readings:
Pres. 24hr. 1320 Pres. 48hr. 1420 Conf. 24hr. 1350 Conf. 48hr. 1315 Fecal 24hr. 1345 1530


Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221										Tubes +	MPN/100ml	Fecal	Tubes +	MPN/10								
		ml Planted	Presumptive					Confirmed																
④ north Fork	10	24	+	+	+	+	+	24	+	+	+	+	+	5	900	24	+	+	+	-	-	+	3	11
		48						48																
	1	24	+	+	+	+	+	24	-	-	+	+	+	5		24	-	-	-	-	-	0		
		48						48	+	+														
	0.1	24	+	+	+	-	+	24	-	+	+	-	-	3		24	-	+	-	-	-	1		
		48				+		48	-			-	+											
		24						24								24								
		48						48																
	10	24						24								24								
		48						48																
	1	24						24								24								
		48						48																
	0.1	24						24								24								
		48						48																
		24						24								24								
		48						48																
	10	24						24								24								
		48						48																
	1	24						24								24								
		48						48																
	0.1	24						24								24								
		48						48																
		24						24								24								
		48						48																

Called

Date/Time

cc: SDSHD/RCHD

Edward S. Babcock
EDWARD S. BABCOCK & SONS, INC.



E.S. BABCOCK
& SONS, INC.

ESTABLISHED 1906

TO: #172

Lake Hemet Municipal Water District
P.O. Bpx 5039
Hemet, CA. 92544
Attn: John Loncar
PH: 658-3241

JUL 19 1999

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

Lab No. 990714-B421

Invoice No. 15787

	Submitted	Sampled
By	<u>MTT</u>	<u>MLB</u>
Employer	<u>ESB</u>	<u>LHMWD</u>
Date	<u>7/14/99</u>	<u>7/14/99</u>
Time	<u>1350</u>	

Laboratory Analysis Record
Date & time of set-up 7/14 @ 1415 By TS
Time from collection to set-up: #1 6hr #2 3 > 6
Holding time (max. 6 hrs.) observed: ☒ Yes ☐ No
Date & time of readings:
Pres. 24hr. 1300 Pres. 48hr. 1200 Conf. 24hr. 1300 Conf. 48hr. 1300 Fecal 24hr. 1230 1300

Samples received on ice ☒ Yes ☐ No
Chain of Custody on file ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221										Tubes +	MPN/100ml	Focal	Tubes +	MPN/100								
		ml Planted	Presumptive					Confirmed																
① 0820 No. Fork	10	24	+	+	+	+	+	24	+	+	+	+	+	5	≥1600	24	+	+	+	+	+	+	5	300
		48						48																
	1	24	+	+	+	+	+	24	+	+	+	+	+	5		24	+	+	+	+	+	+	5	
		48						48																
	0.1	24	+	+	+	+	+	24	+	-	-	+	+	5		24	-	-	-	-	+		1	
		48						48		+	+													
		24						24								24								
		48						48																
② 0750 So. Fork	10	24	+	+	+	+	+	24	+	+	+	+	+	5	≥1600	24	+	+	+	+	+	+	5	240
		48						48																
	1	24	+	+	+	+	+	24	+	+	+	+	+	5		24	+	+	+	+	+	+	5	
		48						48																
	0.1	24	+	+	+	+	+	24	+	+	+	+	+	5		24	-	-	-	-	-		0	
		48						48																
		24						24								24								
		48						48																
③ Strawberry Creek 0800	10	24	+	+	+	+	+	24	+	+	+	+	+	5	≥1600	24	+	+	+	+	+	+	5	≥1600
		48						48																
	1	24	+	+	+	+	+	24	+	+	+	+	+	5		24	+	+	+	+	+	+	5	
		48						48																
	0.1	24	+	+	+	+	+	24	+	+	+	+	+	5		24	+	+	+	+	+	+	5	
		48						48																
		24						24								24								
		48						48																

Called

Date/Time

cc: SDSHD/RCHD

EDWARD S. BABCOCK & SONS, INC.



E.S. BABCOCK
& SONS, INC.

ESTABLISHED 1906

TO: #172

Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA. 92544
Attn: John Loncar
PH: 658-3241

JUL 19 1999

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

Lab No. 990714-B422

Invoice No. 15787

	Submitted	Sampled
By	<u>MH</u>	<u>MLB</u>
Employer	<u>ESB</u>	<u>LHM</u>
Date	<u>7/14/99</u>	<u>7/14/99</u>
Time	<u>1350</u>	<u>0810</u>

Laboratory Analysis Record
Date & time of set-up 7/14 @ 1415 By MLB
Time from collection to set-up: > 6hr
Holding time (max. 6 hrs.) observed: ☐ Yes ☒ No
Date & time of readings:

Pres. 24hr.	Pres. 48hr.	Conf. 24hr.	Conf. 48hr.	Fecal 24hr.
<u>1300</u>	<u>1125</u>	<u>1220</u>	<u>1130</u>	<u>1230</u>

Samples received on ice ☒ Yes ☐ No
Chain of Custody on file ☒ Yes ☐ No


Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221																Tubes +	MPN/100ml	Fecal	Tubes +	MPN/100					
		ml Planted	Presumptive					Confirmed																			
① Dam Release	10	24	+	+	+	+	+	+	24	+	+	+	+	+	+	+	5	900	24	+	+	+	+	+	+	2	4
		48							48																		
	1	24	+	-	+	+	+	+	24	+	+	-	-	-	-	-	5		24	-	-	-	-	-	-	0	
		48		+					48	+		+	+	+	+												
	0.1	24	-	-	-	-	-	-	24	-	-	-	-	-	-	-	3		24	-	-	-	-	-	-	0	
		48	+	+	+	+	+	+	48	+	-	-	+	+													
		24							24										24								
		48							48																		
	10	24							24										24								
		48							48																		
	1	24							24										24								
		48							48																		
	0.1	24							24										24								
		48							48																		
		24							24										24								
		48							48																		
	10	24							24										24								
		48							48																		
	1	24							24										24								
		48							48																		
	0.1	24							24										24								
		48							48																		
		24							24										24								
		48							48																		

Called

Date/Time

cc:SDSHD/RCHD

EDWARD S. BABCOCK & SONS, INC.



E.S. BABCOCK
& SONS, INC.

ESTABLISHED 1906

TO: #172

JUL 26 1999

Lake Hemet Municipal Water District
P.O. Bpx 5039
Hemet, CA. 92544
Attn: John Loncar
PH: 658-3241

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

Lab No. 990720-B623
Invoice No. 15950

	Submitted	Sampled
By	<u>JF</u>	<u>RWN</u>
Employer	<u>LHMW</u>	<u>LHMW</u>
Date	<u>7/20/99</u>	<u>7/20/99</u>
Time	<u>1300</u>	

Laboratory Analysis Record
Date & time of set-up 7/20 @ 1400 By RS
Time from collection to set-up: 26hr
Holding time (max. 6 hrs.) observed: ☒ Yes ☐ No
Date & time of readings:

Pres. 24hr.	Pres. 48hr.	Conf. 24hr.	Conf. 48hr.	Fecal 24hr.
<u>250</u>		<u>1500</u>	<u>1000</u>	<u>1400</u>

Samples received on ice ☒ Yes ☐ No
Chain of Custody on file ☒ Yes ☐ No


Sample Marking	Standard Plate Count	ml Planted	Coliform Bacteria SM 9221										Tubes +	MPN/100ml	Fecal	Tubes +	MPN/100ml														
			Presumptive					Confirmed																							
① North Fork stream 0845 c/2=0	10	24	+	+	+	+	+	+	24	+	+	+	+	+	24	+	+	+	+	+	5	≥1600	24	+	+	+	+	+	+	5	BC
		48							48																						
	1	24	+	+	+	+	+	+	24	+	+	+	+	+	24	+	+	+	+	+	5		24	+	+	+	+	+	+		3
		48							48																						
	0.1	24	+	+	+	+	+	+	24	+	+	+	+	+	24	+	+	+	+	+	5		24	+	+	+	+	+	+		0
		48							48	+	+	+	+	+																	
② South Fork stream 0910 c/2=0	10	24	+	+	+	+	+	+	24	+	+	+	+	+	24	+	+	+	+	+	5	≥1600	24	+	+	+	+	+	+	5	13
		48							48																						
	1	24	+	+	+	+	+	+	24	+	+	+	+	+	24	+	+	+	+	+	5		24	+	+	+	+	+	+	4	
		48							48																						
	0.1	24	+	+	+	+	+	+	24	+	+	+	+	+	24	+	+	+	+	+	5		24	+	+	+	+	+	+	0	
		48							48																						
③ Strawberry creek 0855	10	24	+	+	+	+	+	+	24	+	+	+	+	+	24	+	+	+	+	+	5	≥1600	24	+	+	+	+	+	+	5	5C
		48							48																						
	1	24	+	+	+	+	+	+	24	+	+	+	+	+	24	+	+	+	+	+	5		24	+	+	+	+	+	+	2	
		48							48																						
	0.1	24	+	+	+	+	+	+	24	+	+	+	+	+	24	+	+	+	+	+	5		24	+	+	+	+	+	+	0	
		48							48																						

Called

Date/Time

cc: SDSHD/RCHD

EDWARD S. BABCOCK & SONS, INC.



E.S. BABCOCK
& SONS, INC.

ESTABLISHED 1906

TO: #172

Lake Hemet Municipal Water District

P.O. Bpx 5039

Hemet, CA. 92544

Attn: John Loncar

PH: 658-3241

JUL 26 1999

6100 Quail Valley Court Riverside, CA 92507

P.O. Box 432 Riverside, CA 92502

PH (909) 653-3351 FAX (909) 653-1662

Environmental Laboratory Certification #1156

Lab No.

990720-B624

Invoice No.

15950

Submitted

Sampled

By

JK

RWN

Employer

LHmuD

LHmuD

Date

7/20/99

7/20/99

Time

1300

1100

Laboratory Analysis Record

Date & time of set-up 7/20 @ 1400 By RS

Time from collection to set-up: 56 hr

Holding time (max. 6 hrs.) observed: ☒ Yes ☐ No

Date & time of readings:

Pres.

Pres.

Conf.

Conf.

Fecal

24hr.

48hr.

24hr.

48hr.

24hr.

1200

1120

1500

1230

1400

Samples received on ice ☒ Yes ☐ No

Chain of Custody on file ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221										Tubes +	MPN/100ml	Fecal	Tubes +	MPN/10									
		ml Planted	Presumptive					Confirmed																	
④ Dam Release		10	24	-	+	+	+	+	+	24	+	+	+	+	+	24	-	+	+	+	+	-	3	8	
			48	+						48															
		1	24	-	+	-	-	+		24	-	+	-	-	+	4		24	-	-	-	-	-	0	
			48	+		+	+			48	-		+	+											
		0.1	24	-	-	-	-	-		24	-	-	-	-	-	2		24	-	-	-	-	-	0	
			48	+	+	+	+	+	+	48	+	+	-	-	-	-									
			24							24								24							
			48							48															
		10	24							24								24							
			48							48															
		1	24							24								24							
			48							48															
		0.1	24							24								24							
			48							48															
			24							24								24							
			48							48															
		10	24							24								24							
			48							48															
		1	24							24								24							
			48							48															
		0.1	24							24								24							
			48							48															
			24							24								24							
			48							48															
		10	24							24								24							
			48							48															
		1	24							24								24							
			48							48															
		0.1	24							24								24							
			48							48															
			24							24								24							
			48							48															


Called

Date/Time

CC: SDSHD/RCHD

JUL 26 1999

EDWARD S. BABCOCK & SONS, INC.



E.S. BABCOCK
& SONS, INC.

ESTABLISHED 1906

TO: #172

Lake Hemet Municipal Water District
P.O. Bpx 5039
Hemet, CA. 92544
Attn: John Loncar
PH: 658-3241

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

AUG 02 1999

Lab No. 990728-B921

Invoice No. 16172

	Submitted	Sampled
By	<u>KS</u>	<u>MLB</u>
Employer	<u>ESB</u>	<u>LHM</u>
Date	<u>7/28/99</u>	<u>7/28/99</u>
Time	<u>1515</u>	

Laboratory Analysis Record

Date & time of set-up 7/28 @ 1545 By KS

Time from collection to set-up: #1 56hr #2 26.3 #3 26hr

Holding time (max. 6 hrs.) observed: ☒ Yes ☐ No

Date & time of readings:

Pres.	Pres.	Conf.	Conf.	Fecal
24hr.	48hr.	24hr.	48hr.	24hr.
<u>1400</u>	<u>1300</u>	<u>1345</u>	<u>1300</u>	<u>1345</u>

Samples received on ice ☒ Yes ☐ No
Chain of Custody on file ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221										Focal	Tubes +	MPN/100									
		ml Planted	Presumptive				Confirmed				Tubes +				MPN/100ml								
			24	48	24	48	24	48	24	48													
① 0905 Dam Release		10	24	+	+	+	+	+	24	+	+	+	+	+	5	50	24	-	-	-	-	0	<2
		1	24	+	+	+	-	-	24	-	-	-	-	-	2		24	-	-	-	-	0	
		0.1	24	-	+	+	+	+	24	-	-	-	-	-	0		24	-	-	-	-	0	
			24						24								24						
			48						48														
② No Fork 1095		10	24	+	+	+	+	+	24	+	+	+	+	+	5	500	24	+	+	-	+	4	13
		1	24	+	+	+	+	+	24	+	+	+	+	+	5		24	-	-	-	-	0	
		0.1	24	-	+	-	-	+	24	-	-	-	-	-	2		24	-	-	-	-	0	
			24						24								24						
			48						48														
③ Strawberry Crk 1020		10	24	+	+	+	+	+	24	+	+	+	+	+	5	≥1600	24	-	+	+	+	4	21
		1	24	+	+	+	+	+	24	+	+	+	+	+	5		24	-	+	-	-	1	
		0.1	24	+	+	+	-	-	24	+	+	+	-	+	5		24	-	-	+	+	1	
			24						24								24						
			48						48														


Called

Date/Time

cc: SDSHD/RCHD

AUG 02 1999

EDWARD S. BABCOCK & SONS, INC.



ESTABLISHED 1906

TO: #172

Lake Hemet Municipal Water District
P.O. Bpx 5039
Hemet, CA. 92544
Attn: John Loncar
PH: 658-3241

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

AUG 02 1999

Lab No. 990728-B422Invoice No. 16172

	Submitted	Sampled
By	<u>ICS</u>	<u>MLB</u>
Employer	<u>ESB</u>	<u>LHM</u>
Date	<u>7/28/99</u>	<u>7/28/99</u>
Time	<u>1515</u>	<u>1000</u>

Samples received on ice	☒ Yes	☐ No
Chain of Custody on file	☒ Yes	☐ No

Laboratory Analysis Record
Date & time of set-up 7/28 @ 1545 By JS
Time from collection to set-up: 26hr
Holding time (max. 6 hrs.) observed: ☒ Yes ☐ No
Date & time of readings:
Pres. 24hr. 1400 Pres. 48hr. 1300 Conf. 24hr. 1345 Conf. 48hr. 1300 Fecal 24hr. 1350 1430

Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221										Tubes +	MPN/100ml	Fecal	Tubes +	MPN/100ml														
		ml Planted	Presumptive					Confirmed																						
④ So Fork		10	24	+	+	+	+	+	24	+	+	+	+	+	24	+	+	+	+	+	5	500	24	+	+	+	+	+	5	30
			48							48																				
		1	24	+	+	+	+	+	24	+	+	+	+	+	24	-	+	+	+	+	+			24	-	+	+	+	+	4
			48							48																				
		0.1	24	+	+	-	-	+	24	-	-	-	-	-	24	-	-	-	-	-	-			24	-	-	-	-	-	0
			48			+	+		48	-	-	+	+	-																
			24						24						24								24							
			48						48							48														
		10	24						24						24								24							
			48						48							48														
		1	24						24						24								24							
			48						48							48														
		0.1	24						24						24								24							
			48						48							48														
			24						24						24								24							
			48						48							48														
		10	24						24						24								24							
			48						48							48														
		1	24						24						24								24							
			48						48							48														
		0.1	24						24						24								24							
			48						48							48														
			24						24						24								24							
			48						48							48														

Called

Date/Time

CC: SDSHD/RCHD

AUG 02 1999

EDWARD S. BABCOCK & SONS, INC.



E.S. BABCOCK
& SONS, INC.

ESTABLISHED 1906

TO: #172

Lake Hemet Municipal Water District
P.O. Bpx 5039
Hemet, CA. 92544
Attn: John Loncar
PH: 658-3241

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

AUG 0 9 1999

Lab No. 990804-B150

Invoice No. 16359

	Submitted	Sampled
By	<u>KS</u>	<u>RWN</u>
Employer	<u>ESB</u>	<u>LHMWD</u>
Date	<u>8/4/99</u>	<u>8/4/99</u>
Time	<u>1415</u>	

Samples received on ice ☒ Yes ☐ No
Chain of Custody on file ☒ Yes ☐ No

Laboratory Analysis Record

Date & time of set-up 8/4 @ 1500 By JS

Time from collection to set-up: 2hr

Holding time (max. 6 hrs.) observed: ☒ Yes ☐ No

Date & time of readings:

Pres.	Pres.	Conf.	Conf.	Fecal
24hr.	48hr.	24hr.	48hr.	24hr.
<u>1340</u>	<u>1350</u>	<u>1351</u>	<u>1350</u>	<u>1351</u>

Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221										Fecal	Tubes +	MPN									
		ml Planted	Presumptive					Confirmed							Tubes +	MPN/100ml							
① North Fork Stream 0900	10	24	+	+	+	+	+	24	+	+	+	+	+	5	40	24	+	+	+	+	+	3	8
		48						48															
	1	24	+	+	+	+	+	24	-	-	-	+	-	3		24	-	-	-	-	-	0	
		48						48	-	-	+		+										
	0.1	24	+	-	-	+	-	24	-	-	-	-	-	2		24	-	-	-	+	+	0	
		48		+	+		+	48	-	-	-	+	+										
		24					24								24								
	48						48																
② South Fork Stream 0925	10	24	+	+	+	+	+	24	+	+	+	+	+	5	900	24	+	+	+	+	+	5	30
		48						48															
	1	24	+	+	+	+	+	24	+	+	-	-	-	5		24	+	+	+	+	+	1	
		48						48			+	+	+										
	0.1	24	-	+	+	+	-	24	-	-	-	-	-	3		24	-	-	-	+	+	0	
		48	+				+	48	+	+	+	-	-										
		24					24								24								
	48						48																
③ Dam Release 1120	10	24	+	+	+	+	+	24	+	+	+	+	+	5	900	24	+	+	+	+	+	3	8
		48						48															
	1	24	+	+	+	+	+	24	+	+	+	+	+	5		24	-	-	-	-	-	0	
		48						48															
	0.1	24	+	-	-	-	-	24	+	-	-	-	-	3		24	-	-	-	+	+	0	
		48		+	+	+	+	48	-	+	-	+	+										
		24					24								24								
	48						48																


Called

Date/Time

AUG 10 1999

CC: SDSHD/RCHD

Edward S. Babcock
EDWARD S. BABCOCK & SONS, INC.



E.S. BABCOCK
& SONS, INC.

ESTABLISHED 1906

TO: #172

Lake Hemet Municipal Water District
P.O. Bpx 5039
Hemet, CA. 92544
Attn: John Loncar
PH: 658-3241

AUG 09 1999

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

Lab No. 990804-B151

Invoice No. 16359

	Submitted	Sampled
By	<u>KS</u>	<u>RWN</u>
Employer	<u>ESB</u>	<u>LHmWD</u>
Date	<u>8/4/99</u>	<u>8/4/99</u>
Time	<u>1415</u>	<u>0915</u>

Samples received on ice ☒ Yes ☐ No
Chain of Custody on file ☒ Yes ☐ No

Laboratory Analysis Record

Date & time of set-up 8/4 @ 1515 By JS

Time from collection to set-up: 50hr

Holding time (max. 6 hrs.) observed: ☒ Yes ☐ No

Date & time of readings:

Pres.	Pres.	Conf.	Conf.	Fecal
24hr.	48hr.	24hr.	48hr.	24hr.
<u>139</u>	<u>1400</u>	<u>1315</u>	<u>1330</u>	<u>1220</u>


Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221										Tubes +	MPN/100ml	Fecal	Tubes +	MPN									
		ml Planted	Presumptive					Confirmed																	
④ Strawberry Creek		10	24	+	+	+	+	+	24	+	+	+	+	+	5	900	24	+	+	+	+	+	+	2	L
			48							48															
		1	24	+	+	+	+	+	24	+	+	+	+	+	5		24	+	+	+	+	+	+	0	
			48							48															
		0.1	24	+	+	+	-	-	24	-	-	+	-	-	3		24	+	+	+	+	+	+	0	
			48				+	+		48	+	+		-	-										
			24						24								24								
			48							48															
		10	24						24								24								
			48							48															
		1	24						24								24								
			48							48															
		0.1	24						24								24								
			48							48															
			24						24								24								
			48							48															
		10	24						24								24								
			48							48															
		1	24						24								24								
			48							48															
		0.1	24						24								24								
			48							48															
		10	24						24								24								
			48							48															
		1	24						24								24								
			48							48															
		0.1	24						24								24								
			48							48															
		10	24						24								24								
			48							48															

Called

Date/Time

cc: SDSHD/RCHD

EDWARD S. BABCOCK & SONS, INC.



E.S. BABCOCK
& SONS, INC.

ESTABLISHED 1906

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

TO: #172

AUG 16 1999

Lake Hemet Municipal Water District
P.O. Bpx 5039
Hemet, CA. 92544
Attn: John Loncar
PH: 658-3241

Lab No. 990810-B343

Invoice No. 16496

	Submitted	Sampled
By	<u>MF</u>	<u>MF</u>
Employer	<u>LHmWD</u>	<u>LHmWD</u>
Date	<u>8-10-99</u>	<u>8-10-99</u>
Time	<u>1221</u>	

Laboratory Analysis Record					
Date & time of set-up <u>8/10</u> @ <u>1730</u> By <u>RS</u>					
Time from collection to set-up: <u>20hr</u>					
Holding time (max. 6 hrs.) observed: ☒ Yes ☐ No					
Date & time of readings:					
Pres. 24hr. <u>120</u>	Pres. 48hr. <u>1130</u>	Conf. 24hr. <u>1300</u>	Conf. 48hr. <u>1030</u>	Fecal 24hr. <u>1330</u>	Fecal 48hr. <u>1330</u>

Samples received on ice ☒ Yes ☐ No
Chain of Custody on file ☒ Yes ☐ No


Sample Marking <i>Special</i>	Standard Plate Count	Coliform Bacteria SM 9221										Tubes +	MPN/100ml	Fecal	Tubes +	MPN							
		ml Planted	Presumptive					Confirmed															
① LH Dam Release @0841	10	24	+	+	+	+	+	24	+	+	+	+	+	5	140	24	+	+	+	+	+	1	2
		48						48															
	1	24	+	+	+	+	+	24	+	+	+	+	+	3		24	+	+	+	+	+	0	
		48	+			+		48	+	+	+	+	+										
	0.1	24	+	+	+	+	+	24	+	+	+	+	+	2		24	+	+	+	+	+	0	
		48	+	+	+	+	+	48	+	+	+	+	+										
		24						24								24							
		48						48															
② South Fork @0928	10	24	+	+	+	+	+	24	+	+	+	+	+	5	900	24	+	+	+	+	+	5	2
		48						48															
	1	24	+	+	+	+	+	24	+	+	+	+	+	5		24	+	+	+	+	+	0	
		48						48	+	+	+	+	+										
	0.1	24	+	+	+	+	+	24	+	+	+	+	+	3		24	+	+	+	+	+	0	
		48						48															
		24						24								24							
		48						48															
	10	24						24								24							
		48						48															
	1	24						24								24							
		48						48															
	0.1	24						24								24							
		48						48															
		24						24								24							
		48						48															

Called

Date/Time

cc: SDSHD/RCHD

EDWARD S. BABCOCK & SONS, INC.



E.S. BABCOCK
& SONS, INC.

ESTABLISHED 1906

TO: #172

Lake Hemet Municipal Water District
P.O. Bpx 5039
Hemet, CA. 92544
Attn: John Loncar
PH: 658-3241

AUG 23 1999

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

Lab No. 990818-B598

Invoice No. 16680

	Submitted	Sampled
By	<u>KS</u>	<u>MLB</u>
Employer	<u>ESB</u>	<u>LHMWD</u>
Date	<u>8/18/99</u>	<u>8/18/99</u>
Time	<u>1335</u>	

Laboratory Analysis Record
Date & time of set-up 8/18 @ 1410 By JS
Time from collection to set-up: 56hr
Holding time (max. 6 hrs.) observed: ☒ Yes ☐ No
Date & time of readings:

Pres. 24hr.	Pres. 48hr.	Conf. 24hr.	Conf. 48hr.	Fecal 24hr.
<u>1230</u>		<u>1245</u>	<u>1250</u>	<u>1309</u>

Samples received on ice ☒ Yes ☐ No
Chain of Custody on file ☒ Yes ☐ No


Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221														Tubes +	MPN/100ml	Fecal	Tubes +	MPN/100				
		ml Planted	Presumptive					Confirmed																
① No. Fork 1110	10	24	+	+	+	+	+	+	24	+	+	+	+	+	5	1600	24	-	+	+	+	+	4	22
		48							48															
	1	24	+	+	-	+	+	24	+	+	-	+	+	5		24	-	+	-	+	-	2		
		48			+			48			+													
	0.1	24	+	+	+	+	+	24	-	-	-	-	4		24	-	-	-	-	-	0			
		48						48	-	+	+	+	+											
		24						24							24									
		48						48																
② So. Fork 1042	10	24	+	+	+	+	+	24	+	+	+	+	5	280	24	-	-	-	+	-	1	6		
		48						48																
	1	24	+	+	+	+	+	24	+	-	+	-	4		24	+	-	+	-	-	2			
		48						48		+		-	+											
	0.1	24	-	-	+	+	+	24	+	-	-	-	3		24	-	-	-	-	-	0			
		48	+	+				48	-	+	+	-												
		24						24							24									
		48						48																
③ Dam Release 1000	10	24	+	+	+	+	+	24	+	+	+	+	5	500	24	-	-	+	-	-	1	2		
		48						48																
	1	24	+	-	-	+	+	24	-	+	-	-	5		24	-	-	-	-	-	0			
		48		+	+			48	+		+	+	+											
	0.1	24	-	-	-	-	24	-	-	-	-	2		24	-	-	-	-	-	0				
		48	+	+	+	+	+	48	-	+	-	+	-											
		24					24							24										
		48						48																

Called

Date/Time

cc: SDSHD/RCHD

EDWARD S. BABCOCK & SONS, INC.



E.S. BABCOCK
& SONS, INC.

ESTABLISHED 1906

TO: #172

Lake Hemet Municipal Water District
P.O. Bpx 5039
Hemet, CA. 92544
Attn: John Loncar
PH: 658-3241

AUG 31 1999

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

Lab No. 990825-3882

Invoice No. 16886

	Submitted	Sampled
By	<u>JL</u>	<u>RWN</u>
Employer	<u>LHmWD</u>	<u>LHmWD</u>
Date	<u>8-25-99</u>	<u>8-25-99</u>
Time	<u>1650</u>	

Samples received on ice ☒ Yes ☐ No
Chain of Custody on file ☒ Yes ☐ No

Laboratory Analysis Record
Date & time of set-up 8/25 @ 1705 By JS
Time from collection to set-up: #16.2 > 6hr #3 < 6hr
Holding time (max. 6 hrs.) observed: ☐ Yes ☐ No
Date & time of readings:
Pres. 24hr. 1505 Pres. 48hr. 1405 Conf. 24hr. 1600 Conf. 48hr. 1700 Fecal 24hr. 1100 0900


Sample Marking <i>Special</i>	Standard Plate Count	Coliform Bacteria SM 9221												Focal	Tubes +	MPN/100								
		ml Planted	Presumptive					Confirmed					Tubes +				MPN/100ml							
① North Fork Stream @0845 clz = 0	10	24	+	+	+	+	+	24	+	+	+	+	+	5	≥1600	24	+	+	+	+	+	+	5	30
		48							48															
	1	24	+	+	+	+	+	24	+	+	+	+	+	5		24	+	-	-	-	-	-	1	
		48							48															
	0.1	24	+	-	+	+	+	24	+	-	-	-	-	5		24	-	-	-	-	-	-	0	
		48	+					48	+	+	+	+	+											
② South Fork Stream @0910 clz = 0	10	24	+	+	+	+	+	24	+	+	+	+	+	5	500	24	-	-	-	-	-	+	1	2
		48							48															
	1	24	+	+	+	-	+	24	-	-	-	+	+	5		24	-	+	-	-	-	-	0	
		48					+	48	+	+	+													
	0.1	24	+	+	-	-	-	24	-	-	-	-	-	2		24	-	-	-	-	-	+	0	
		48			+	+	+	48	-	+	-	-	+											
③ Dam Release @1130 clz = 0	10	24	-	-	-	-	24	+	+	+	+	+	5	900	24	-	-	-	-	-	-	0	42	
		48	+	+	+	+	+	48																
	1	24	-	-	-	-	24	+	-	+	-	+	5		24	-	-	-	-	-	-	0		
		48	+	+	+	+	+	48		+		+												
	0.1	24	-	-	-	-	24	-	-	-	-	-	2		24	-	-	-	-	-	-	0		
		48	+	+	+	+	+	48	-	+	+	+	-											

Called

Date/Time

cc: SDSHD/RCHD

EDWARD S. BABCOCK & SONS, INC.



E.S. BABCOCK
& SONS, INC.

ESTABLISHED 1906

TO: #172

Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
(909) 658-3241

SEP 07 1999

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

Lab No. 990901-B13

Invoice No. 17013

	Submitted	Sampled
By		
Employer	ESB	LHMUD
Date	9/1/99	9/1/99
Time		

Samples received on ice ☐ Yes ☐ No
Chain of Custody on file ☐ Yes ☐ No

Laboratory Analysis Record

Date & time of set-up 9/1 @ 1435 By RS
Time from collection to set-up: 10hr
Holding time (max. 6 hrs.) observed: ☒ Yes ☐ No
Date & time of readings:

Pres.	Pres.	Conf.	Conf.	Fecal
24hr.	48hr.	24hr.	48hr.	24hr.
1240	1300	1319	1200	1319

Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221										Fecal		Tubes +	MPN/100ml								
		ml Planted	Presumptive					Confirmed															
① LH-Dam Release 1040	10	24	+	+	+	+	+	24	+	+	+	+	+	5	220	24	+	-	-	-	-	1	2
		48						48															
	1	24	-	-	-	-	-	24	-	+	+	-	4		24		-	-	-	+	0		
		48	-	+	+	+	+	48	+			+											
	0.1	24	-	-	-	-	-	24	-	-	-	-	2		24	-	-	-	+	+	0		
		48	+	+	+	+	+	48	-	-	+	-			+								
		24						24							24								
		48						48															
② South Fork 1152	10	24	+	+	+	+	+	24	+	+	+	+	+	5	1600	24	+	+	+	+	-	4	13
		48						48															
	1	24	+	+	+	+	+	24	+	+	+	+	-	5		24	-	-	-	-	-	0	
		48						48															
	0.1	24	+	-	-	+	-	24	+	-	+	+	-	4		24	-	-	-	+	-	0	
		48	+	+		+		48	+			-											
		24						24							24								
		48						48															
	10	24						24							24								
		48						48															
	1	24						24							24								
		48						48															
	0.1	24						24							24								
		48						48															
		24						24							24								
		48						48															


Called

Date/Time

SEP 07 1999

cc: SDSHD/RCHD

EDWARD S. BABCOCK & SONS, INC.



E.S. BABCOCK
& SONS, INC.

ESTABLISHED 1906

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

SEP 13 1999

TO: #172

Lake Hemet Minicipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
(909) 658-3241

Lab No. 990908-B252

Invoice No. 1790

	Submitted	Sampled
By	<u>ES</u>	<u>MLB</u>
Employer	<u>ESB</u>	<u>LHM</u>
Date	<u>9/8/99</u>	<u>9/8/99</u>
Time	<u>1410</u>	

Laboratory Analysis Record

Date & time of set-up 9/8 @ 1530 By SE

Time from collection to set-up: 26 hr

Holding time (max. 6 hrs.) observed: ☒ Yes ☐ No

Date & time of readings:

Pres.	Pres.	Conf.	Conf.	Fecal
24hr.	48hr.	24hr.	48hr.	24hr.
<u>1330</u>	<u>1530</u>	<u>1430</u>	<u>1230/1330</u>	<u>1330</u>

Samples received on ice ☒ Yes ☐ No
Chain of Custody on file ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221														Tubes +	MPN/100ml	Fecal	Tubes +	MPN/10				
		ml Planted	Presumptive					Confirmed																
① So. Fork 1045		10	24	+	+	+	+	+	24	+	+	+	+	+	5	500	24	+	+	+	+	+	5	30
			48						48															
		1	24	+	+	+	+	+	24	+	+	-	-	+	5		24	-	-	-	-	+	1	
			48						48			+	+											
		0.1	24	-	+	-	+	-	24	-	-	-	-	-	2		24	-	-	-	-	-	0	
			48	-	+	+			48	-	+	+	-											
			24						24								24							
			48						48															
② Dam Release 0959		10	24	+	+	+	+	+	24	+	+	+	+	+	5	130	24	-	-	-	-	-	0	<2
			48						48															
		1	24	-	+	-	+	-	24	+	-	+	+		4		24	-	-	-	-	-	0	
			48	-	+	+			48		+													
		0.1	24	+	-	-	-	-	24	-			-		0		24	-				+	0	
			48		-	-	-	+	48	-			-											
			24						24								24							
			48						48															
		10	24						24								24							
			48						48															
		1	24						24								24							
			48						48															
		0.1	24						24								24							
			48						48															
			24						24								24							
			48						48															


Called

Date/Time

SEP 13 1999

cc: SDSHD/RCHD

EDWARD S. BABCOCK & SONS, INC.



E.S. BABCOCK
& SONS, INC.

ESTABLISHED 1906

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

TO: #172

SEP 20 1999

Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
(909) 658-3241

Lab No. 990915-1342

Invoice No. 17360

	Submitted	Sampled
By	<u>KS</u>	<u>RWN</u>
Employer	<u>ESB</u>	<u>LHmud</u>
Date	<u>9/15/99</u>	<u>9/15/99</u>
Time	<u>1405</u>	

Laboratory Analysis Record
Date & time of set-up 9/15 @ 1445 By RS
Time from collection to set-up: 2 hr
Holding time (max. 6 hrs.) observed: ☒ Yes ☐ No
Date & time of readings:
Pres. 24hr. 140 Pres. 48hr. 150 Conf. 24hr. 1245 Conf. 48hr. 1200/145 Fecal 24hr. 1250

Samples received on ice ☒ Yes ☐ No
Chain of Custody on file ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221																Tubes +	MPN/100ml	Fecal	Tubes +	MPN/100ml	
		ml Planted	Presumptive					Confirmed															
① 1045 Dam Release	10	24	+	+	+	+	+	24	+	+	+	+	+	5	75	24	-	+	-	-	-	1	4
		48						48															
	1	24	+	-	+	+	+	24	+	-	-	-	+	2	24	-	-	-	-	+	1		
		48		+				48		-	-	-											
	0.1	24	+	-	+	+	+	24	-	-	+	-	-	3	24	-	-	-	-	-	0		
		48		+				48	-	+		+	-										
		24						24							24								
		48						48															
② South Fork Stream 0850	10	24	+	+	+	+	+	24	+	+	+	+	+	5	90	24	-	+	-	-	-	1	2
		48						48															
	1	24	+	+	-	+	+	24	-	-	-	-	-	2	24	-	-	-	-	-	0		
		48			+			48	-	+	+	-	-										
	0.1	24	-	-	+	-	-	24	-	+	-	-	-	2	24		-	-	-	-	0		
		48	-	+		+	+	48	-	-	+												
		24						24							24								
		48						48															
	10	24						24							24								
		48						48															
	1	24						24							24								
		48						48															
	0.1	24						24							24								
		48						48															
		24						24							24								
		48						48															


Called

SEP 22 1999

Date/Time

cc: SDSHD/RCHD

EDWARD S. BABCOCK & SONS, INC.



E.S. BABCOCK
& SONS, INC.

ESTABLISHED 1906

JAN 31 2000

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

TO:#172

Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
(909) 658-3241

Lab No. 000126-B799

Invoice No. 20653

	Submitted	Sampled
By	<u>KS</u>	<u>MJE</u>
Employer	<u>ESB</u>	<u>LHM</u>
Date	<u>1/26/00</u>	<u>1/26/00</u>
Time	<u>1430</u>	

Laboratory Analysis Record
Date & time of set-up 1/26 @ 1520 By ns
Time from collection to set-up: 56hr
Holding time (max. 6 hrs.) observed: ☒ Yes ☐ No
Date & time of readings:

Pres. 24hr.	Pres. 48hr.	Conf. 24hr.	Conf. 48hr.	Fecal 24hr.
<u>14000</u>	<u>12450</u>	<u>13200</u>	<u>13300</u>	<u>13200</u>

Samples received on ice ☒ Yes ☐ No
Chain of Custody on file ☒ Yes ☐ No


Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221														Tubes +	MPN/100ml	Fecal		Tubes +	MPN/10				
		ml Planted	Presumptive					Confirmed																	
① Northfork 1118		10	24	+	+	+	+	+	24	+	+	+	+	+	5	500	24	+	+	+	-	+	-	3	8
			48							48															
		1	24	+	+	+	+	+	24	-	-	-	-	-	5		24	-	-	-	-	-	0		
			48							48	+	+	+	+			+								
		0.1	24	+	+	+	-	+	24	+	-	-	-	-	2		24	-	-	-	+	-	0		
			48				+			48	-	-	-	+											
			24						24								24								
			48							48															
② Southfork 1056		10	24	+	+	+	+	+	24	-	-	-	-	-	5	170	24	-	-	-	-	-	0	22	
			48							48	+	+	+	+			+								
		1	24	+	+	+	+	+	24	-	-	-	-	-	4		24	-	-	-	-	-	0		
			48							48	+	-	+	+			+								
		0.1	24	+	+	+	+	+	24	-	-	-	-	-	1		24	-	-	-	+	-	0		
			48							48	-	-	-	+											
			24						24								24								
			48							48															
③ Strawberry Crk 1047		10	24	+	+	+	+	+	24	+	+	+	+	+	5	≥1600	24	+	+	+	+	+	5	90	
			48							48															
		1	24	+	+	+	+	+	24	+	+	+	+	+	5		24	+	+	+	+	+	5		
			48							48															
		0.1	24	+	+	+	+	+	24	+	+	+	+	+	5		24	+	+	-	+	-	3		
			48							48															
			24						24								24								
			48							48															

Called

FEB 01 2000

Date/Time

EDWARD S. BABCOCK & SONS, INC.



E.S. BABCOCK
& SONS, INC.

ESTABLISHED 1906

JAN 24 2000

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

TO: #172

Lake Hemet Minicipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
(909) 658-3241

Lab No. 000119-B572

Invoice No. 20458

	Submitted	Sampled
By	<u>RWN</u>	<u>RWN</u>
Employer	<u>LHM</u>	<u>LHM</u>
Date	<u>1/19/00</u>	<u>1/19/00</u>
Time	<u>1355</u>	<u>1200</u>

Laboratory Analysis Record
Date & time of set-up 1/19 @ 1440 By RW
Time from collection to set-up: 60 hr
Holding time (max. 6 hrs.) observed: ☒ Yes ☐ No
Date & time of readings:

Pres.	Pres.	Conf.	Conf.	Fecal
24hr. <u>1250</u>	48hr. <u>1400</u>	24hr. <u>1330</u>	48hr. <u>1350</u>	24hr. <u>1340</u>

Samples received on ice ☒ Yes ☐ No
Chain of Custody on file ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221										Focal		Tubes +	MPN/100ml									
		ml Planted	Presumptive					Confirmed																
Dam Release		10	24	+	+	+	+	+	24	+	+	+	+	+	5	1,600	24	+	+	+	+	+	5	13 ^c
			48						48															
C12=Ø		1	24	-	+	+	+	+	24	-	+	+	+	+	5		24	-	+	+	+	+	4	
			48	+					48	+														
		0.1	24	-	-	-	-	-	24	+	-	+	-	-	4		24	-	-	-	-	-	0	
			48	+	+	+	+	+	48	-		+	+											
			24						24								24							
			48						48															
		10	24						24								24							
			48						48															
		1	24						24								24							
			48						48															
		0.1	24						24								24							
			48						48															
			24						24								24							
			48						48															
		10	24						24								24							
			48						48															
		1	24						24								24							
			48						48															
		0.1	24						24								24							
			48						48															
			24						24								24							
			48						48															


Called

JAN 25 2000

Date/Time

cc: SDSHD/RCHD

EDWARD S. BABCOCK & SONS, INC.



FEB 22 2000

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

ESTABLISHED 1906

TO: #172

Lake Hemet Minicipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
(909) 658-3241

Lab No. 000216-B586

Invoice No. 21196

	Submitted	Sampled
By	<u>KS</u>	<u>MTF</u>
Employer	<u>ESB</u>	<u>LHmud</u>
Date	<u>2/16/00</u>	<u>2/16/00</u>
Time	<u>1430</u>	

Laboratory Analysis Record
Date & time of set-up 2/16 @ 1500 By KS
Time from collection to set-up: 6 hrs.
Holding time (max. 6 hrs.) observed: ☒ Yes ☐ No
Date & time of readings:
Pres. 24hr. 11000 Pres. 48hr. 1200 Conf. 24hr. 1420 Conf. 48hr. 1300 Fecal 24hr. 1435
11000 1200 14000 1415 14000

Samples received on ice ☒ Yes ☐ No
Chain of Custody on file ☒ Yes ☐ No


Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221										Tubes +	MPN/100ml	Fecal	Tubes +	MPN/100								
		ml Planted	Presumptive				Confirmed																	
① 1120 North Fork		10	24	+	+	+	+	+	24	+	+	+	+	+	5	1600	24	+	+	+	+	+	5	80
			48							48														
		1	24	+	+	+	+	+	24	+	+	+	+	+	5		24	-	+	+	+	+	3	
			48							48														
		0.1	24	+	+	+	+	+	24	-	+	+	-	-	4		24	-	-	-	-	-	0	
			48							48	+		-	+										
			24						24								24							
			48							48														
② 1108 South Fork		10	24	+	+	+	+	+	24	-	+	-	-	-	5	110	24	-	-	-	-	-	0	42
			48							48	+	+	+	+										
		1	24	+	+	+	+	+	24	-	-	-	-	-	3		24	-	-	-	-	-	0	
			48							48	+	+	-	-			+							
		0.1	24	+	+	+	-	-	24	-	-	-	-	-	1		24	-	-	-	-	-	0	
			48				+	+		48	-	-	-	+			-							
			24						24								24							
			48							48														
③ Strawberry Cr. 1101		10	24	+	+	+	+	+	24	+	+	+	+	+	5	1600	24	+	+	+	-	-	3	8
			48							48														
		1	24	+	+	+	+	+	24	+	-	+	+	-	5		24	-	-	-	-	-	0	
			48							48	+		+											
		0.1	24	+	+	+	-	-	24	-	-	+	-	+	4		24	-	-	-	-	+	0	
			48				+	+		48	+	+		-										
			24						24								24							
			48							48														

Called

Date/Time

cc: SDSHD/RCHD

EDWARD S. BABCOCK & SONS, INC.



E.S. BABCOCK
& SONS, INC.

ESTABLISHED 1906

FEB 28 2000

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

TO: #172

Lake Hemet Minicipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
(909) 658-3241

Lab No. 000223-B797

Invoice No. 71361

	Submitted	Sampled
By	<u>KS</u>	<u>MLB</u>
Employer	<u>ESB</u>	<u>LHM</u>
Date	<u>2/23/00</u>	<u>2/23/00</u>
Time	<u>1350</u>	

Laboratory Analysis Record
Date & time of set-up 2/23 @ 1445 By AL
Time from collection to set-up: 56 hr
Holding time (max. 6 hrs.) observed: ☒ Yes ☐ No
Date & time of readings:
Pres. 24hr. SL Pres. 48hr. 146 Conf. 24hr. 1400 Conf. 48hr. 1350 Fecal 24hr. 145
1250 146 1310 1400 1315

Samples received on ice ☒ Yes ☐ No
Chain of Custody on file ☒ Yes ☐ No


Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221										
		ml Planted	Presumptive		Confirmed		Tubes +	MPN/100ml	Fecal		Tubes +	MPN/100ml
① No. Fork U2- 8	1010	10	24	+++	24	+++	5	500	24	+++	3	8
			48		48							
		1	24	---	24	++++	5		24	---	0	
			48	++++	48							
		0.1	24	---	24	---++	2		24	---	0	
			48	++++	48	---						
			24		24				24			
			48		48							
② So. Fork U2- 8	0950	10	24	++++	24	---++	5	50	24	---	0	<
			48		48	++						
		1	24	++++	24	-----	2		24	---	0	
			48		48	---+-+						
		0.1	24	---	24	-----	0		24	---	0	
			48	++++	48	-----						
			24		24				24			
			48		48							
③ Strawberry Creek 0940 U2- 8		10	24	++++	24	++++	5	900	24	+-	2	4
			48		48							
		1	24	++	24	+++-	5		24	+-	0	
			48	+++	48	++						
		0.1	24	---	24	---+	3		24	---	0	
			48	++++	48	-++-						
			24		24				24			
			48		48							

Called

FEB 28 2000

Date/Time

EDWARD S. BABCOCK & SONS, INC.



E.S. BABCOCK
& SONS, INC.

ESTABLISHED 1906

MAR 06 2000

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

TO: #172

Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
(909) 658-3241

Lab No. 000301-B44

Invoice No. 21539

	Submitted	Sampled
By	<u>KS</u>	<u>RWN</u>
Employer	<u>ESB</u>	<u>LHmed</u>
Date	<u>3/1/00</u>	<u>3/1/00</u>
Time	<u>1420</u>	

Laboratory Analysis Record
Date & time of set-up 3/1 @ 1500 By OW
Time from collection to set-up: 16hr
Holding time (max. 6 hrs.) observed: ☒ Yes ☐ No
Date & time of readings:

Pres.	Pres.	Conf.	Conf.	Fecal
24hr.	48hr.	24hr.	48hr.	24hr.
<u>15000</u>	<u>13000</u>	<u>14000</u>	<u>1325</u>	<u>14000</u>

Samples received on ice ☒ Yes ☐ No
Chain of Custody on file ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221										Fecal		Tubes +	MPN/100										
		ml Planted	Presumptive					Confirmed																	
① Northfork Stream 1140	10	24	+	+	+	+	+	24	+	+	+	+	+	+	5	500	24	+	+	+	+	+	+	4	17
		48						48																	
	1	24	+	+	+	+	+	24	+	+	+	+	+	+	5		24	+	+	+	+	+	+	1	
		48	+	+	+	+	+	48	+	+	+	+	+	+											
	0.1	24	+	+	+	+	+	24	+	+	+	+	+	+	2		24	+	+	+	+	+	+	0	
		48	+	+	+	+	+	48	+	+	+	+	+	+											
		24						24									24								
		48						48																	
② Southfork Stream 1125	10	24	+	+	+	+	+	24	+	+	+	+	+	+	5	≥1600	24	+	+	+	+	+	+	0	2
		48						48																	
	1	24	+	+	+	+	+	24	+	+	+	+	+	+	5		24	+	+	+	+	+	+	0	
		48						48																	
	0.1	24	+	+	+	+	+	24	+	+	+	+	+	+	5		24	+	+	+	+	+	+	0	
		48	+	+	+	+	+	48	+	+	+	+	+	+											
		24						24									24								
		48						48																	
③ Strawberry Creek 1110	10	24	+	+	+	+	+	24	+	+	+	+	+	+	5	500	24	+	+	+	+	+	+	0	2
		48						48																	
	1	24	+	+	+	+	+	24	+	+	+	+	+	+	5		24	+	+	+	+	+	+	1	
		48	+	+	+	+	+	48	+	+	+	+	+	+											
	0.1	24	+	+	+	+	+	24	+	+	+	+	+	+	2		24	+	+	+	+	+	+	0	
		48	+	+	+	+	+	48	+	+	+	+	+	+											
		24						24									24								
		48						48																	


Called

MAR 07 2000

Date/Time

cc: SDSHD/RCHD

EDWARD S. BABCOCK & SONS, INC.



E.S. BABCOCK
& SONS, INC.

ESTABLISHED 1906

MAR 06 2000

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

TO: #172

Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
(909) 658-3241

Lab No. D00301-B45


Invoice No. 21539

	Submitted	Sampled
By	<u>KS</u>	<u>RWN</u>
Employer	<u>ESA</u>	<u>LHM</u>
Date	<u>3/1/00</u>	<u>3/1/00</u>
Time	<u>1420</u>	<u>1005</u>

Samples received on ice ☒ Yes ☐ No
Chain of Custody on file ☒ Yes ☐ No

Laboratory Analysis Record
Date & time of set-up 3/1 @ 1500 By KS
Time from collection to set-up: 56 hr
Holding time (max. 6 hrs.) observed: ☒ Yes ☐ No
Date & time of readings:
Pres. 24hr. 15000 Pres. 48hr. 13000 Conf. 24hr. 1330 Conf. 48hr. 1250 Fecal 24hr. 1350
14000 14000 14000 14000 14000

Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221										Focal		Tubes +	MPN/100						
		ml Planted	Presumptive					Confirmed													
④ Dam Release		10	24	+	+	+	+	24	+	+	+	+	5	30	24	+	+	+	+	0	22
			48	+	+	+	+	48	+	+	+	+			48	+	+	+	+		
		1	24	+	+	+	+	24	+	+	+	+	1		24	+	+	+	+	0	
			48	+	+	+	+	48	+	+	+	+			48	+	+	+	+		
		0.1	24	+	+	+	+	24	+	+	+	+	0		24	+	+	+	+	0	
			48	+	+	+	+	48	+	+	+	+			48	+	+	+	+		
			24	+	+	+	+	24	+	+	+	+			24	+	+	+	+		
			48	+	+	+	+	48	+	+	+	+			48	+	+	+	+		
		10	24	+	+	+	+	24	+	+	+	+			24	+	+	+	+		
			48	+	+	+	+	48	+	+	+	+			48	+	+	+	+		
		1	24	+	+	+	+	24	+	+	+	+			24	+	+	+	+		
			48	+	+	+	+	48	+	+	+	+			48	+	+	+	+		
		0.1	24	+	+	+	+	24	+	+	+	+			24	+	+	+	+		
			48	+	+	+	+	48	+	+	+	+			48	+	+	+	+		
			24	+	+	+	+	24	+	+	+	+			24	+	+	+	+		
			48	+	+	+	+	48	+	+	+	+			48	+	+	+	+		
		10	24	+	+	+	+	24	+	+	+	+			24	+	+	+	+		
			48	+	+	+	+	48	+	+	+	+			48	+	+	+	+		
		1	24	+	+	+	+	24	+	+	+	+			24	+	+	+	+		
			48	+	+	+	+	48	+	+	+	+			48	+	+	+	+		
		0.1	24	+	+	+	+	24	+	+	+	+			24	+	+	+	+		
			48	+	+	+	+	48	+	+	+	+			48	+	+	+	+		
		10	24	+	+	+	+	24	+	+	+	+			24	+	+	+	+		
			48	+	+	+	+	48	+	+	+	+			48	+	+	+	+		
		1	24	+	+	+	+	24	+	+	+	+			24	+	+	+	+		
			48	+	+	+	+	48	+	+	+	+			48	+	+	+	+		
		0.1	24	+	+	+	+	24	+	+	+	+			24	+	+	+	+		
			48	+	+	+	+	48	+	+	+	+			48	+	+	+	+		
		10	24	+	+	+	+	24	+	+	+	+			24	+	+	+	+		
			48	+	+	+	+	48	+	+	+	+			48	+	+	+	+		
		1	24	+	+	+	+	24	+	+	+	+			24	+	+	+	+		
			48	+	+	+	+	48	+	+	+	+			48	+	+	+	+		
		0.1	24	+	+	+	+	24	+	+	+	+			24	+	+	+	+		
			48	+	+	+	+	48	+	+	+	+			48	+	+	+	+		
		10	24	+	+	+	+	24	+	+	+	+			24	+	+	+	+		
			48	+	+	+	+	48	+	+	+	+			48	+	+	+	+		
		1	24	+	+	+	+	24	+	+	+	+			24	+	+	+	+		
			48	+	+	+	+	48	+	+	+	+			48	+	+	+	+		
		0.1	24	+	+	+	+	24	+	+	+	+			24	+	+	+	+		
			48	+	+	+	+	48	+	+	+	+			48	+	+	+	+		
		10	24	+	+	+	+	24	+	+	+	+			24	+	+	+	+		
			48	+	+	+	+	48	+	+	+	+			48	+	+	+	+		
		1	24	+	+	+	+	24	+	+	+	+			24	+	+	+	+		
			48	+	+	+	+	48	+	+	+	+			48	+	+	+	+		
		0.1	24	+	+	+	+	24	+	+	+	+			24	+	+	+	+		
			48	+	+	+	+	48	+	+	+	+			48	+	+	+	+		
		10	24	+	+	+	+	24	+	+	+	+			24	+	+	+	+		
			48	+	+	+	+	48	+	+	+	+			48	+	+	+	+		
		1	24	+	+	+	+	24	+	+	+	+			24	+	+	+	+		
			48	+	+	+	+	48	+	+	+	+			48	+	+	+	+		
		0.1	24	+	+	+	+	24	+	+	+	+			24	+	+	+	+		
			48	+	+	+	+	48	+	+	+	+			48	+	+	+	+		
		10	24	+	+	+	+	24	+	+	+	+			24	+	+	+	+		
			48	+	+	+	+	48	+	+	+	+			48	+	+	+	+		
		1	24	+	+	+	+	24	+	+	+	+			24	+	+	+	+		
			48	+	+	+	+	48	+	+	+	+			48	+	+	+	+		
		0.1	24	+	+	+	+	24	+	+	+	+			24	+	+	+	+		
			48	+	+	+	+	48	+	+	+	+			48	+	+	+	+		
		10	24	+	+	+	+	24	+	+	+	+			24	+	+	+	+		
			48	+	+	+	+	48	+	+	+	+			48	+	+	+	+		
		1	24	+	+	+	+	24	+	+	+	+			24	+	+	+	+		
			48	+	+	+	+	48	+	+	+	+			48	+	+	+	+		
		0.1	24	+	+	+	+	24	+	+	+	+			24	+	+	+	+		
			48	+	+	+	+	48	+	+	+	+			48	+	+	+	+		
		10	24	+	+	+	+	24	+	+	+	+			24	+	+	+	+		
			48	+	+	+	+	48	+	+	+	+			48	+	+	+	+		
		1	24	+	+	+	+	24	+	+	+	+			24	+	+	+	+		
			48	+	+	+	+	48	+	+	+	+			48	+	+	+	+		
		0.1	24	+	+	+	+	24	+	+	+	+			24	+	+	+	+		
			48	+	+	+	+	48	+	+	+	+			48	+	+	+	+		
		10	24	+	+	+	+	24	+	+	+	+			24	+	+	+	+		
			48	+	+	+	+	48	+	+	+	+			48	+	+	+	+		
		1	24	+	+	+	+	24	+	+	+	+			24	+	+	+	+		
			48	+	+	+	+	48	+	+	+	+			48	+	+	+	+		
		0.1	24	+	+	+	+	24	+	+	+	+			24	+	+	+	+		
			48	+	+	+	+	48	+	+	+	+			48	+	+	+	+		
		10	24	+	+	+	+	24	+	+	+	+			24	+	+	+	+		
			48	+	+	+	+	48	+	+	+	+			48	+	+	+	+		
		1	24	+	+	+	+	24	+	+	+	+			24	+	+	+	+		
			48	+	+	+	+	48	+	+	+	+			48	+	+	+	+		
		0.1	24	+	+	+	+	24	+	+	+	+			24	+	+	+	+		
			48	+	+	+	+	48	+	+	+	+			48	+	+	+	+		
		10	24	+	+	+	+	24	+	+	+	+			24	+	+	+	+		
			48	+	+	+	+	48	+	+	+	+			48	+	+	+	+		
		1	24	+	+	+	+	24	+	+	+	+			24	+	+	+	+		
			48	+	+	+	+	48	+	+	+	+			48	+	+	+	+		
		0.1	24	+	+	+	+	24	+	+	+	+			24	+	+	+	+		
			48	+	+	+	+	48	+	+	+	+			48	+	+	+	+		
		10	24	+	+	+	+	24	+	+	+	+			24	+	+	+	+		
			48	+	+	+	+	48	+	+	+	+			48	+	+	+	+		
		1	24	+	+	+	+	24	+	+	+	+			24	+	+	+	+		
			48	+	+	+	+	48	+	+	+	+			48	+	+	+	+		
		0.1	24	+	+	+	+	24	+	+	+	+			24	+	+	+	+		
			48	+	+	+	+	48	+	+	+	+			48	+	+	+	+		
		10	24	+	+	+	+	24	+	+	+	+			24	+	+	+	+		
			48	+	+	+	+	48	+	+	+	+			48	+	+	+	+		
		1	24	+	+	+	+	24	+	+	+	+			24	+	+	+	+		
			48	+	+	+	+	48	+	+	+	+			48	+	+	+	+		
		0.1	24	+	+	+	+	24	+	+	+	+			24	+	+	+	+		
			48	+	+	+	+	48	+	+	+	+			48	+	+	+	+		
		10	24	+	+	+	+	24	+	+	+	+			24	+	+	+	+		
			48	+	+	+	+	48	+	+	+	+			48	+	+	+	+		
		1	24	+	+	+	+	24	+	+	+	+			24	+	+	+	+		
			48	+	+	+	+	48	+	+	+	+			48	+	+	+	+		
		0.1	24	+	+	+	+	24	+	+	+	+			24	+	+	+	+		
			48	+	+	+	+	48	+	+	+	+			48	+	+	+	+		
		10	24	+	+	+	+	24	+	+	+	+			24	+	+	+	+		
			48	+	+	+	+	48	+	+	+	+			48	+	+	+	+		
		1	24	+	+	+	+	24	+	+	+	+			24	+	+	+	+		
			48	+	+	+	+	48	+	+	+	+			48	+	+	+	+		
		0.1	24	+																	



E.S. BABCOCK
& SONS, INC.

ESTABLISHED 1906

MAR 13 2000

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

TO: #172

Lake Hemet Minicipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
(909) 658-3241

Lab No. 000308-B294

Invoice No. 21722

	Submitted	Sampled
By	<u>AKS</u>	<u>MJF</u>
Employer	<u>ESB</u>	<u>LHMD</u>
Date	<u>3/8/00</u>	<u>3/8/00</u>
Time	<u>1420</u>	

Samples received on ice ☒ Yes ☐ No
Chain of Custody on file ☒ Yes ☐ No

Laboratory Analysis Record

Date & time of set-up 3/8 @ 1450 By RB

Time from collection to set-up: 6hr

Holding time (max. 6 hrs.) observed: ☒ Yes ☐ No

Date & time of readings:

Pres.	Pres.	Conf.	Conf.	Fecal
24hr. <u>1250</u>	48hr. <u>1220</u>	24hr. <u>1250</u>	48hr. <u>1245</u>	24hr. <u>1255</u>

Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221										Fecal		Tubes +	MPN/100									
		ml Planted	Presumptive					Confirmed																
① 1005 North Fork		10	24	+	+	+	+	+	24	+	+	+	+	+	5	220	24	+	+	+	+	+	4	13
			48							48				+										
		1	24	-	-	-	-	-	24	-	+	-	-	+	4		24	-	-	-	-	-	0	
			48	+	+	+		+		48	+		+	-										
		0.1	24	-	-	-	-	-	24	-	-	-	-	-	2		24	-	-	-	-	-	0	
			48	+	+	+	+	+		48	-	+	-	+			-							
			24						24								24							
			48							48														
② 0949 South Fork		10	24	+	+	+	+	+	24	-	-	+	-	-	5	50	24	-	-	+	-	-	1	2
			48							48	+	+		+			+							
		1	24	+	+	+	+	+	24	-	-	-	-	-	2		24	-	-	-	+	-	0	
			48							48	+	+	-	-			-							
		0.1	24	-	-	-	-	+	24	-	-	-	-	-	0		24	-	+	-	-	-	0	
			48	+	+	+	-			48	-	-	-	-										
			24						24								24							
			48							48														
③ Strawberry Creek 0941		10	24	+	+	+	+	+	24	-	-	+	-	+	5	300	24	-	-	-	-	-	0	42
			48							48	+	+		+										
		1	24	+	-	+	+	+	24	+	+	-	+	+	5		24	-	-	-	-	-	6	
			48		+					48			+											
		0.1	24	-	-	-	-	-	24	-	-	+	-	-	1		24	-	-	-	-	-	0	
			48	+	+	+	+	+		48	-	-	-	-										
			24						24								24							
			48							48														


Called

Date/Time

cc: SDSHD/RCHD

MAR 13 2000

Edward S. Babcock
EDWARD S. BABCOCK & SONS, INC.



E.S. BABCOCK
& SONS, INC.

ESTABLISHED 1906

MAR 20 2000

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

TO: #172

Lake Hemet Minicipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
(909) 658-3241

Lab No. 000315-B532

Invoice No. 21896

	Submitted	Sampled
By	<u>KS</u>	<u>MLB</u>
Employer	<u>ESB</u>	<u>LHM</u>
Date	<u>3/15/00</u>	<u>3/15/00</u>
Time	<u>1410</u>	

Laboratory Analysis Record
Date & time of set-up 3/15 @ 1500 By R
Time from collection to set-up: ± 6 hrs
Holding time (max. 6 hrs.) observed: ☒ Yes ☐ No
Date & time of readings:

Pres.	Pres.	Conf.	Conf.	Fecal
24hr.	48hr.	24hr.	48hr.	24hr.
<u>1320</u>	<u>1500</u>	<u>1410</u>	<u>1430</u>	<u>1430</u>
<u>1320</u>	<u>1500</u>	<u>1530</u>	<u>1430</u>	<u>1530</u>

Samples received on ice ☒ Yes ☐ No
Chain of Custody on file ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221										Tubes +	MPN/100ml	Fecal	Tubes +	MPN/100							
		ml Planted	Presumptive					Confirmed															
① 1035 No. Fork		10	24	+	+	+	+	+	24	+	+	+	+	5	240	24	+	+	+	+	4	13	
			48						48	+													
		1	24	+	+	+	+	+	24	-	-	-	-	+	5		24	-	-	-	-	0	
			48						48	+	+	+	+										
		0.1	24	-	-	+	-	-	24	-	-	-	-	0		24	-	-	-	-	0		
			48	+	+	+	+	+	48	-	-	-	-										
			24						24							24							
			48						48														
⑤ 1020 So. Fork		10	24	+	+	+	+	+	24	-	-	-	-	5	50	24	-	-	-	-	0	2	
			48						48	+	+	+	+			+							
		1	24	+	+	+	+	+	24	-	-	-	-	2		24	-	-	-	-	0		
			48						48	-	+	-	-			+							
		0.1	24	+	+	+	+	+	24	-	-	-	-	0		24	-	-	-	-	0		
			48						48	-	-	-	-										
			24						24							24							
			48						48														
③ 1005 Strawberry Crk		10	24	+	+	+	+	+	24	+	-	-	-	+	5	240	24	+	-	-	-	1	2
			48						48	+	+	+											
		1	24	-	-	-	+	-	24	-	-	+	+	5		24	-	-	-	-	0		
			48	+	+	+	+	+	48	+	+	+											
		0.1	24	-	-	-	-	-	24	-	-	-	-	0		24	-	-	-	-	0		
			48	+	+	+	+	+	48	-	-	-	-										
			24						24							24							
			48						48														

Called


MAD C

Date/Time

11:11

cc: SDSHD/RCHD

EDWARD S. BABCOCK & SONS, INC.



ESTABLISHED 1906

TO: #172

Lake Hemet Minicipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
(909) 658-3241

MAR 27 2000

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

Lab No. 000322-B781

Invoice No. 22091

	Submitted	Sampled
By	<u>KS</u>	<u>RWN</u>
Employer	<u>ESB</u>	<u>LHM</u>
Date	<u>3/22/00</u>	<u>3/22/00</u>
Time	<u>1425</u>	

Samples received on ice ☒ Yes ☐ No
Chain of Custody on file ☒ Yes ☐ No

Laboratory Analysis Record
Date & time of set-up 3/22 @ 1440 By TV
Time from collection to set-up: ≤ 1 hr
Holding time (max. 6 hrs.) observed: ☒ Yes ☐ No
Date & time of readings:

Pres.	Pres.	Conf.	Conf.	Fecal
24hr. <u>1345</u>	48hr. <u>1200</u>	24hr. <u>1330</u>	48hr. <u>1220</u>	24hr. <u>1350</u>
		<u>1330</u>	<u>1330</u>	<u>1330</u>

Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221										Tubes +	MPN/100ml	Fecal	Tubes +	MPN/100							
		ml Planted	Presumptive					Confirmed															
① North Fork Stream 1035	10	24	+	+	+	+	+	24	+	+	+	+	+	5	900	24	+	-	+	+	+	3	17
		48						48															
	1	24	+	+	+	+	+	24	+	+	+	-	+	5		24	+	-	-	+	+	3	
		48						48				+											
	0.1	24	-	+	-	-	-	24	-	-	-	-	-	3		24	-	-	-	-	-	0	
		48	+		+	+	+	48	-	+	-	+	+										
		24						24								24							
		48						48															
② South Fork Stream 1010	10	24	+	+	+	+	+	24	-	-	-	-	-	1	6	24						0	42
		48						48	-	-	+	-	-										
	1	24	+	+	+	+	-	24	-	-	-	-	-	1		24	-	-	-	-	-	0	
		48					+	48	-	-	-	-	+										
	0.1	24	-	+	+	-	+	24	-	-	-	-	-	1		24	-	-	-	-	-	0	
		48	+			+		48	+	-	-	-	-										
		24						24								24							
		48						48															
③ Strawberry Creek 0955	10	24	+	+	+	-	+	24	-	-	-	-	-	5	90	24	-	-	-	-	-	0	42
		48				+		48	+	+	+	+	+										
	1	24	-	-	-	-	-	24	+	-	-	-	-	2		24	-	-	-	-	-	0	
		48	+	+	+	+	+	48		-	-	-	+										
	0.1	24	-	-	-	-	-	24	-	-	-	-	-	2		24		-	+	+	-	0	
		48	-	+	+	+	-	48	-	+	+												
		24						24								24							
		48						48															


Called

Date/Time

cc: SDSHD/RCHD

MAR 20 2000

EDWARD S. BABCOCK & SONS, INC.



E.S. BABCOCK
& SONS, INC.

ESTABLISHED 1906

APR 03 2000

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

TO: #172

Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
(909) 658-3241

Lab No. 000329-B1003

Invoice No. 22267

	Submitted	Sampled
By	<u>VS</u>	<u>RWN</u>
Employer	<u>ESB</u>	<u>LHM</u>
Date	<u>3/29/00</u>	<u>3/29/00</u>
Time	<u>1350</u>	

Samples received on ice ☒ Yes ☐ No
Chain of Custody on file ☒ Yes ☐ No

Laboratory Analysis Record

Date & time of set-up 3/29 @ 1415 By VS
Time from collection to set-up: 4 hr
Holding time (max. 6 hrs.) observed: ☒ Yes ☐ No
Date & time of readings:


Pres.	Pres.	Conf.	Conf.	Fecal
24hr. <u>64</u>	48hr. <u>120</u>	24hr. <u>1305</u>	48hr. <u>1400</u>	24hr. <u>1315</u>

Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221														Tubes +	MPN/100ml	Fecal	Tubes +	MPN/100			
		ml Planted	Presumptive					Confirmed															
① Northfork Stream 0730	10	24	+	+	+	+	+	24	-	+	-	+	+	5	220	24	-	+	-	+	+	3	8
		48						48	+		+												
	1	24	-	+	-	+	-	24	-	-	-	-	-	4		24	-	-	-	-	-	0	
		48	+		+		+	48	+	+	+	-	+										
	0.1	24	-	-	-	-	-	24	-	-	-	-	-	2		24	-	-	-	-	-	0	
		48	+	+	+	+	-	48	-	+	+	-											
② Southfork Stream 0800	10	24	+	+	+	+	+	24	-	-	-	-	5	80	24	-	-	-	-	-	0	<2	
		48						48	+	+	+	+	+										
	1	24	+	+	+	+	-	24	-	-	-	-	3		24	-	-	-	-	-	0		
		48						48	+	-	-	+	+										
	0.1	24	-	-	-	-	-	24	-	-	-	-	0		24	-	-	-	-	-	0		
		48	+	+	+	-	-	48	-	-	-	-											
③ Strawberry Creek 0745	10	24	+	+	+	-	+	24	-	+	+	-	+	4	40	24	-	-	-	-	0	<2	
		48					+	48	-			+											
	1	24	-	-	-	-	-	24	-	-	-	-	4		24	-	-	-	-	-	0		
		48	+	+	+	+	+	48	-	+	+	+	+										
	0.1	24	-	-	-	-	-	24	-	-	-	-	2		24	-	-	-	-	-	0		
		48	+	+	+	+	+	48	+	-	+	-	-										
		24					24								24								
		48					48																

Called

Date/Time

EDWARD S. BABCOCK & SONS, INC.



E.S. BABCOCK
& SONS, INC.

ESTABLISHED 1906

TO: #172

Lake Hemet Minicipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
(909) 658-3241

APR 07 2000

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

Lab No. 000405-B150

Invoice No. 02456

	Submitted	Sampled
By	<u>KS</u>	<u>MLB</u>
Employer	<u>ESB</u>	<u>LHMWD</u>
Date	<u>4/5/00</u>	<u>4/5/00</u>
Time	<u>1430</u>	

Samples received on ice ☒ Yes ☐ No
Chain of Custody on file ☒ Yes ☐ No

Laboratory Analysis Record

Date & time of set-up 4/5 @ 1515 By 2

Time from collection to set-up: 36hr

Holding time (max. 6 hrs.) observed: ☒ Yes ☐ No

Date & time of readings:


Pres.	Pres.	Conf.	Conf.	Fecal
24hr.	48hr.	24hr.	48hr.	24hr.
<u>15150K</u>	<u>422</u>	<u>14000K</u>	<u>13100K</u>	<u>13300K</u>

Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221									
		ml Planted	Presumptive					Confirmed	Tubes +	MPN/100ml	Fecal
① 1020 No. Fork	10	24	+	+	+	+	+	+	5	80	+
		48						+			
	1	24	+	+	+	+	+	+	3		+
		48						+			
	0.1	24	-	-	-	-	-	-	0		-
		48	+	+	+	+	+	-			
② 1000 So. Fork	10	24	+	+	+	+	+	+	5	130	+
		48						+			
	1	24	+	+	+	+	+	+	4		+
		48						+			
	0.1	24	-	-	-	-	-	-	0		-
		48	+	+	+	+	+	-			
③ 0950 Strawberry	10	24	+	+	+	+	+	+	5	110	+
		48						+			
	1	24	-	-	-	-	-	-	3		+
		48	+	+	+	+	+	+			
	0.1	24	-	-	-	-	-	-	4		-
		48	+	+	+	+	+	+			

Called

Date/Time

EDWARD S. BABCOCK & SONS, INC.



Environmental Laboratory Certification #1156
6100 Quail Valley Court Riverside, CA 92507-0704
P.O. Box 432 Riverside, CA 92502-0432
PH (909) 653-3351 FAX (909) 653-1662
e-mail: esbsales@aol.com
www.babcocklabs.com

04/18/00

To: Lake Hemet Municipal Water District
ATTN: John Loncar
P. O. Box 5039
Hemet, CA 92544

Lab No. 000412-B400
Invoice No. 22647

Submitted	Sampled
By: KS	RNW
Employer: ESB	LHMWD
Date: 04/12/00	04/12/00
Time: 14:30	---
Sample Received on Ice: Yes	
Chain of Custody on File: Yes	

Date & Time set-up: 04/12/00@ 1515 By: CK
Time from Collection to set-up: ≤6
Holding time (max.6 hrs.) Observed: Yes

Multiple Tube Fermentation Technique
Standard Methods 9221

<u>Sample ID</u>	<u>mL Planted</u>	<u>TOTAL Tubes +</u>	<u>COLIFORM MPN/g</u>	<u>E. COLI Tubes + MPN/g</u>
Special				
Strawberry Creek	10	5	900	0 <2
@09:45				
Cl ₂ = 0	1	5		0
	0.1	3		0
North Fork Stream				
@10:20	10	5	60	0 <2
Cl ₂ = 0	1	1		0
	0.1	2		0

Edward S. Babcock & Sons, Inc.

cc:



E.S. BABCOCK
& SONS, INC.

ESTABLISHED 1906

APR 24 2000

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

TO: #172

Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
(909) 658-3241

Lab No. 000419-B634

Invoice No. 22824

	Submitted	Sampled
By	KS	MJF
Employer	ESB	LHMWD
Date	4/19/00	4/19/00
Time	1440	

Laboratory Analysis Record

Date & time of set-up 4/19 @ 1540 By R

Time from collection to set-up: 56 hrs

Holding time (max. 6 hrs.) observed: ☒ Yes ☐ No

Date & time of readings:

Pres.	Pres.	Conf.	Conf.	Fecal
24hr.	48hr.	24hr.	48hr.	24hr.
<u>1400CL</u>	<u>1300CL</u>	<u>1400CL</u>	<u>1355CL</u>	<u>1330P</u>

Samples received on ice ☒ Yes ☐ No
Chain of Custody on file ☒ Yes ☐ No


Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221									
		ml Planted	Presumptive					Confirmed		Tubes +	MPN/100ml
① North Fork 0944	10	24	+	+	+	+	+	+	+	+	5 1600
		48									
	1	24	+	+	+	+	+	+	+	+	5
		48									
	0.1	24	+	+	+	+	+	+	+	+	4
		48									
② South Fork 0931	10	24	+	+	+	+	+	+	+	+	5 1600
		48									
	1	24	+	+	+	+	+	+	+	+	5
		48									
	0.1	24	+	+	+	+	+	+	+	+	4
		48									
③ Strawberry Cr 0925	10	24	+	+	+	+	+	+	+	+	5 900
		48									
	1	24	+	+	+	+	+	+	+	+	5
		48									
	0.1	24	+	+	+	+	+	+	+	+	3
		48									

Called

APR 3 2000

Date/Time

EDWARD S. BABCOCK & SONS, INC.



E.S. BABCOCK
& SONS, INC.

ESTABLISHED 1906

TO: #172

Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
(909) 658-3241

MAY 01 2000

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

Lab No. 000426-B879

Invoice No. 23010

Submitted

Sampled

By

KS

MLB

Employer

ESB

LHM

Date

4/26/00

4/26/00

Time

1420

Laboratory Analysis Record
Date & time of set-up 4-26-00 @ 1510 By ML
Time from collection to set-up: 26hr
Holding time (max. 6 hrs.) observed: ☒ Yes ☐ No
Date & time of readings:
Pres. 24hr. 2450C Pres. 48hr. 1210ML Conf. 24hr. 1400C Conf. 48hr. 1300C Fecal 24hr. 1300C
1500C 1230C 1430ML

Samples received on ice ☒ Yes ☐ No

Chain of Custody on file ☒ Yes ☐ No

Coliform Bacteria SM 9221

Sample Marking

Standard
Plate
Count

ml
Planted

Presumptive

Confirmed

Tubes
+

MPN/100ml

Fecal

Tubes
+


MPN/100ml

Sample Marking	Standard Plate Count	ml Planted	Presumptive		Confirmed		Tubes +	MPN/100ml	Fecal	Tubes +	MPN/100ml
			24	48	24	48					
1) No. Fork		10	+	+	+	+	+	5	30	2	4
1015		1	+	+	+	+	+	1		0	
1015		0.1	+	+	+	+	+	0		0	
			24	48	24	48			24		
2) So. Fork		10	+	+	+	+	+	5	240	2	4
0935		1	+	+	+	+	+	5		0	
		0.1	+	+	+	+	+	0		0	
			24	48	24	48			24		
3) Strawberry Creek		10	+	+	+	+	+	5	170	0	2
0920		1	+	+	+	+	+	4		1	
		0.1	+	+	+	+	+	1		0	
			24	48	24	48			24		

Called

Date/Time

EDWARD S. BABCOCK & SONS, INC.



E.S. BABCOCK
& SONS, INC.

ESTABLISHED 1906

MAY 08 2000

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

TO: #172

Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
(909) 658-3241

Lab No. 000503-B168

Invoice No. 23199

	Submitted	Sampled
By	KS	RWN
Employer	ESB	LHMWD
Date	5/3/00	5/3/00
Time	1420	

Laboratory Analysis Record
Date & time of set-up 5-3-00 @ 1430 By ML
Time from collection to set-up: <30 hrs.
Holding time (max. 6 hrs.) observed: ☒ Yes ☐ No
Date & time of readings:

Pres.	Pres.	Conf.	Conf.	Fecal
24hr. <u>1235</u>	48hr. <u>1405 ML</u>	24hr. <u>1301320</u>	48hr. <u>1301245</u>	24hr. <u>1330</u>
				<u>1450 ML</u>


Samples received on ice ☒ Yes ☐ No
Chain of Custody on file ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221												Tubes +	MPN/100ml						
		ml Planted	Presumptive				Confirmed				Tubes +	MPN/100ml	Fecal								
① North Fork Stream 0825	10	24	+	+	+	+	+	24	-	-	-	+	+	24	-	-	-	-	+	1	2
		48						48	-	-	+										
	1	24	+	+	+	+	+	24	-	-	-	-	-	24	-	-	-	-	-	0	
		48						48	+	-	-	-	-								
	0.1	24	-	-	+	-	-	24	-	-				24	-	-	-			0	
		48	+	-		-	-	48	-	-											
② Strawberry Creek 0900	10	24	+	+	+	+	+	24	+	-	-	-	-	24	-	-	-	-	-	0	<2
		48						48	+	+	+	+									
	1	24	+	-	+	+	+	24	-	-	+	-		24	-	-	-	-		0	
		48	-					48	+	+	-										
	0.1	24	-	-	-	-	-	24	-	-				24	-	-	-			0	
		48	-	+	+	-	-	48	-	-											
	10	24					24						24								
		48						48													
	1	24					24						24								
		48						48													
	0.1	24					24						24								
		48						48													
	10	24					24						24								
		48						48													
	1	24					24						24								
		48						48													
	0.1	24					24						24								
		48						48													
	10	24					24						24								
		48						48													
	1	24					24						24								
		48						48													
	0.1	24					24						24								
		48						48													

Called

Date/Time

Edward S. Babcock
EDWARD S. BABCOCK & SONS, INC.



E.S. BABCOCK
& SONS, INC.

ESTABLISHED 1906

TO: #172

Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
(909) 658-3241

MAY 15 2000

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

Lab No. 000510-B417

Invoice No. 23387

	Submitted	Sampled
By	<u>KS</u>	<u>RWN</u>
Employer	<u>ESB</u>	<u>LHM</u>
Date	<u>5/10/00</u>	<u>5/10/00</u>
Time	<u>1440</u>	

Samples received on ice ☒ Yes ☐ No
Chain of Custody on file ☒ Yes ☐ No

Laboratory Analysis Record

Date & time of set-up 5:10:00 @ 1305 By ML

Time from collection to set-up: < 6 hrs

Holding time (max. 6 hrs.) observed: ☒ Yes ☐ No

Date & time of readings:

Pres.	Pres.	Conf.	Conf.	Fecal
24hr. <u>14300K</u>	48hr. <u>1400K</u>	24hr. <u>1330</u>	48hr. <u>1250</u>	24hr. <u>1345</u>
		1300K	1325K	1330K


Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221																						
		ml Planted	Presumptive					Confirmed					Tubes +	MPN/100ml	Fecal		Tubes +	MPN/100ml						
① Strawberry Creek 1015		10	24	+	+	+	+	+	24	-	-	-	-	-	5	240	24	-	-	-	-	+	1	2
			48							48	+	+	+	+			+							
		1	24	-	-	-	-	-	24	-	-	+	-	-	5		24	-	-	-	-	-	0	
			48	+	+	+	+	+		48	+	+		+			+							
		0.1	24	-	-	-	-	-	24	-	-	-	-	-	0		24	-	-	-	-	-	0	
			48	+	+	+	+	+		48	-	-	-	-			-							
			24						24								24							
			48							48														
③ North Fork Stream 0950		10	24	+	+	+	+	+	24	-	+	+	+	+	5	300	24	-	-	-	+	+	2	7
			48							48	+													
		1	24	-	-	-	-	-	24	-	-	+	-	-	5		24	-	-	+	-	+	1	
			48	+	+	+	+	+		48	+	+		+			+							
		0.1	24	-	-	-	-	-	24	-	-	-	-	-	1		24	-	-	-	+	+	0	
			48	+	+	+	+	+		48	-	-	-	+										
			24						24								24							
			48							48														
		10	24						24								24							
			48							48														
		1	24						24								24							
			48							48														
		0.1	24						24								24							
			48							48														
			24						24								24							
			48							48														

Called

MAY 15 2000

Date/Time

EDWARD S. BABCOCK & SONS, INC.



E.S. BABCOCK
& SONS, INC.

ESTABLISHED 1906

MAY 22 2000

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

TO: #172

Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
(909) 658-3241

Lab No. 000517-B669

Invoice No. 23579

	Submitted	Sampled
By	KS	MLB
Employer	ESB	LHM
Date	5/17/00	5/17/00
Time	1400	

Laboratory Analysis Record
Date & time of set-up 5/17 @ 1445 By RL
Time from collection to set-up: 6 hrs
Holding time (max. 6 hrs.) observed: ☒ Yes ☐ No
Date & time of readings:
Pres. 24hr. 1250 Pres. 48hr. 1330 CL Conf. 24hr. 1410 Conf. 48hr. 1330 Fecal 24hr. 1300 CL

Samples received on ice ☒ Yes ☐ No
Chain of Custody on file ☒ Yes ☐ No


Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221										Tubes +	MPN/100ml	Fecal	Tubes +	MPN/100					
		ml Planted	Presumptive					Confirmed													
① Strawberry Creek 0915	10	24	+	+	+	+	+	24	+	+	+	+	5	500	24	-	-	-	-	0	22
		48						48													
	1	24	+	+	+	+	+	24	-	-	-	-	5		24	-	-	-	-	0	
		48						48	+	+	+	+			+						
	0.1	24	+	-	-	-	+	24	-	-	-	-	2		24	-	-	-	-	0	
		48	+	+	+			48	-	-	-	+			+						
		24						24							24						
		48						48													
② No. Fork 0950	10	24	+	+	+	+	+	24	+	+	+	+	5	110	24	+	+	+	+	5	30
		48						48													
	1	24	+	+	+	+	+	24	-	+	-	-	3		24	-	+	-	-	1	
		48						48	-	-	+	+									
	0.1	24	-	+	+	+	-	24	-	-	-	-	1		24	-	-	-	+	0	
		48	+				+	48	-	-	+	-			-						
		24						24							24						
		48						48													
③ So. Fork 0932	10	24	+	+	+	+	+	24	+	+	+	+	5	220	24	+	+	+	+	5	30
		48						48													
	1	24	+	+	+	+	+	24	-	-	-	+	4		24	-	-	-	+	1	
		48						48	-	+	4	+									
	0.1	24	+	+	+	+	+	24	-	-	-	-	2		24	-	-	-	-	0	
		48						48	+	-	-	+			-						
		24						24							24						
		48						48													

Called

MAY 22 2000

Date/Time

EDWARD S. BABCOCK & SONS, INC.



E.S. BABCOCK
& SONS, INC.

ESTABLISHED 1906

MAY 30 2000

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

TO: #172

Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
(909) 658-3241

Lab No. 000524-B946

Invoice No. 23789

	Submitted	Sampled
By	KS	RWN
Employer	ESB	LHMD
Date	5/24/00	5/24/00
Time	1405	

Samples received on ice ☒ Yes ☐ No
Chain of Custody on file ☒ Yes ☐ No

Laboratory Analysis Record
Date & time of set-up 5/24/00 @ 1600 By ML
Time from collection to set-up: < 6 hrs.
Holding time (max. 6 hrs.) observed: ☐ Yes ☐ No
Date & time of readings:
Pres. 24hr. 14300C Pres. 48hr. 14000C Conf. 24hr. 14200C Conf. 48hr. 14000C Fecal 24hr. 14000C


Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221										Fecal	Tubes +	MPN/100										
		ml Planted	Presumptive					Confirmed							Tubes +	MPN/100ml								
① North Fork Stream 1120	10	24	+	+	+	+	+	+	+	+	+	+	5	900	24	+	+	+	+	+	+	+	5	170
		48																						
	1	24	+	+	+	+	+	+	+	+	+	+	5		24	+	+	+	+	+	+	+	4	
		48									+													
	0.1	24	+	+	+	+	+	+	+	+	+	+	3		24	+	+	+	+	+	+	+	1	
		48									+	+												
② South Fork Stream 1055	10	24	+	+	+	+	+	+	+	+	+	5	≥1600	24	+	+	+	+	+	+	+	5	30	
		48																						
	1	24	+	+	+	+	+	+	+	+	+	5		24	+	+	+	+	+	+	+	1		
		48									+	+	+											
	0.1	24	+	+	+	+	+	+	+	+	+	5		24	+	+	+	+	+	+	+	0		
		48									+	+	+											
③ Strawberry Creek 1030	10	24	+	+	+	+	+	+	+	+	+	5	300	24	+	+	+	+	+	+	+	1	4	
		48										+	+	+										
	1	24	+	+	+	+	+	+	+	+	+	5		24	+	+	+	+	+	+	+	1		
		48									+	+	+											
	0.1	24	+	+	+	+	+	+	+	+	+	1		24	+	+	+	+	+	+	+	0		
		48									+	+												
DEF	10	24												24										
		48																						
	1	24												24										
		48																						
	0.1	24												24										
		48																						

Called

MAY 31 2000

Date/Time

EDWARD S. BABCOCK & SONS, INC.



E.S. BABCOCK
& SONS, INC.

ESTABLISHED 1906

TO: #172

Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
(909) 658-3241

MAY 30 2000

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

Lab No. 000524-B947

Invoice No. 23789

	Submitted	Sampled
By	<u>KS</u>	<u>RWN</u>
Employer	<u>ESB</u>	<u>LHmwD</u>
Date	<u>5/24/00</u>	<u>5/24/00</u>
Time	<u>1405</u>	<u>0920</u>

Laboratory Analysis Record				
Date & time of set-up <u>5-24-00 @ 1600</u> By <u>ML</u>				
Time from collection to set-up: <u>26 hrs.</u>				
Holding time (max. 6 hrs.) observed: ☐ Yes ☒ No				
Date & time of readings:				
Pres.	Pres.	Conf.	Conf.	Fecal
24hr.	48hr.	24hr.	48hr.	24hr.
<u>1400C</u>		<u>1400C</u>	<u>1400R</u>	<u>1410R</u>


Samples received on ice ☒ Yes ☐ No
Chain of Custody on file ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221										Fecal	Tubes +	MPN/100r										
		ml Planted	Presumptive					Confirmed							Tubes +	MPN/100ml								
D Dam Release		10	24	+	+	+	+	+	24	+	+	+	+	+	5	≥ 1600	24	+	+	-	+	-	3	11
			48						48															
		1	24	+	+	+	+	+	24	-	+	-	-	-	5		24	-	-	-	+	+	1	
			48						48	+		+	+	+										
		0.1	24	+	+	+	+	+	24	-	-	-	-	-	5		24	-	-	-	+	+	0	
			48						48	+	+	+	+	+										
			24						24								24							
			48						48															
		10	24						24								24							
			48						48															
		1	24						24								24							
			48						48															
		0.1	24						24								24							
			48						48															
			24						24								24							
			48						48															
		10	24						24								24							
			48						48															
		1	24						24								24							
			48						48															
		0.1	24						24								24							
			48						48															
		10	24						24								24							
			48						48															
		1	24						24								24							
			48						48															
		0.1	24						24								24							
			48						48															
		10	24						24								24							
			48						48															
		1	24						24								24							
			48						48															
		0.1	24						24								24							
			48						48															
		10	24						24								24							
			48						48															

Called

Date/Time

EDWARD S. BABCOCK & SONS, INC.



E.S. BABCOCK
& SONS, INC.

ESTABLISHED 1906

TO: #172

Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
(909) 658-3241

JUN 06 2000

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

Lab No. 000531-131167

Invoice No. 23956

	Submitted	Sampled
By	<u>KS</u>	<u>MJF</u>
Employer	<u>ESB</u>	<u>LHM</u>
Date	<u>5/31/00</u>	<u>5/31/00</u>
Time	<u>1420</u>	

Samples received on ice ☒ Yes ☐ No
Chain of Custody on file ☒ Yes ☐ No

Laboratory Analysis Record
Date & time of set-up 5-31-00 @ 1450 By ML
Time from collection to set-up: 26 hrs.
Holding time (max. 6 hrs.) observed: ☒ Yes ☐ No
Date & time of readings:
Pres. 24hr. 1255 Pres. 48hr. 1400CK Conf. 24hr. 1430 Conf. 48hr. 1405 Fecal 24hr. 1445
1330CK


Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221										Tubes +	MPN/100ml	Fecal	Tubes +	MPN/100								
		ml Planted	Presumptive					Confirmed																
① 102B Northfork	10	24	+	+	+	+	+	+	24	+	+	+	+	+	5	300	24	+	+	-	+	-	3	8
		48							48															
	1	24	+	+	+	+	+	24	-	-	+	+	-	5		24	-	-	-	-	-	0		
		48						48	+	+			+											
	0.1	24	+	-	-	+	+	24	-	-	-	-	-	1		24	-	-	-	-	-	0		
		48		+	+			48	+	-	-	-	-											
② 1015 Southfork	10	24	+	+	+	+	+	24	-	-	-	-	+	5	500	24	-	-	-	-	+	1	4	
		48						48	+	+	+	+												
	1	24	+	-	+	+	+	24	-	-	-	+	-	5		24	-	-	-	+	-	1		
		48		+				48	+	+	+		+											
	0.1	24	-	+	-	-	-	24	-	-	-	-	-	2		24	-	-	-	-	-	0		
		48	+		+	+	+	48	-	+	-	-	+											
③ 1008 Strawberry Cr.	10	24	+	+	+	+	+	24	+	+	+	+	+	5	240	24	-	+	-	-	-	1	2	
		48						48																
	1	24	+	+	+	+	+	24	-	-	-	-	-	5		24	-	-	-	-	-	0		
		48						48	+	+	+	+	+											
	0.1	24	+	-	-	+	-	24	-	-	-	-	-	0		24	-	-	-	-	-	0		
		48		+	+		+	48	-	-	-	-	-											

Called

Date/Time

JUN 3 2000

EDWARD S. BABCOCK & SONS, INC.



E.S. BABCOCK
& SONS, INC.

ESTABLISHED 1906

TO: #172

Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
(909) 658-3241

JUN 06 2000

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

Lab No. 000531-B1168
Invoice No. 23956

	Submitted	Sampled
By	<u>KS</u>	<u>MJF</u>
Employer	<u>ESB</u>	<u>LHM</u>
Date	<u>5/31/00</u>	<u>5/31/00</u>
Time	<u>1420</u>	<u>0924</u>

Laboratory Analysis Record

Date & time of set-up 5-31-00 @ 1450 By ML

Time from collection to set-up: < 6 hrs.

Holding time (max. 6 hrs.) observed: ☒ Yes ☐ No

Date & time of readings:

Pres.	Pres.	Conf.	Conf.	Fecal
24hr.	48hr.	24hr.	48hr.	24hr.
<u>3300K</u>	<u>1220</u>	<u>3000K</u>	<u>14075</u>	<u>13300K</u>

Samples received on ice ☒ Yes ☐ No
Chain of Custody on file ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221										Tubes +	MPN/100ml	Fecal	Tubes +	MPN/100ml						
		ml Planted	Presumptive					Confirmed														
4) L.H. Dam Release		10	24	+	+	+	+	+	24	-	-	-	-	5	1600	24	-	-	-	-	0	12
			48						48	+	+	+	+			+						
		1	24	+	+	+	+	+	24	-	-	-	-	5		24	-	-	-	-	0	
			48						48	+	+	+	+			+						
		0.1	24	+	+	+	+	+	24	-	-	-	-	4		24	-	-	-	-	0	
			48						48	+	+	-	+			+						
			24						24							24						
			48						48													
		10	24						24							24						
			48						48													
		1	24						24							24						
			48						48													
		0.1	24						24							24						
			48						48													
			24						24							24						
			48						48													
		10	24						24							24						
			48						48													
		1	24						24							24						
			48						48													
		0.1	24						24							24						
			48						48													
			24						24							24						
			48						48													
		10	24						24							24						
			48						48													
		1	24						24							24						
			48						48													
		0.1	24						24							24						
			48						48													
			24						24							24						
			48						48													


Called

JUN 06 2000

Date/Time

10:00

EDWARD S. BABCOCK & SONS, INC.



E.S. BABCOCK
& SONS, INC.

ESTABLISHED 1906

JUN 12 2000

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

TO: #172

Lake Hemet Minicipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
(909) 658-3241

Lab No. 000607-B247
Invoice No. 24160

	Submitted	Sampled
By	<u>KS</u>	<u>MLB</u>
Employer	<u>ESB</u>	<u>LHMUD</u>
Date	<u>6/7/00</u>	<u>6/7/00</u>
Time	<u>1420</u>	

Samples received on ice ☒ Yes ☐ No
Chain of Custody on file ☒ Yes ☐ No

Laboratory Analysis Record

Date & time of set-up 6/7 @ 1520 By DL

Time from collection to set-up: 10 hrs

Holding time (max. 6 hrs.) observed: ☒ Yes ☒ No

Date & time of readings:

Pres.	Pres.	Conf.	Conf.	Fecal
24hr.	48hr.	24hr.	48hr.	24hr.
<u>15000K</u>	<u>14000K</u>	<u>14150K</u>	<u>1300ML</u>	<u>14300K</u>


Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221											
		ml Planted	Presumptive				Confirmed				Tubes +	MPN/100ml	Fecal
			24	48	24	48	24	48	24	48	24	48	24
1 No. Fork		10	+	+	+	+	+	+	+	+	5	130	+
0810		1	+	+	+	+	+	+	+	+	4		+
		0.1	+	+	+	+	+	+	+	+	0		+
			+	+	+	+	+	+	+	+			+
2 So. Fork		10	+	+	+	+	+	+	+	+	5	300	+
0840		1	+	+	+	+	+	+	+	+	5		+
		0.1	+	+	+	+	+	+	+	+	1		+
			+	+	+	+	+	+	+	+			+
3 Strawberry Creek		10	+	+	+	+	+	+	+	+	5	280	+
0830		1	+	+	+	+	+	+	+	+	4		+
		0.1	+	+	+	+	+	+	+	+	3		+
			+	+	+	+	+	+	+	+			+

Called

Date/Time

cc: SDSHD/RCHD

EDWARD S. BABCOCK & SONS, INC.



E.S. BABCOCK
& SONS, INC.

ESTABLISHED 1906

TO: #172

Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
(909) 658-3241

JUN 19 2000

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

Lab No. 000613-B433

Invoice No. 24306

	Submitted	Sampled
By	RWN	RWN
Employer	LHM	LHMWD
Date	6/13/00	6/13/00
Time	1200	

Samples received on ice ☒ Yes ☐ No
Chain of Custody on file ☒ Yes ☐ No

Laboratory Analysis Record

Date & time of set-up 6/13 @ 1245 By JS

Time from collection to set-up: Even

Holding time (max. 6 hrs.) observed: ☒ Yes ☐ No

Date & time of readings:


Pres.	Pres.	Conf.	Conf.	Fecal
24hr.	48hr.	24hr.	48hr.	24hr.
1240	1300	1300	1350	1245

Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221										Tubes +	MPN/100ml	Fecal	Tubes +	MPN/100ml								
		ml Planted	Presumptive					Confirmed																
1 North Fork Stream 1030		10	24	+	+	+	+	+	24	+	+	+	+	+	5	500	24	-	+	+	+	+	4	13
			48							48														
		1	24	+	+	+	+	+	24	-	-	-	-	+	5		24	-	-	-	-	-	0	
			48							48	+	+	+	+										
		0.1	24	-	-	-	-	-	24	-	-	-	-	-	2		24	-	-	-	-	-	0	
			48	+	+	+	+	+		48	-	+	-	-			+							
			24						24								24							
			48							48														
2 South Fork Stream 1035		10	24	+	+	+	+	+	24	-	-	-	-	-	5	300	24	-	-	-	-	-	0	12
			48							48	+	+	+	+			+							
		1	24	+	+	+	+	+	24	-	-	-	-	-	5		24	-	-	-	-	-	0	
			48							48	+	+	+	+			+							
		0.1	24	+	-	+	+	+	24	-	-	-	-	-	1		24	-	-	-	-	-	0	
			48	+						48	-	+	-	-			-							
			24						24								24							
			48							48														
3 Dam Release 0920		10	24	+	+	+	+	+	24	+	+	+	-	-	5	500	24	-	-	+	-	-	1	2
			48							48				+			+							
		1	24	+	+	+	+	+	24	-	-	-	-	-	5		24	-	-	-	-	-	0	
			48							48	+	+	+	+			+							
		0.1	24	-	+	+	-	-	24	-	-	-	-	-	2		24	-	-	-	-	-	0	
			48	+			+	+		48	-	-	-	+			+							
			24						24								24							
			48							48														

Called

Date/Time

EDWARD S. BABCOCK & SONS, INC.



E.S. BABCOCK
& SONS, INC.

ESTABLISHED 1906

TO: #172

Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
(909) 658-3241

JUN 27 2000

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

Lab No. 000621-B806

Invoice No. 24600

	Submitted	Sampled
By	<u>KS</u>	<u>MJE</u>
Employer	<u>ESB</u>	<u>LHMWD</u>
Date	<u>6/21/00</u>	<u>6/21/00</u>
Time	<u>1425</u>	

Laboratory Analysis Record					
Date & time of set-up <u>6-21-00 @ 1550</u> By <u>ML</u>					
Time from collection to set-up: <u>< 6 hrs.</u>					
Holding time (max. 6 hrs.) observed: ☒ Yes ☐ No					
Date & time of readings:					
Pres. 24hr.	Pres. 48hr.	Conf. 24hr.	Conf. 48hr.	Fecal 24hr.	
<u>17000</u>	<u>13000</u>	<u>1430</u>	<u>1340</u>	<u>1445</u>	<u>1400</u>


Samples received on ice ☒ Yes ☐ No
Chain of Custody on file ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221									
		ml Planted	Presumptive					Confirmed		Tubes +	MPN/100ml
			24	48	24	48	24	48	24		
① 1030 North Fork	10	24	+	+	+	+	+	+	+	5	300
		48									
	1	24	+	+	+	+	+	+	+	5	
	0.1	24	+	+	+	+	+	+	+	1	
		48	+	+	+	+	+	+	+		
		24									
② 1015 South Fork	10	24	+	+	+	+	+	+	+	5	900
		48									
	1	24	+	+	+	+	+	+	+	5	
	0.1	24	+	+	+	+	+	+	+	3	
		48	+	+	+	+	+	+	+		
		24									
③ L.H. Dam Release	10	24	+	+	+	+	+	+	+	4	37
		48									
	1	24	+	+	+	+	+	+	+	2	
	0.1	24	+	+	+	+	+	+	+	4	
		48									
		24									

Called

Date/Time

EDWARD S. BABCOCK & SONS, INC.



E.S. BABCOCK
& SONS, INC.

ESTABLISHED 1906

JUL 03 2000

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

TO: #172

Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
(909) 658-3241

Lab No. 000628-B1026

Invoice No. 24773

Submitted

Sampled

By KS

MLB

Employer ESB

LHMD

Date 6/28/00

6/28/00

Time 1405

Samples received on ice ☒ Yes ☐ No

Chain of Custody on file ☒ Yes ☐ No

Laboratory Analysis Record
Date & time of set-up 6-28-00 @ 1445 By ML
Time from collection to set-up: 6 hrs
Holding time (max. 6 hrs.) observed: ☒ Yes ☐ No
Date & time of readings:
Pres. 24hr. 1300 Pres. 48hr. 1650 ML Conf. 24hr. 1445 Conf. 48hr. 1450 Fecal 24hr. 1500 Fecal 48hr. 1415 ML


Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221										Fecal	Tubes +	MPN/100ml
		ml Planted	Presumptive		Confirmed		Tubes +	MPN/100ml						
So. Fork 10:55	10	24	+	+	+	+	+	+	+	+	+	+	+	+
		48												
	1	24	+	+	+	+	+	+	+	+	+	+	+	+
		48												
	0.1	24	+	+	+	+	+	+	+	+	+	+	+	+
		48												
		24												
		48												
No. Fork 11:10	10	24	+	+	+	+	+	+	+	+	+	+	+	+
		48												
	1	24	+	+	+	+	+	+	+	+	+	+	+	+
		48												
	0.1	24	+	+	+	+	+	+	+	+	+	+	+	+
		48												
		24												
		48												
Dam Release 9:20	10	24	+	+	+	+	+	+	+	+	+	+	+	+
		48												
	1	24	+	+	+	+	+	+	+	+	+	+	+	+
		48												
	0.1	24	+	+	+	+	+	+	+	+	+	+	+	+
		48												
		24												
		48												

Called

JUL 03 2000

Date/Time

EDWARD S. BABCOCK & SONS, INC.



E.S. BABCOCK
& SONS, INC.

ESTABLISHED 1906

TO: #172

Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
(909)658-3241

JUL 07 2000

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

Lab No. 000705-B115

Invoice No. 24940

	Submitted	Sampled
By	<u>KS</u>	<u>RWN</u>
Employer	<u>ESB</u>	<u>LHMWD</u>
Date	<u>7/5/00</u>	<u>7/5/00</u>
Time	<u>1430</u>	

Laboratory Analysis Record
Date & time of set-up 7/5 @ 1415 By JS
Time from collection to set-up: > 6 hrs.
Holding time (max. 6 hrs.) observed: ☐ Yes ☒ No
Date & time of readings:

Pres.	Pres.	Conf.	Conf.	Fecal
24hr. <u>1500ML</u>	48hr. <u>1822</u>	24hr. <u>1500</u>	48hr. <u>1550</u>	24hr. <u>1525</u>
				<u>1700ML</u>

Samples received on ice ☒ Yes ☐ No
Chain of Custody on file ☒ Yes ☐ No


Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221														Tubes +	MPN/100ml	Fecal	Tubes +	MPN/100			
		ml Planted	Presumptive					Confirmed															
Southfork Stream 0800	10	24	+	+	+	+	+	24	-	-	-	-	+	5	300	24	-	-	-	-	+	1	2
		48						48	+	+	+	+											
	1	24	+	+	+	+	+	24	-	-	-	-	-	5		24	-	-	-	-	-	0	
		48						48	+	+	+	+	+										
	0.1	24	+	+	+	+	-	24	-	-	-	-		1		24	-	-	-	-		0	
		48					-	48	-	+	-	-											
		24						24								24							
		48						48															
Dam Release 0930	10	24	+	+	+	+	+	24	-	-	+	-	-	1	2	24	-	-	-	-	-	0	<2
		48						48	-	-		-	-										
	1	24	-	-	-	-	-	24	-	-	-	-	-	0		24	-	+	+	+	+	0	
		48	+	+	+	+	+	48	-	-	-	-	-										
	0.1	24	-	-	-	-	-	24				-	-	0		24					-	0	
		48	-	-	-	+	+	48				-	-										
		24						24								24							
		48						48															
	10	24						24								24							
		48						48															
	1	24						24								24							
		48						48															
	0.1	24						24								24							
		48						48															
		24						24								24							
		48						48															

Called

Date/Time

JUL 11 2000

Edward S. Babcock
EDWARD S. BABCOCK & SONS, INC.



E.S. BABCOCK
& SONS, INC.

ESTABLISHED 1906

TO: #172

Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
(909) 658-3241

JUL 17 2000

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

Lab No. 000712-B438

Invoice No. 25185

	Submitted	Sampled
By	<u>KS</u>	<u>MJF</u>
Employer	<u>ESB</u>	<u>LHM</u>
Date	<u>7/11/00</u>	<u>7/11/00</u>
Time	<u>1430</u>	

Laboratory Analysis Record
Date & time of set-up 7/12 @ 1550 By JS
Time from collection to set-up: > 6hr
Holding time (max. 6 hrs.) observed: ☐ Yes ☒ No
Date & time of readings:
Pres. 24hr. 14000 Pres. 48hr. 14300 Conf. 24hr. 1335 Conf. 48hr. 1350 Fecal 24hr. 1400
14000 14300 14000 1350 14000


Samples received on ice ☒ Yes ☐ No
Chain of Custody on file ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221										Fecal		Tubes +	MPN/100								
		ml Planted	Presumptive				Confirmed				Tubes +	MPN/100ml											
① North Fork 1506	10	24	+	+	+	+	+	24	+	+	+	+	+	+	24	+	-	+	+	-	3	14	
		48						48						5	500								
	1	24	-	+	+	+	+	24	+	+	+	+	+		24	-	+	-	-	-	1		
		48	+					48						5									
	0.1	24	-	-	+	-	-	24	+	-	+	-	-		24	-	-	+	-	-	1		
		48	+	+		+	+	48		-		-	-	2									
		24					24							24									
	48						48																
② South Fork 1455	10	24	+	+	+	+	+	24	+	+	+	+	+	5	300	24	-	+	-	-	-	1	2
		48						48															
	1	24	-	-	+	-	-	24	-	-	-	+	+		24	-	-	-	-	-	0		
		48	+	+		+	+	48	+	+	+			5									
	0.1	24	-	+	-	-	-	24	-	-	-	-	-		24	-	-	-	-	-	0		
		48	+	+	+	+	+	48	-	+	-	-	-	1									
		24					24								24								
	48						48																
③ L.H. Dam Release 1445	10	24	-	-	+	+	+	24	-	-	-	-	-	4	21	24	-	-	-	-	0	2	
		48	+	+				48	+	-	+	+	+										
	1	24	+	+	-	+	+	24	-	-		-	-		24	-	-		-	-	0		
		48			-			48	-	-		-	-	0									
	0.1	24	-	+	-	+	+	24	-	-	-	-	+		24	-	-	-	-	-	0		
		48	+		+			48	+	-	-	-		2									
		24					24								24								
	48						48																

Called

Date/Time

EDWARD S. BABCOCK & SONS, INC.



E.S. BABCOCK
& SONS, INC.

ESTABLISHED 1906

JUL 24 2000

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

TO: #172

Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
(909) 658-3241

Lab No. 000719-B690

Invoice No. 25369

	Submitted	Sampled
By	<u>ICS</u>	<u>MLB</u>
Employer	<u>ESB</u>	<u>LHM</u>
Date	<u>7/19/00</u>	<u>7/19/00</u>
Time	<u>1430</u>	

Laboratory Analysis Record
Date & time of set-up 7/19 @ 1510 By JN
Time from collection to set-up: 2 hrs
Holding time (max. 6 hrs.) observed: ☒ Yes ☐ No
Date & time of readings:
Pres. Pres. Conf. Conf. Fecal
24hr. 48hr. 24hr. 48hr. 24hr.
14000 11000 13300 1600 16405

Samples received on ice ☒ Yes ☐ No
Chain of Custody on file ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221										Tubes +	MPN/100ml	Fecal	Tubes +	MPN/100								
		ml Planted	Presumptive			Confirmed																		
① 1030 Dam Release		10	24	+	+	+	+	+	24	+	-	-	+	+	5	130	24	-	-	-	-	-	0	<2
			48							48	+	+												
		1	24	+	+	+	+	-	24	-	-	-	-	+	4		24	-	-	-	-	-	0	
			48					+		48	-	+	+	+										
		0.1	24	+	+	-	-	-	24	-	-	-	-	-	0		24	-	-	-	-	-	0	
			48			+	+	+		48	-	-	-	-			-							
			24						24								24							
			48							48														
② 1115 So. Fork		10	24	+	+	+	+	+	24	+	+	+	+	+	5	170	24	+	-	-	+	-	2	4
			48							48														
		1	24	-	+	+	-	-	24	+	-	+	+	-	4		24	-	-	-	-	-	0	
			48	+			+	-		48	+													
		0.1	24	-	-	-	-	-	24	-	-	-	-	-	1		24	-	-	-	-	-	0	
			48	+	+	-	+	-		48	+	-	-											
			24						24								24							
			48							48														
		10	24						24								24							
			48							48														
		1	24						24								24							
			48							48														
		0.1	24						24								24							
			48							48														
			24						24								24							
			48							48														


Called

JUL 24 2000

Date/Time

EDWARD S. BABCOCK & SONS, INC.

cc: SDSHD/RCHD



E.S. BABCOCK
& SONS, INC.

ESTABLISHED 1906

JUL 31 2000

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

TO: #172

Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
(909) 658-3241

Lab No. 000726-31000

Invoice No. 25581

	Submitted	Sampled
By	<u>KS</u>	<u>RWN</u>
Employer	<u>ESB</u>	<u>LHMWD</u>
Date	<u>7/26/00</u>	<u>7/26/00</u>
Time	<u>1345</u>	

Laboratory Analysis Record

Date & time of set-up: 7/26/00 @ 1425 By CK

Time from collection to set-up: 50hr

Holding time (max. 6 hrs.) observed: ☒ Yes ☐ No

Date & time of readings:

Pres.	Pres.	Conf.	Conf.	Fecal
24hr. <u>1235</u>	48hr. <u>1235</u>	24hr. <u>1400CK</u>	48hr. <u>1400CK</u>	24hr. <u>1300CK</u>

Samples received on ice ☒ Yes ☐ No
Chain of Custody on file ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221												Tubes +	MPN/100								
		ml Planted	Presumptive					Confirmed					Tubes +			MPN/100ml	Fecal						
Dam Release 1015	10	24	+	+	+	+	+	24	-	-	-	-	+	3	20	24	-	-	-	-	+	1	2
		48						48	+	+	-	-	-	4									
	1	24	-	-	-	-	-	24	-	-	+	-	-			24	-	-	-	-	-	0	
		48	+	+	+	+	+	48	+	+		+	-	4									
	0.1	24	-	-	-	-	-	24	-	-	-	-	-	0		24	-	-	-	-	-	0	
		48	+	+	+	+	+	48	-	-	-	-	-	0									
		24						24								24							
		48						48															
South Fork Stream 845	10	24	+	+	+	+	+	24	+	+	+	+	+	5	240	24	-	+	-	-	-	1	2
		48						48															
	1	24	+	+	+	+	+	24	-	-	-	-	-	5		24	-	-	-	-	-	0	
		48						48	+	+	+	+	+										
	0.1	24	-	-	-	-	-	24	-	-	-	-	-	0		24	-	-	-	-	-	0	
		48	+	+	+	+	+	48	-	-	-	-	-	0									
		24						24								24							
		48						48															
	10	24						24								24	+						
		48						48															
	1	24						24								24							
		48						48															
	0.1	24						24								24							
		48						48															
		24						24								24							
		48						48															

Called

AUG 01 2000

Date/Time

EDWARD S. BABCOCK & SONS, INC.



E.S. BABCOCK
& SONS, INC.

ESTABLISHED 1906

AUG 07 2000

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

TO: #172

Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
(909) 658-3241

Lab No. 000300-B114

Invoice No. 25775

	Submitted	Sampled
By	KS	MJF
Employer	ESB	LHM
Date	8/2/00	8/2/00
Time	1420	

Laboratory Analysis Record
Date & time of set-up 8/2/00 @ 4500 By ML
Time from collection to set-up: 46hr
Holding time (max. 6 hrs.) observed: ☒ Yes ☐ No
Date & time of readings:
Pres. 24hr. 15000k Pres. 48hr. 14000k Conf. 24hr. 13000k Conf. 48hr. 140570 Fecal 24hr. 151570
15000k 14000k 13000k 140570 13000k

Samples received on ice ☒ Yes ☐ No
Chain of Custody on file ☒ Yes ☐ No


Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221										Focal		Tubes +	MPN/100										
		ml Planted	Presumptive					Confirmed																	
			24	48	24	48	24	48	24	48	24	48	24			48									
① 1116 North Fork		10	24	+	+	+	+	+	24	+	+	+	+	+	5	170	24	+	+	+	+	+	+	5	50
		1	24	+	+	+	+	+	24	+	+	+	+	-	4		24	-	-	+	+	-	2		
		0.1	24	+	-	-	-	-	24	+					1		24	-					0		
			24						24								24								
			48						48																
② 1117 South Fork		10	24	+	+	+	+	+	24	+	+	+	+	+	5	500	24	+	+	+	+	+	+	5	50
		1	24	+	+	+	+	+	24	+	+	+	+	+	5		24	-	+	+	-	-	-	2	
		0.1	24	-	-	-	-	-	24	+	-	+	-	-	2		24	-	-	-	-	-	-	0	
			24						24								24								
			48						48																
③ L.H. Dam Release		10	24	+	+	+	+	+	24	-	-	+	+	+	4	36	24	-	-	-	-	-	-	0	< 2
1040		1	24	+	+	+	+	+	24	-	-	-	-	-	4		24	-	-	-	-	-	-	0	
		0.1	24	+	+	+	+	+	24	-	+	-	-	-	1		24	-	-	-	-	-	-	0	
			24						24								24								
			48						48																

Called

Date/Time

AUG 07 2000

EDWARD S. BABCOCK & SONS, INC.



E.S. BABCOCK
& SONS, INC.

ESTABLISHED 1906

TO: #172

Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
(909) 658-3241

AUG 14 2000

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

Lab No. 000809-B381

Invoice No. 25974

	Submitted	Sampled
By	KS	MLB
Employer	ESB	LHMD
Date	8/9/00	8/9/00
Time	1410	

Samples received on ice ☒ Yes ☐ No
Chain of Custody on file ☒ Yes ☐ No

Laboratory Analysis Record

Date & time of set-up 8/9 @ 1500 By RG

Time from collection to set-up: 10 min

Holding time (max. 6 hrs.) observed: ☒ Yes ☐ No

Date & time of readings:

Pres.	Pres.	Conf.	Conf.	Fecal
24hr.	48hr.	24hr.	48hr.	24hr.
140000	130000	140000	133500	140000

Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221										Tubes +	MPN/100ml	Fecal	Tubes +	MPN/10							
		ml Planted	Presumptive					Confirmed															
① 0920 Dam Release	10	24	+	+	+	+	+	24	-	+	-	-	-	5	50	24	-	-	-	-	-	0	< 2
		48						48	+	+	+	+											
	1	24	-	-	-	-	-	24	-	-	-	-	-	2		24	-	-	-	-	-	0	
		48	+	+	+	+	+	48	+	-	-	-	+										
	0.1	24	-	-	-	-	-	24	-	-	-	-	-	0		24		-	-	-	-	0	
		48	-	+	-	+	-	48	-	-	-	-	-										
② 1035 So Fork	10	24	+	+	+	+	+	24	+	+	+	+	+	5	220	24	+	-	-	-	-	1	2
		48						48															
	1	24	-	+	+	-	+	24	+	+	+	-	+	4		24	-	-	-	-	-	0	
		48	+			+		48				-											
	0.1	24	-	+	-	-	+	24	-	-	-	-	-	2		24	-	-	-	-	-	0	
		48	+		+	+		48	-	+	+	-	-										
		24						24								24							
		48						48															
		24						24								24							
		48						48															
		24						24								24							
		48						48															
	24						24								24								
	48						48																
	24						24								24								
	48						48																

Called

Date/Time

EDWARD S. BABCOCK & SONS, INC.

cc: SDSHD/RCHD



E.S. BABCOCK
& SONS, INC.

ESTABLISHED 1906

TO: #172

Lake Hemet Municipal Water District

P.O. Box 5039

Hemet, CA 92544

Attn: John Loncar

(909) 658-3241

AUG 21 2000

6100 Quail Valley Court Riverside, CA 92507

P.O. Box 432 Riverside, CA 92502

PH (909) 653-3351 FAX (909) 653-1662

Environmental Laboratory Certification #1156

Lab No. 000816-B627

Invoice No. 20164

Submitted

Sampled

By

KS

RWN

Employer

ESB

LHM

Date

8/16/00

8/16/00

Time

1350

Laboratory Analysis Record

Date & time of set-up 8-16-00 @ 1415 By ML

Time from collection to set-up: < 6 hrs.

Holding time (max. 6 hrs.) observed: ☒ Yes ☐ No

Date & time of readings:

Pres.	Pres.	Conf.	Conf.	Fecal
24hr. <u>64</u>	48hr. <u>1330CIC</u>	24hr. <u>1530</u>	48hr. <u>1540</u>	24hr. <u>1550</u>
<u>1215</u>	<u>1330CIC</u>	<u>1300CIC</u>	<u>1515</u>	<u>1330CIC</u>

Samples received on ice ☒ Yes ☐ No

Chain of Custody on file ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221										Fecal		Tubes +	MPN/100ml								
		ml Planted	Presumptive					Confirmed															
① Dam Release 1000	10	24	+	+	+	+	+	24	+	+	+	+	+	5	130	24	-	-	-	-	-	0	<2
		48						48															
	1	24	+	+	+	+	+	24	-	-	-	-	-	4		24	-	-	-	-	-	0	
		48						48	+	+	+	-	+										
	0.1	24	-	+	+	+	+	24	-	-	-	-	-	0		24		-	-	-	-	0	
		48	-					48	-	-	-	-	-										
		24						24								24							
		48						48															
⑤ South Fork Stream 1050	10	24	+	+	+	+	+	24	+	+	+	+	+	5	300	24	-	+	+	+	+	4	13
		48						48															
	1	24	+	+	+	+	+	24	-	-	+	-	-	5		24	-	-	-	-	-	0	
		48						48	+	+		+	+										
	0.1	24	+	-	+	+	+	24	-	-	-	-	-	1		24	-	-	-	-	-	0	
		48	+					48	-	+	-	-	-										
		24						24								24							
		48						48															
	10	24						24								24							
		48						48															
	1	24						24								24							
		48						48															
	0.1	24						24								24							
		48						48															
		24						24								24							
		48						48															

Called

Date/Time

EDWARD S. BABCOCK & SONS, INC.



ESTABLISHED 1906

TO: #172

Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
(909)658-3241

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909)-653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

Lab No. 000B23-B951

Invoice No. 26404

	Submitted	Sampled
By	KS	MJF
Employer	ESB	LHM
Date	8/23/00	8/23/00
Time	1415	

Samples received on ice ☒ Yes ☐ No
Chain of Custody on file ☒ Yes ☐ No

Laboratory Analysis Record

Date & time of set-up 8/23/00 @ 1450 By RV

Time from collection to set-up: ≤ 6 hr

Holding time (max. 6 hrs.) observed: ☒ Yes ☐ No

Date & time of readings:


Pres.	Pres.	Conf.	Conf.	Fecal
24hr.	48hr.	24hr. 1445	48hr. 1515	24hr. 1500
16000x	13300x	14000x	1415	14300x

Called

Date/Time

AUG 20 2007

EDWARD S. BABCOCK & SONS, INC.



E.S. BABCOCK
& SONS, INC.

ESTABLISHED 1906

TO: #172

Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
(909) 658-3241

SEP 05 2000

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

Lab No. 000830-B1195

Invoice No. 26584

	Submitted	Sampled
By	KS	MLB
Employer	ESB	LHMUD
Date	8/30/00	8/30/00
Time	1340	

Samples received on ice ☒ Yes ☐ No
Chain of Custody on file ☒ Yes ☐ No

Laboratory Analysis Record

Date & time of set-up 8/30 @ 1430 By JL
Time from collection to set-up: 1.5 hrs.
Holding time (max. 6 hrs.) observed: ☒ Yes ☐ No
Date & time of readings:

Pres.	Pres.	Conf.	Conf.	Fecal
24hr <u>1245</u>	48hr. <u>1330</u>	24hr. <u>1340</u>	48hr. <u>1355</u>	24hr. <u>1420</u>

Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221														Tubes +	MPN/100ml	Focal	Tubes +	MPN/100					
		ml Planted	Presumptive					Confirmed																	
① So. Fork 0900		10	24	+	+	+	+	+	24	+	-	-	+	+	5	900		24	-	-	-	+	-	1	2
			48						48		+	+													
		1	24	-	+	-	-	+	24	-	+	+	-	+	5			24	-	-	-	-	-	0	
			48	+		+	+		48	+			+												
		0.1	24	+	-	+	-	+	24	-	-	-	-	+	3			24	-	-	-	-	-	0	
			48		+		+		48	-	+	+	-												
			24						24									24							
			48						48																
② Dam Release 0820		10	24	+	+	+	+	+	24	+	+	+	+	+	5	500		24	+	+	+	+	+	5	50
			48						48																
		1	24	+	+	+	+	+	24	-	+	-	+	-	5			24	-	+	-	+	-	2	
			48						48	+	+		+												
		0.1	24	+	-	+	+	+	24	-	-	+	-	-	2			24	-	-	-	-	-	0	
			48		+				48	-	-		+	-											
			24						24									24							
			48						48																
		10	24						24									24							
			48						48																
		1	24						24									24							
			48						48																
		0.1	24						24									24							
			48						48																
			24						24									24							
			48						48																

Called

Date/Time

EDWARD S. BABCOCK & SONS, INC.

cc: SDSHD/RCHD



TO: #172

Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
(909) 658-3241

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909)-653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

SEP 11 2000

Lab No. 000906-B165

Invoice No. 26755

	Submitted	Sampled
By	KS	RWN
Employer	ESB	LHM
Date	9/6/00	9/6/00
Time	1400	

Samples received on ice ☒ Yes ☐ No
Chain of Custody on file ☒ Yes ☐ No

Laboratory Analysis Record

Date & time of set-up 9/16 @ 1510 By rv

Time from collection to set-up: 46 hrs

Holding time (max. 6 hrs.) observed: ☒ Yes ☐ No

Date & time of readings:

Pres.	Pres.	Conf.	Conf.	Fecal
24hr.	48hr.	24hr.	48hr.	24hr.
153001L	140001L	133001L	140001L	133001L

Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221																				
		ml Planted	Presumptive					Confirmed		Tubes +	MPN/100ml	Fecal	Tubes +	MPN/100								
① 1015 Dam Release		10	24	+	+	+	+	+	24	-	+	-	-	-	24	-	-	-	-	-	D	<2
			48						48	-	+	+	-	3	14							
		1	24	+	+	+	+	+	24	-	-	-	-	-	24	-	-	-	-	-	O	
			48						48	+	-	+	-	-	2							
		0.1	24	-	-	-	-	-	24	-		-	-		24	-		-	-		O	
			48	+	-	+	+	-	48	-		-	-	D								
			24						24						24							
			48						48													
② South Fork Stream 1113		10	24	+	+	+	+	+	24	+	+	+	+	+	24	-	-	-	-	-	O	<2
			48						48					5	50							
		1	24	+	+	+	+	+	24	-	-	-	-	+	24	-	-	-	-	-	O	
			48						48	+	-	-	-	2								
		0.1	24	-	-	-	-	-	24						24						O	
			48	-	-	-	-	-	48					D								
			24						24						24							
			48						48													
		10	24						24						24							
			48						48													
		1	24						24						24							
			48						48													
		0.1	24						24						24							
			48						48													
			24						24						24							
			48						48													

Called

SEP 10 1960

Date/Time

EDWARD S. BABCOCK & SONS, INC.



ESTABLISHED 1906

TO: #172

Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
(909)658-3241

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909)-653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

Lab No. 000913-B439

Invoice No. 26971

Submitted	Sampled
1	1
2	2
3	3
4	4
5	5
6	6
7	7
8	8
9	9
10	10
11	11
12	12
13	13
14	14
15	15
16	16
17	17
18	18
19	19
20	20
21	21
22	22
23	23
24	24
25	25
26	26
27	27
28	28
29	29
30	30
31	31
32	32
33	33
34	34
35	35
36	36
37	37
38	38
39	39
40	40
41	41
42	42
43	43
44	44
45	45
46	46
47	47
48	48
49	49
50	50
51	51
52	52
53	53
54	54
55	55
56	56
57	57
58	58
59	59
60	60
61	61
62	62
63	63
64	64
65	65
66	66
67	67
68	68
69	69
70	70
71	71
72	72
73	73
74	74
75	75
76	76
77	77
78	78
79	79
80	80
81	81
82	82
83	83
84	84
85	85
86	86
87	87
88	88
89	89
90	90
91	91
92	92
93	93
94	94
95	95
96	96
97	97
98	98
99	99
100	100

By KS mJF

Employer ESB LHM

Date 9/13/00 9/13/00

Time 1400

Laboratory Analysis Record

Date & time of set-up 9/13 @ 1425 By RV

Time from collection to set-up: ≤ 6 hrs

Holding time (max. 6 hrs.): observed: ☒ Yes ☐ No

Date & time of readings:


Pres.	Pres.	Conf.	Conf.	Fecal
24hr. <u>14000</u>	48hr. <u>14300</u>	24hr. <u>1430</u>	48hr. <u>1450</u>	24hr. <u>1440</u>
		<u>13300</u>	<u>1450</u>	<u>13000</u>

Samples received on ice ☒ Yes ☐ No
Chain of Custody on file ☒ Yes ☐ No

Called SEP 4 1989

Date/Time

EDWARD S. BABCOCK & SONS, INC



E.S. BABCOCK
& SONS, INC.

ESTABLISHED 1906

TO: #172

Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
(909) 658-3241

SEP 25 2000

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

Lab No. 000920-B703

Invoice No. 27172

	Submitted	Sampled
By	KS	MLB
Employer	ESB	LHM
Date	9/20/00	9/20/00
Time	1405	

Samples received on ice ☒ Yes ☐ No
Chain of Custody on file ☒ Yes ☐ No

Laboratory Analysis Record
Date & time of set-up 9/20 @ 1440 By JV
Time from collection to set-up: ≤ 6 hrs.
Holding time (max. 6 hrs.) observed: ☒ Yes ☐ No
Date & time of readings:
Pres. 24hr. 1224 Pres. 48hr. 9/155 Conf. 24hr. 1300L Conf. 48hr. 1240 Fecal 24hr. 13000L

Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221										Fecal		Tubes +	MPN/100ml					
		ml Planted	Presumptive					Confirmed												
① SO. Fork 1045 C12=0	10	24	+	+	+	+	+	24	+	+	+	+	+	24	+	+	-	-	2	4
		48						48												
	1	24	+	+	+	+	+	24	-	-	+	-	-	24	-	-	-	-	0	
		48						48	-	+		+	+							
	0.1	24	-	+	+	+	+	24	-	-	-	-	-	24	-	-	-	-	0	
		48	+				+	48	-	-	-	-	-							
② Dam Release 0935 C12=0	10	24					24						24							
		48						48												
	1	24	+	+	+	+	+	24	+	+	+	+	+	24	-	-	+	+	1	2
		48						48												
	0.1	24	+	+	-	+	-	24	-	-	-	-	-	24	-	-	-	-	0	
		48			+	+		48	-	+	+	-	+							
	10	24	-	+	+	+	+	24	-	-	-	-	-	24	-	-	-	-	0	
		48	+					48	+	-	-	-	-							
	1	24						24						24						
		48						48												
	0.1	24						24						24						
		48						48												

Called

Date/Time

SEP 26 2000

cc: SDSHD/RCHD

EDWARD S. BABCOCK & SONS, INC.



ESTABLISHED 1906

TO: #172

Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
(909)658-3241

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909)-653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

Lab No. 000927-13986

Invoice No. 27387

	Submitted	Sampled
By	KS	RWN

Employer	ESB	LHM
----------	-----	-----

Date 9/27/00 9/27/00

Time	1420
------	------

Laboratory Analysis Record

Date & time of set-up 9-27-00 @ 1445 By ML

Time from collection to set-up: 26 hrs.

Holding time (max. 6 hrs.) observed: ☒ Yes ☐ No

Date & time of readings:

Date & time of Readings:		Conf.	Conf.	Fecal
Pres.	Pres.	24hr.	48hr.	24hr.
24hr. 101	48hr. 115	1400	1300	1475
1045	1150	1450	1400	1430

Samples received on ice ☒ Yes ☐ No
Chain of Custody on file ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221												Tubes +	MPN/100ml	Fecal	Tubes +	MPN/100ml						
		ml Planted	Presumptive					Confirmed					Tubes +						MPN/100ml					
① South Fork Stream 1105		10	24	+	+	+	+	+	24	+	+	+	+	+	5	130	24	+	-	-	-	-	0	2
			48						48															
		1	24	+	-	+	+	+	24	-	-	-	-	-	4		24	-	-	-	-	-	0	
			48	+					48	+	-	+	+	+										
		0.1	24	+	-	+	-	+	24	-	-	-	-	-	0		24	-	-	-	-	-	0	
			48	+		-			48	-	-	-	-	-										
			24						24								24							
			48						48															
② Dam Release 1015		10	24	+	+	+	+	+	24	-	+	-	+	-	5	140	24	-	-	-	-	-	0	<2
			48						48	+	+	+	+	+										
		1	24	-	-	+	-	-	24	-	-	-	-	-	3		24	-	-	-	-	-	0	
			48	+	+		+	+	48	-	+	+	-	+										
		0.1	24	-	-	-	-	+	24	-	-	-	-	-	2		24	-	-	-	-	-	0	
			48	+	+	+	+		48	-	-	+	-	+										
			24						24								24							
			48						48															
		10	24						24								24							
			48						48															
		1	24						24								24							
			48						48															
		0.1	24						24								24							
			48						48															
			24						24								24							
			48						48															


Called

OCT 01 2000

Date/Time

EDWARD S. BABCOCK & SONS, INC.

cc. SDSHD/ROHD



E.S. BABCOCK
& SONS, INC.

ESTABLISHED 1906

OCT 09 2000

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

TO: #172

Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
(909) 658-3241

Lab No. 001004-B142

Invoice No. 27584

	Submitted	Sampled
By	<u>KS</u>	<u>mJF</u>
Employer	<u>ESB</u>	<u>LHM</u>
Date	<u>10/4/00</u>	<u>10/4/00</u>
Time	<u>1430</u>	

Laboratory Analysis Record
Date & time of set-up 10/4 @ 1510 By RV
Time from collection to set-up: #1 ≤ 6 hrs. #2 > 6 hrs.
Holding time (max. 6 hrs.) observed: ☐ Yes ☐ No
Date & time of readings:

Pres.	Pres.	Conf.	Conf.	Fecal
24hr.	48hr.	24hr.	48hr.	24hr.
<u>1700CK</u>	<u>1700CK</u>	<u>1440</u>	<u>1335</u>	<u>1445</u>
		<u>1500CK</u>	<u>1430</u>	<u>1515</u>

Samples received on ice ☒ Yes ☐ No
Chain of Custody on file ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221										Fecal	Tubes +	MPN/100						
		ml Planted	Presumptive					Confirmed							Tubes +	MPN/100ml				
① South Fork 1037	10	24	+	+	+	+	+	24	+	+	+	+	+	24	-	-	-	-	-	0 < 2
		48						48												
	1	24	+	+	+	+	-	24	-	-	-	-	-	24	-	-	-	-	-	0
		48					+	48	+	+	-	+	-							
	0.1	24	-	-	+	+	-	24	+	-	-	-	24	-	-	-	-	-	0	
		48	-	+			+	48		+	-	-								
		24						24						24						
		48						48												
② L.H. Dam Release 0901	10	24	+	+	+	+	+	24	+	+	+	+	+	24	-	-	-	+	+	2 4
		48						48												
	1	24	+	+	+	+	-	24	-	-	-	+	+	24	-	-	-	-	-	0
		48					+	48	+	+	+									
	0.1	24	-	+	-	-	+	24	-	-	-	-	24	-	-	-	-	-	0	
		48	+		+	+		48	-	+	-	-	-							
		24						24						24						
		48						48												
	10	24						24						24						
		48						48												
	1	24						24						24						
		48						48												
	0.1	24						24						24						
		48						48												
		24						24						24						
		48						48												

Called


Date/Time

OCT 11 2000

Edward S. Babcock

EDWARD S. BABCOCK & SONS, INC.

cc: SDSHD/RCHD



E.S. BABCOCK
& SONS, INC.

ESTABLISHED 1906

TO: #172

Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
(909) 658-3241

OCT 16 2000

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

Lab No. 001011-13385

Invoice No. 27771

Submitted | Sampled
By KS | MLB

Employer ESB | LHM

Date 10/11/00 | 10/11/00

Time 1420

Laboratory Analysis Record
Date & time of set-up 10/11 @ 1445 By JS
Time from collection to set-up: ≤ 6 hrs
Holding time (max. 6 hrs.) observed: ☒ Yes ☐ No
Date & time of readings:
Pres. 24hr. 1250 Pres. 48hr. 120 Conf. 24hr. 13300K Conf. 48hr. 14090 Fecal 24hr. 1445 13450K

Samples received on ice ☒ Yes ☐ No
Chain of Custody on file ☒ Yes ☐ No


Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221																Fecal		Tubes +	MPN/100ml				
		ml Planted	Presumptive					Confirmed					Tubes +	MPN/100ml											
① Dam Release 0920		10	24	+	+	+	+	+	24	-	+	+	-	-	5	140	24	-	-	+	-	-	-	1	2
			48						48	+			+	+											
		1	24	+	+	+	+	+	24	-	-	-	-	-	3		24	-	-	-	-	-	-	0	
			48						48	+	+	+	-	-											
		0.1	24	+	+	+	+	+	24	-	-	-	-	-	2		24	-	-	-	-	-	-	0	
			48						48	+	-	-	-	-											
			24						24								24								
			48						48																
② So. Fork 1005		10	24	+	+	+	+	+	24	+	+	+	+	+	5	80	24	-	-	-	-	-	-	0	42
			48						48																
		1	24	+	+	+	+	+	24	-	+	-	-	-	3		24	-	-	-	-	-	-	0	
			48						48	-	+	-	+												
		0.1	24	-	-	+	-	+	24	-	-	-	-	-	0		24		-	-	-	-	-	0	
			48	-	+		+		48	-	-	-	-	-											
			24						24								24								
			48						48																
		10	24						24								24								
			48						48																
		1	24						24								24								
			48						48																
		0.1	24						24								24								
			48						48																
			24						24								24								
			48						48																

Called

Date/Time

cc: SDSHD/RCHD

EDWARD S. BABCOCK & SONS, INC.



ESTABLISHED 1906

TO: #172

Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
(909) 658-3241

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

Lab No. 001018-B033

Invoice No. 27968

OCT 23 2000

	Submitted	Sampled
By	<u>KS</u>	<u>RWN</u>
Employer	<u>ESB</u>	<u>LHM</u>
Date	<u>10/18/00</u>	<u>10/18/00</u>
Time	<u>1430</u>	

Laboratory Analysis Record

Date & time of set-up 10/18 @ 1500 By Or

Time from collection to set-up: 6 hrs

Holding time (max. 6 hrs.) observed: ☒ Yes ☐ No

Date & time of readings:

Pres.	Pres.	Conf.	Conf.	Fecal
24hr. <u>17000</u>	48hr. <u>12250A</u>	24hr. <u>13000</u>	48hr. <u>14450</u>	24hr. <u>13200</u>

Samples received on ice ☒ Yes ☐ No
Chain of Custody on file ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221												Tubes +	MPN/100ml	Fecal	Tubes +	MPN			
		ml Planted	Presumptive					Confirmed													
① South fork Stream 0840	10	24	+	+	+	+	+	24	-	-	-	-	-	24	-	-	-	-	-	0	2
		48						48	+	+	+	+	+	5	500						
	1	24	+	+	+	+	+	24	-	-	-	-	-	24	-	-	-	-	-	0	
		48						48	+	+	+	+	+	5							
	0.1	24	-	+	+	-	-	24	-	-	-	-	-	24	-	-	-	-	-	0	
		48	+			+	+	48	-	-	+	-	+	2							
		24						24						24							
		48						48													
② Dam Release 0950	10	24	+	+	+	+	+	24	+	+	+	+	+	24	-	-	+	-	-	1	2
		48						48						5	110						
	1	24	+	+	+	+	+	24	-	-	-	-	+	24	-	-	-	-	-	0	
		48						48	+	+	-	-		3							
	0.1	24	+	+	+	+	+	24	-	-	-	-	-	24	-	-	-	-	-	0	
		48						48	+	-	-	-	-	1							
		24						24						24							
		48						48													
	10	24						24						24							
		48						48													
	1	24						24						24							
		48						48													
	0.1	24						24						24							
		48						48													
		24						24						24							
		48						48													


Called

Date/Time

OCT 23 2000

EDWARD S. BABCOCK & SONS, INC.

cc: SDSHD/RCHD



E.S. BABCOCK
& SONS, INC.

ESTABLISHED 1906

TO: #172

Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
(909) 658-3241

OCT 30 2000

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

Lab No. DD1025-B899

Invoice No. 08177

	Submitted	Sampled
By	<u>KS</u>	<u>MJT</u>
Employer	<u>ESB</u>	<u>LHM</u>
Date	<u>10/25/00</u>	<u>10/25/00</u>
Time	<u>1440</u>	

Laboratory Analysis Record

Date & time of set-up 10/25 @ 1520 By JS

Time from collection to set-up: 10 min

Holding time (max. 6 hrs.) observed: ☒ Yes ☐ No

Date & time of readings:

Pres.	Pres.	Conf.	Conf.	Fecal
24hr.	48hr.	24hr.	48hr.	24hr.
<u>15000</u>	<u>13100</u>	<u>1355</u>	<u>1400</u>	<u>1415</u>
<u>15000</u>	<u>13100</u>	<u>13500</u>	<u>1345</u>	<u>13300</u>

Samples received on ice ☒ Yes ☐ No
Chain of Custody on file ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221														Fecal		Tubes +	MPN/100ml				
		ml Planted	Presumptive					Confirmed					Tubes +	MPN/100ml									
① 1051 North Fork C12-30		10	24	+	+	+	+	+	24	+	+	+	+	+	24	-	-	-	-	-	0	<2	
			48						48						5	350							
		1	24	-	-	+	+	-	24	+	+	+	+	-	24	-	-	-	-	-	0		
			48	+	+			+	48					-	4								
		0.1	24	-	-	-	-	-	24	+	-	-	+	-	24	-	-	-	-	-	0		
			48	+	+	+	+	+	48		+	+		-	4								
			24						24														
			48						48														
② 1032 South Fork C12-30		10	24	+	+	+	+	+	24	+	+	+	+	+	24	+	-	-	-	-	1	2	
			48						48						5	140							
		1	24	-	-	+	-	+	24	-	-	-	+	-	24	-	-	-	-	-	0		
			48	+	+			+	48	+	+	-		-	3								
		0.1	24	+	-	-	-	+	24	-	+	-	-	-	24	-	-	-	-	-	0		
			48		+	+	+		48	-	-	-	+	-	2								
			24						24														
			48						48														
		10	24						24						24								
			48						48														
			24						24														
			48						48														
		1	24						24						24								
			48						48														
			24						24														
			48						48														
		0.1	24						24						24								
			48						48														
			24						24														
			48						48														


Called

Date/Time

OCT 30 2000

EDWARD S. BABCOCK & SONS, INC.

cc: SDSHD/RCHD



E.S. BABCOCK
& SONS, INC.

ESTABLISHED 1906

NOV 06 2000

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

TO: #172

Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
(909) 658-3241

Lab No. 001101-B5

Invoice No. 28348

	Submitted	Sampled
By	KS	MLB
Employer	ESB	LHM
Date	11/1/00	11/1/00
Time	1440	

Laboratory Analysis Record
Date & time of set-up 11/1 @ 1500 By JL
Time from collection to set-up: 26 hrs
Holding time (max. 6 hrs.) observed: ☒ Yes ☐ No
Date & time of readings:

Pres.	Pres.	Conf.	Conf.	Fecal
24hr.	48hr.	24hr.	48hr.	24hr.
1440	260	1450	1400	1450

Samples received on ice ☒ Yes ☐ No
Chain of Custody on file ☒ Yes ☐ No


Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221												Focal		Tubes +	MPN/100ml						
		ml Planted	Presumptive					Confirmed					Tubes +					MPN/100ml					
① No. Fork	10	24	+	+	+	+	+	24	-	+	-	+	-	5	900	24	-	-	-	+	-	1	2
		48						48	+		+		+										
	1	24	+	+	-	+	+	24	-	+	+	-	-	5		24	-	-	-	-	-	0	
		48			+			48	+			+	+										
	0.1	24	-	-	-	-	-	24	-	-	-	-	-	3		24	-	-	-	-	-	0	
		48	+	+	+	+	+	48	+	+	+	-	-										
		24						24								24							
		48						48															
③ So. Fork	10	24	+	+	+	+	+	24	+	+	+	+	+	5	60	24	+	+	+	+	+	5	23
		48						48															
	1	24	+	+	+	+	+	24	-	-	-	-	-	1		24	-	-	-	-	-	0	
		48						48	-	-	-	-	+										
	0.1	24	+	+	-	+	-	24	-	-	-	+	+	3		24	-	-	-	-	-	0	
		48			+		+	48	+	-	-												
		24						24								24							
		48						48															
	10	24						24								24							
		48						48															
	1	24						24								24							
		48						48															
	0.1	24						24								24							
		48						48															
		24						24								24							
		48						48															

Called

NOV 06 2000

Date/Time

EDWARD S. BABCOCK & SONS, INC.



E.S. BABCOCK
& SONS, INC.

ESTABLISHED 1906

NOV 13 2000

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

TO: #172

Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
(909) 658-3241

Lab No. 0001108-B251

Invoice No. 28340

Submitted | Sampled
By ICS | RWN

Employer ESB | LHM


Date 11/8/00 | 11/8/00

Time | 1000

Samples received on ice ☒ Yes ☐ No
Chain of Custody on file ☒ Yes ☐ No

Laboratory Analysis Record
Date & time of set-up 11/8 @ 1500 By W
Time from collection to set-up: 2 hrs
Holding time (max. 6 hrs.) observed: ☒ Yes ☐ No
Date & time of readings:
Pres. 24hr. 132000 Pres. 48hr. 125 Conf. 24hr. 1335 Conf. 48hr. 1330 Fecal 24hr. 133000

Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221										Fecal		Tubes +	MPN/100ml									
		ml Planted	Presumptive				Confirmed				Tubes +	MPN/100ml												
North Fork Stream		10	24	+	+	+	+	+	24	+	+	+	+	+	5	170	24	+	-	-	-	+	2	4
			48							48														
		1	24	+	+	+	+	-	24	-	-	+	+	-	4		24	-	-	-	-	-	0	
			48					+	48	+	+			-										
		0.1	24	-	-	+	-	+	24	-		-	-	-	1		24	-		+	-	+	0	
			48	+	-		+		48	-		+	-	-										
			24						24								24							
			48						48															
		10	24						24								24							
			48						48															
		1	24						24								24							
			48						48															
		0.1	24						24								24							
			48						48															
			24						24								24							
			48						48															
		10	24						24								24							
			48						48															
		1	24						24								24							
			48						48															
		0.1	24						24								24							
			48						48															
		10	24						24								24							
			48						48															
		1	24						24								24							
			48						48															
		0.1	24						24								24							
			48						48															
		10	24						24								24							
			48						48															
		1	24						24								24							
			48						48															
		0.1	24						24								24							
			48						48															
		10	24						24								24							
			48						48															
		1	24						24								24							
			48						48															
		0.1	24						24								24							
			48						48															
		10	24						24								24							
			48						48															
		1	24						24								24							
			48						48															
		0.1	24						24								24							
			48						48															
		10	24						24								24							
			48						48															
		1	24						24								24							
			48						48															
		0.1	24						24								24							
			48						48															
		10	24						24								24							
			48						48															
		1	24						24								24							
			48						48															
		0.1	24						24								24							
			48						48															
		10	24						24								24							
			48						48															
		1	24						24								24							
			48						48															
		0.1	24						24								24							
			48						48															
		10	24						24								24							
			48						48															
		1	24						24								24							
			48						48															
		0.1	24						24								24							
			48						48															
		10	24						24								24							
			48						48															
		1	24						24								24							
			48						48															
		0.1	24						24								24							
			48						48															
		10	24						24								24							
			48						48															
		1	24						24								24							
			48						48															
		0.1	24						24								24							
			48						48															
		10	24						24								24							
			48						48															
		1	24						24								24							
			48						48															
		0.1	24						24								24							
			48						48															
		10	24						24								24							
			48						48															
		1	24						24								24							
			48						48															
		0.1	24						24								24							
			48						48															
		10	24						24								24							
			48						48															
		1	24						24								24							
			48						48															
		0.1	24						24								24							
			48						48															
		10	24						24								24							
			48						48															
		1	24						24								24							
			48						48															
		0.1	24						24								24							
			48						48															
		10	24						24								24							
			48						48															
		1	24						24								24							
			48																					



E.S. BABCOCK
& SONS, INC.

ESTABLISHED 1906

NOV 20 2000

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

TO: #172

Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
(909) 658-3241

Lab No. 001114-B 408

Invoice No. 28643

Submitted

Sampled

By RN

MF

Employer LHMWD

LHMWD

Date 11-14-00

11-14-00

Time 1145

Samples received on ice

☒ Yes

☐ No

Chain of Custody on file

☒ Yes

☐ No

Laboratory Analysis Record

Date & time of set-up 11/14 @ 1250 By RS

Time from collection to set-up: 6 hr

Holding time (max. 6 hrs.) observed: ☒ Yes ☐ No

Date & time of readings:

Pres.	Pres.	Conf.	Conf.	Fecal
24hr.	48hr.	24hr.	48hr.	24hr.
<u>1100</u>	<u>1010 ML</u>	<u>1200 ML</u>	<u>1145 ML</u>	<u>1145 ML</u>

Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221										Fecal	Tubes +	MPN/100ml
		ml Planted	Presumptive				Confirmed				Tubes +	MPN/100ml		
D South Fork @0938	10	24	+	+	+	+	+	+	+	+	5	170	24	0 < 2
		48					+	+	+	+				
	1	24	+	+	+	+	+	+	+	+	4		24	0
		48					+	+	+	+				
	0.1	24	+	+	+	+	+	+	+	+	1		24	0
		48					+	+	+	+				
North Fork @0950	10	24	+	+	+	+	+	+	+	+	5	280	24	1 2
		48					+	+	+	+				
	1	24	+	+	+	+	+	+	+	+	4		24	0
		48					+	+	+	+				
	0.1	24	+	+	+	+	+	+	+	+	3		24	0
		48					+	+	+	+				
	10	24											24	
		48												
	1	24											24	
		48												
	0.1	24											24	
		48												

Called

Date/Time

Allison M. Babcock
EDWARD S. BABCOCK & SONS, INC.



E.S. BABCOCK
& SONS, INC.

ESTABLISHED 1906

NOV 27 2000

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

TO: #172

Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
(909) 658-3241

Lab No. 001122-B747

Invoice No. 28917

	Submitted	Sampled
By	KS	MLB
Employer	ESB	LHM
Date	11/22/00	11/22/00
Time	1420	

Samples received on ice ☒ Yes ☐ No
Chain of Custody on file ☒ Yes ☐ No

Laboratory Analysis Record

Date & time of set-up 11/22 @ 1450 By Dr

Time from collection to set-up: 5 to 10 min

Holding time (max. 6 hrs.) observed: ☒ Yes ☐ No

Date & time of readings:


Pres.	Pres.	Conf.	Conf.	Fecal
24hr.	48hr.	24hr.	48hr.	24hr.
13.00ml	124.0ml	125.0ml	1205.25	1300ml

Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221										Tubes +	MPN/100ml	Fecal	Tubes +	MPN/100ml								
		ml Planted	Presumptive				Confirmed																	
① NO Fork 0920		10	24	-	-	+	-	-	24	-	-	+	-	-	5	70	24	-	-	-	-	-	0	<2
			48	+	+	-	+	+	48	+	+	+	+											
		1	24	-	-	-	-	-	24	-	-	-	-	-	2		24	-	-	-	-	-	0	
			48	+	+	+	+	+	48	-	+	+	-	-										
		0.1	24	-	-	-	-	-	24	-	-	-	-	-	1		24	-	-	-	-	-	0	
			48	-	+	+	+	+	48	-	+	-	-	-										
			24						24								24							
			48						48															
② SO. Fork 0915		10	24	+	+	-	-	-	24	-	+	-	-	-	5	240	24	-	-	-	-	-	0	<2
			48	+	+	+	+	+	48	+	+	+	+											
		1	24	-	-	-	-	-	24	-	+	-	-	-	5		24	-	-	-	-	-	0	
			48	+	+	+	+	+	48	+	+	+	+											
		0.1	24	-	-	-	-	-	24	-	-	-	-	-	0		24	-	-	-	-	-	0	
			48	+	+	+	+	+	48	-	-	-	-	-										
			24						24								24							
			48						48															
		10	24						24								24							
			48						48															
		1	24						24								24							
			48						48															
		0.1	24						24								24							
			48						48															
			24						24								24							
			48						48															

Called

Date/Time

EDWARD S. BABCOCK & SONS, INC.



E.S. BABCOCK
& SONS, INC.

ESTABLISHED 1906

TO: #172

Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
(909) 658-3241

DEC 11 2000

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

Lab No. 001206-B210

Invoice No. 29258

	Submitted	Sampled
By	<u>KS</u>	<u>MJE</u>
Employer	<u>ESB</u>	<u>LHM</u>
Date	<u>12/6/00</u>	<u>12/6/00</u>
Time	<u>1430</u>	<u>0823</u>

Samples received on ice ☒ Yes ☐ No
Chain of Custody on file ☒ Yes ☐ No


Laboratory Analysis Record
Date & time of set-up 12/6 @ 1453 By JS
Time from collection to set-up: ≤ 6 hrs.
Holding time (max. 6 hrs.) observed: ☒ Yes ☐ No
Date & time of readings:
Pres. 24hr. 6+ Pres. 48hr. 4+ Conf. 24hr. 1400 Conf. 48hr. 1350 Fecal 24hr. 1445
1253 1250 1300 1340 1310

Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221														Fecal		Tubes +	MPN/100ml					
		ml Planted	Presumptive					Confirmed					Tubes +	MPN/100ml										
Southfork		10	24	+	+	+	+	+	24	-	+	-	-	-	5	300	24	-	+	-	-	-	1	2
			48						48	+		+	+	+										
Cl2=0		1	24	+	+	-	+	+	24	-	-	+	-	-	5		24	-	-	-	-	-	0	
			48			+			48	+	+		+	+										
		0.1	24	-	+	-	-	-	24	-	-	-	-	-	1		24	-	-	-	+	+	0	
			48	+		+	+	+	48	+	-	-	-	-										
			24						24								24							
			48						48															
		10	24						24								24							
			48						48															
		1	24						24								24							
			48						48															
		0.1	24						24								24							
			48						48															
			24						24								24							
			48						48															
		10	24						24								24							
			48						48															
		1	24						24								24							
			48						48															
		0.1	24						24								24							
			48						48															
			24						24								24							
			48						48															

Called

Date/Time

EDWARD S. BABCOCK & SONS, INC.



E.S. BABCOCK
& SONS, INC.

ESTABLISHED 1906

TO: #172

Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
(909) 658-3241

DEC 18 2000

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

Lab No. 001213-B474

Invoice No. 29461

	Submitted	Sampled
By	<u>KS</u>	<u>MLB</u>
Employer	<u>ESB</u>	<u>LHM</u>
Date	<u>12/13/00</u>	<u>12/13/00</u>
Time	<u>1430</u>	<u>1010</u>

Samples received on ice ☒ Yes ☐ No
Chain of Custody on file ☒ Yes ☐ No

Laboratory Analysis Record

Date & time of set-up 12/12 @ 1530 By JD


Time from collection to set-up: 2 hrs

Holding time (max. 6 hrs.) observed: ☒ Yes ☐ No

Date & time of readings:

Pres.	Pres.	Conf.	Conf.	Fecal
24hr.	48hr.	24hr.	48hr.	24hr.
<u>1435 OK</u>	<u>1250</u>	<u>1515 OK</u>	<u>1250 OK</u>	<u>1515 OK</u>

Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221										Tubes +	MPN/100ml	Focal	Tubes +	MPN/100ml							
		ml Planted	Presumptive				Confirmed																
SO. Fork	10	24	+	+	+	+	+	24	+	+	+	+	+	5	500	24	-	-	-	-	-	0	2
		48						48															
	1	24	+	-	-	+	-	24	+	+	+	+	-	5		24	-	-	-	+	-	1	
		48		+	+		+	48					+										
	0.1	24	-	-	-	-	-	24			+	-	+	2		24			+	+	+	0	
		48	-	-	+	+	+	48				-											
		24						24								24							
		48						48															
	10	24						24								24							
		48						48															
	1	24						24								24							
		48						48															
	0.1	24						24								24							
		48						48															
		24						24								24							
		48						48															
	10	24						24								24							
		48						48															
	1	24						24								24							
		48						48															
	0.1	24						24								24							
		48						48															
	10	24						24								24							
		48						48															
	1	24						24								24							
		48						48															
	0.1	24						24								24							
		48						48															
	10	24						24								24							
		48						48															
	1	24						24								24							
		48						48															
	0.1	24						24								24							
		48						48															
	10	24						24								24							
		48						48															
	1	24						24								24							
		48						48															
	0.1	24						24								24							
		48						48															
	10	24						24								24							
		48						48															
	1	24						24								24							
		48						48															
	0.1	24						24								24							
		48						48															
	10	24						24								24							
		48						48															
	1	24						24								24							
		48						48															
	0.1	24						24								24							
		48						48															
	10	24						24								24							
		48						48															
	1	24						24								24							
		48						48															
	0.1	24						24								24							
		48						48															
	10	24						24								24							
		48						48															
	1	24						24								24							
		48						48															
	0.1	24						24								24							
		48						48															
	10	24						24								24							
		48						48															
	1	24						24								24							
		48						48															
	0.1	24						24								24							
		48						48															
	10	24						24								24							
		48						48															
	1	24						24								24							
		48						48															
	0.1	24						24								24							
		48						48															
	10	24						24								24							
		48						48															
	1	24						24								24							
		48						48															
	0.1	24						24								24							
		48						48															
	10	24						24								24							
		48						48															
	1	24						24								24							
		48						48															
	0.1	24						24								24							
		48						48															
	10	24						24								24							
		48						48															
	1	24						24								24							
		48						48															
	0.1	24						24								24							
		48						48															
	10	24						24								24							
		48						48															
	1	24						24								24							
		48						48															
	0.1	24						24								24							
		48						48															
	10	24						24								24							
		48						48															
	1	24						24								24							
		48						48															
	0.1	24						24								24							
		48						48															
	10	24						24								24							
		48						48															
	1	24						24								24							
		48						48															
	0.1	24						24								24							
		48						48															
	10	24						24								24							
		48						48															
	1	24						24								24							
		48						48															
	0.1	24						24								24							
		48						48															
	10	24						24								24							
		48						48															
	1	24						24								24							
		48						48															
	0.1	24						24								24							
		48						48															
	10	24						24								24							
		48						48															
	1	24						24								24							
		48						48															
	0.1	24						24								24							
		48																					



E.S. BABCOCK
& SONS, INC.

ESTABLISHED 1906

JAN 02 2001

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

TO: #172

Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
(909) 658-3241

Lab No. 001227-B953

Invoice No. 29808

Submitted

Sampled

By

MH

MJF

Employer

ESB

LHM

Date

12/27/00

12/27/00

Time

1500

Laboratory Analysis Record

Date & time of set-up 12/27 @ 1545 By JS

Time from collection to set-up: 2 hrs.

Holding time (max. 6 hrs.) observed: ☐ Yes ☒ No

Date & time of readings:

Pres.	Pres.	Conf.	Conf.	Fecal
24hr.	48hr.	24hr.	48hr.	24hr.
<u>14000</u>	<u>1245</u>	<u>1430</u>	<u>1330</u>	<u>1445</u>
<u>14100</u>		<u>14100</u>	<u>1415</u>	<u>1415</u>

Samples received on ice

☒ Yes ☐ No

Chain of Custody on file

☒ Yes ☐ No


Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221										Fecal	Tubes +	MPN/100ml									
		ml Planted	Presumptive		Confirmed		Tubes +	MPN/100ml															
D) South Fork 0054	10	24	+	+	+	+	+	+	24	-	-	-	-	5	40	24	+	-	-	-	-	1	2
		48								48	+	+	+	+	+								
	1	24	+	+	+	+	+	+	24	-	-	-	-	0		24	-	-	-	-	0		
		48								48	-	-	-	-									
	0.1	24	+	+	+	-	-	-	24	-	-	-	-	2		24	-	-	-	-	0		
		48				+	+			48	-	-	+	+	-								
		24							24							24							
		48								48													
D) North Fork 6014	10	24	+	+	+	+	+	+	24	-	-	-	-	5	130	24	-	-	-	-	0	2	
		48								48	+	+	+	+	+								
	1	24	+	+	+	+	+	+	24	-	-	-	-	4		24	-	-	-	-	0		
		48								48	-	+	+	+	+								
	0.1	24	-	-	-	-	-	-	24	-	-	-	-	0		24	-	+	+	+	+	0	
		48	+	+	+	+	+	+	+	48	-	-	-	-									
		24							24							24							
		48								48													
	10	24							24							24							
		48								48													
		24							24							24							
		48								48													
	1	24							24							24							
		48								48													
		24							24							24							
		48								48													
	0.1	24							24							24							
		48								48													
		24							24							24							
		48								48													

Called

Date/Time

JAN 02 2001

EDWARD S. BABCOCK & SONS, INC.



E.S. BABCOCK
& SONS, INC.

ESTABLISHED 1906

TO: #172

Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
(909) 658-3241

JAN 08 2001

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

Lab No. 010103-B116

Invoice No. 29978

	Submitted	Sampled
By	KS	MLB
Employer	ESB	LHMWD
Date	1/3/01	1/3/01
Time	1440	

Laboratory Analysis Record

Date & time of set-up 1.3.01 @ 1540 By ML

Time from collection to set-up: ≤ 6hrs

Holding time (max. 6 hrs.) observed: ☐ Yes ☐ No

Date & time of readings:

Pres.	Pres.	Conf.	Conf.	Fecal
24hr.	48hr.	24hr.	48hr.	24hr.
<u>1620 CK</u>	<u>1240</u>	<u>1440</u>	<u>1425</u>	<u>1500</u>
		<u>1430</u>	<u>1400</u>	

Samples received on ice ☒ Yes ☐ No


Chain of Custody on file ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221										Fecal		Tubes +	MPN/100ml								
		ml Planted	Presumptive					Confirmed								Tubes +	MPN/100ml						
So. Fork 0955	10	24	+	+	+	+	+	24	-	-	+	+	-	5	130	24	-	-	-	-	-	0	52
		48						48	+	+			+										
	1	24	-	-	+	-	-	24	-	-	-	+	+	4		24	-	-	-	-	-	0	
		48	+	+		+	+	48	+	+	-												
	0.1	24	-	-	-	-	24	-	-	-	-	-	0		24	-	-	-	-	-	0		
		48	+	+	+	+	+	48	-	-	-	-			-								
		24					24									24							
		48					48																
No. Fork 1020	10	24	+	+	+	+	+	24	+	+	+	+	+	5	80	24	-	+	-	-	-	1	2
		48						48															
	1	24	+	+	-	+	-	24	-	-	-	+	-	3		24	-	-	-	-	-	0	
		48			+		+	48	+	-	-		+										
	0.1	24	-	-	-	-	24	-	-	-	-	-	0		24	-	-	-	-	-	0		
		48	+	+	+	+	+	48	-	-	-	-			-								
		24					24									24							
		48					48																
	10	24					24								24								
		48					48																
	1	24					24								24								
		48					48																
	0.1	24					24								24								
		48					48																
		24					24								24								
		48					48																

Called

Date/Time

EDWARD S. BABCOCK & SONS, INC.



ESTABLISHED 1906

JAN 22 2001

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

TO: #172

Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
(909) 658-3241

Lab No. 010117-B592

Invoice No. 30349

Submitted | Sampled
By LS | MJF

Employer ESA | LHM

Date 1/17/01 | 1/17/01

Time 1410

Laboratory Analysis Record
Date & time of set-up 1-17 @ 1445 By JS
Time from collection to set-up: 6 hrs
Holding time (max. 6 hrs.) observed: ☒ Yes ☐ No
Date & time of readings:
Pres. 24hr. 64 Pres. 48hr. 44 Conf. 24hr. 1425 Conf. 48hr. 1310 Fecal 24hr. 1455
1845 1215 1300C 1300C 1300C

Samples received on ice ☒ Yes ☐ No
Chain of Custody on file ☒ Yes ☐ No


Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221										Fecal		Tubes +	MPN/100ml						
		ml Planted	Presumptive					Confirmed													
① Strawberry Cr 0849	10	24	+	+	+	+	+	24	+	+	+	+	+	24	-	+	-	-	-	1	2
		48						48						5	300						
	1	24	-	+	-	-	+	24	+	-	+	-	-	24	-	-	-	-	-	0	
		48	+		+	+		48	+		+	+		5							
	0.1	24	-	-	-	-	-	24	-	-	-	-	-	24	-	-	-	-	-	0	
		48	+	+	+	+	+	48	-	-	-	-	+	1							
② Southfork 0858	10	24	+	-	+	-	+	24	-	+	-	+	-	24	-	-	-	-	-	0	2
		48		+		+		48	+		+	+		5	130						
	1	24	-	-	-	-	-	24	-	+	-	+	+	24	-	-	-	-	-	0	
		48	+	+	+	+	+	48	-		+			4							
	0.1	24	-	-	-	-	-	24	-	-	-	-	-	24	-	-	-	-	-	0	
		48	+	+	+	+	+	48	-	-	-	-	-	0							
③ Northfork 0911	10	24	+	+	+	+	+	24	+	+	+	+	+	24	-	+	-	-	-	1	2
		48						48						5	240						
	1	24	-	-	-	-	+	24	+	+	+	+	-	24	-	-	-	-	-	0	
		48	+	+	+	+		48					+	5							
	0.1	24	-	-	-	-	-	24	-	-	-	-	-	24	-	-	-	-	-	0	
		48	-	+	+	+	-	48	-	-	-	-	-	0							

Called

Date/Time

EDWARD S. BABCOCK & SONS, INC.

cc: SDSHD/RCHD



E.S. BABCOCK
& SONS, INC.

ESTABLISHED 1906

JAN 29 2001

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

TO: #172

Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
(909) 658-3241

Lab No. 010124-1380
Invoice No. 30544

	Submitted	Sampled
By	<u>KS</u>	<u>MLB</u>
Employer	<u>ESB</u>	<u>LHM</u>
Date	<u>1/24/01</u>	<u>1/24/01</u>
Time	<u>1420</u>	

Laboratory Analysis Record

Date & time of set-up 1-24 @ 1440 By KS
Time from collection to set-up: ≤ 6 hrs
Holding time (max. 6 hrs.) observed: ☒ Yes ☐ No
Date & time of readings:

Pres.	Pres.	Conf.	Conf.	Fecal
24hr. <u>1240</u>	48hr. <u>1400</u>	24hr. <u>1315</u>	48hr. <u>1330</u>	24hr. <u>1330</u>

Samples received on ice ☒ Yes ☐ No
Chain of Custody on file ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221												Fecal		Tubes +	MPN/100ml						
		ml Planted	Presumptive					Confirmed					Tubes +					MPN/100ml					
1) 1010 No. Fork	10	24	+	+	+	+	+	24	-	-	-	-	-	5	240	24	-	-	-	-	-	0	2
		48						48	+	+	+	+	+										
	1	24	-	-	+	+	+	24	-	-	-	-	-	5		24	-	-	-	-	-	0	
		48	+	+				48	+	+	+	+	+										
	0.1	24	-	-	-	-	-	24	-	-	-	-	-	0		24	-	-	-	-	-	0	
		48	+	+	+	-	+	48	-	-	-	-	-										
2) 0945 So. Fork	10	24	+	+	+	+	+	24	+	+	+	+	+	5	130	24	-	-	-	-	-	0	<2
		48						48															
	1	24	+	+	+	+	+	24	-	-	+	-	-	4		24	-	-	-	-	-	0	
		48						48	+	-		+	+										
	0.1	24	-	-	-	-	-	24	-	-	-	-	-	0		24	-	-	-	-	+	0	
		48	+	+	+	+	-	48	-	-	-	-	-										
Strawberry Creek 0930	10	24	+	+	+	+	+	24	+	+	+	+	+	5	240	24	-	-	+	-	-	1	2
		48						48															
	1	24	+	+	+	+	+	24	+	+	+	+	+	5		24	-	-	-	-	-	0	
		48						48															
	0.1	24	-	-	-	-	-	24	-	-	-	-	-	0		24	-	-	-	-	-	0	
		48	+	+	+	+	+	48	-	-	-	-	-										
		24	-	-	-	-	24	-	-	-	-	-			24	-	-	-	-	-			
		48	-	-	-	-	-	48	-	-	-	-			-								

Called JAN 29 2001
Date/Time

Edison Mac
EDWARD S. BABCOCK & SONS, INC.



E.S. BABCOCK
& SONS, INC.

ESTABLISHED 1906

TO: #172

Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
(909) 658-3241

FEB 05 2001

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

Lab No. 01031-B1068

Invoice No. 30711

	Submitted	Sampled
By	<u>KS</u>	<u>RWN</u>
Employer	<u>ESB</u>	<u>LHM</u>
Date	<u>1/31/01</u>	<u>1/31/01</u>
Time	<u>1420</u>	

Laboratory Analysis Record
Date & time of set-up 1-31 @ 1445 By JS
Time from collection to set-up: 6 hr
Holding time (max. 6 hrs.) observed: ☒ Yes ☐ No
Date & time of readings:

Pres.	Pres.	Conf.	Conf.	Fecal
24hr. <u>1245</u>	48hr. <u>1150</u>	24hr. <u>1410</u>	48hr. <u>1300</u>	24hr. <u>1450</u>
		<u>443 ML</u>	<u>1405</u>	<u>1425 ML</u>

Samples received on ice ☒ Yes ☐ No
Chain of Custody on file ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221												Tubes +	MPN/100ml	Focal	Tubes +	MPN/100ml					
		ml Planted	Presumptive					Confirmed															
1) Northfork Stream 1045	10	24	+	+	-	-	-	24	+	+	+	+	+	5	130	24	-	-	-	-	-	0	<2
		48			+	+	+	48															
	1	24	-	-	-	-	-	24	+	+	-	-	-	4		24	-	-	-	-	+	0	
		48	+	+	+	+	+	48		+	-	+											
	0.1	24	-	-	-	-	-	24				-	-	0		24	-	-	-	-	-	0	
		48	-	-	-	+	+	48				-	-										
		24						24								24							
		48						48															
2) Strawberry Creek 1000	10	24	+	+	+	+	+	24	+	+	+	+	+	5	240	24	-	-	-	-	-	0	<2
		48						48															
	1	24	-	-	+	+	-	24	+	+	-	+	+	5		24	-	-	-	-	-	0	
		48	+	+			+	48		+													
	0.1	24	-	-	-	-	-	24	-	-	-	-	-	0		24	-	-	-	-	-	0	
		48	+	+	+	+	+	48	-	-	-	-	-										
		24						24								24							
		48						48															
3) Southfork Stream 1015	10	24	+	+	+	+	+	24	+	+	+	+	+	5	1600	24	-	-	-	-	-	0	<2
		48						48															
	1	24	-	+	+	-	-	24	+	-	-	+	+	4		24	-	-	-	-	-	0	
		48	+			+	+	48		-	+												
	0.1	24	-	-	+	-	-	24	+	+	-	+	+	4		24	-	-	-	-	-	0	
		48	+	+		+	+	48		-													
		24						24								24							
		48						48															


Called

Date/Time

FEB 05 2001

EDWARD S. BABCOCK & SONS, INC.

cc: SDSHD/RCHD



E.S. BABCOCK
& SONS, INC.

ESTABLISHED 1906

TO: #172

Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
(909) 658-3241

FEB 12 2001

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

Lab No. 010207-B212

Invoice No. 30887

	Submitted	Sampled
By	KS	MJF
Employer	ESB	LHM
Date	2/7/01	2/7/01
Time	1420	

Laboratory Analysis Record
Date & time of set-up 2/7 @ 1535 By R

Time from collection to set-up: 1.5 hrs

Holding time (max. 6 hrs.) observed: ☒ Yes ☐ No

Date & time of readings:

Pres.	Pres.	Conf.	Conf.	Fecal
24hr.	48hr.	24hr.	48hr.	24hr.
<u>1400</u>	<u>1235</u>	<u>1400</u>	<u>1415</u>	<u>1400</u>

Samples received on ice ☒ Yes ☐ No
Chain of Custody on file ☒ Yes ☐ No


Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221										Tubes +	MPN/100ml	Focal	Tubes +	MPN/100ml				
		ml Planted	Presumptive		Confirmed		Tubes +		MPN/100ml		Focal									
Strawberry Creek 1052	10	24	++	++	++	++	24	+	+	-	-	5	50	24	-	-	-	-	0	<2
		48					48	+	+	+	+									
	1	24	++	++	++	++	24	-	-	-	-	2		24	-	-	-	-	0	
		48					48	-	-	-	++									
	0.1	24	-	-	-	-	24	-	-	-	-	0		24	-	-	-	-	0	
		48	++	++	++	++	48	-	-	-	-									
		24					24							24						
		48					48													
North Fork 1117	10	24	++	+	-	-	24	-	+	-	++	5	80	24	-	-	+	-	1	2
		48		++			48	+	++											
	1	24	-	-	-	-	24	-	+	-	-	3		24	-	-	-	-	0	
		48	++	++	++	++	48	+	+	-	-									
	0.1	24	-	-	-	-	24		-		-	0		24			-	-	0	
		48	-	-	+	-	48		-	-										
		24					24							24						
		48					48													
South Fork 1102	10	24	-	++	++	++	24	-	-	-	-	5	500	24	-	-	-	-	0	<2
		48	+				48	++	++	++	++									
	1	24	++	+	-	-	24	-	-	-	-	5		24	-	-	-	-	0	
		48	++	++	++	++	48	++	++	++	++									
	0.1	24	-	-	-	-	24	-	-	-	-	2		24	-	-	-	-	0	
		48	++	++	++	++	48	-	-	-	++									
		24					24							24						
		48					48													

Called

Date/Time

EDWARD S. BABCOCK & SONS, INC.

cc: SDSHD/RCHD



FEB 20 2001

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

ESTABLISHED 1906

TO: #172

Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
(909) 658-3241

Lab No. 010214-B431

Invoice No. 31055

Submitted | Sampled

By KS | MLB

Employer ESB | LHM

Date 2/14/01 | 2/14/01

Time 1430

Laboratory Analysis Record

Date & time of set-up 2/14 @ 1520 By SR

Time from collection to set-up: ≤ 6 hrs

Holding time (max. 6 hrs.) observed: ☒ Yes ☐ No

Date & time of readings:

Pres. 24hr. 13200 Pres. 48hr. 13200 Conf. 24hr. 1525 Conf. 48hr. 1345 Fecal 24hr. 1550
13200 13200 13200 13200 13200

Samples received on ice ☒ Yes ☐ No
Chain of Custody on file ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221												Tubes +	MPN/100ml	Fecal	Tubes +	MPN/100ml						
		ml Planted	Presumptive					Confirmed																
D No Fork		10	24	+	+	+	+	+	24	+	-	-	+	+	5	240	24	+	-	-	+	+	3	8
			48						48		+	+												
C12=Ø Special 1030		1	24	-	+	-	-	-	24	+	-	-	-	-	5		24	-	-	-	-	-	0	
			48	+		+	+	+	48		+	+	+	+										
		0.1	24	-	-	-	-	-	24	-	-	-	-	-	0		24	-	-	-	-	-	0	
			48	+	+	+	+	+	48	-	-	-	-	-										
			24						24								24							
			48						48															
SO. Fork Special C12=Ø 1010		10	24	+	+	+	+	+	24	+	-	-	+	-	5	170	24	+	-	-	+	-	2	7
			48						48		+	+		+										
		1	24	-	-	+	-	+	24	+	-	-	+	+	4		24	-	-	-	-	+	1	
			48	+	+		+		48		-	+												
		0.1	24	-	-	-	-	-	24	+	-	-	-	-	1		24	-	-	-	-	-	0	
			48	+	+	+	+	+	48		-	-	-	-										
			24						24								24							
			48						48															
Strawberry Creek C12=Ø Special 1000		10	24	+	+	+	+	+	24	-	+	-	+	-	5	240	24	-	-	-	-	-	0	<2
			48						48	+	+	+	+	+										
		1	24	+	+	+	+	+	24	-	-	-	-	-	5		24	-	-	-	-	-	0	
			48						48	+	+	+	+	+										
		0.1	24	-	-	-	-	-	24	-	-	-	-	-	0		24	-	-	-	-	-	0	
			48	+	+	+	+	+	48	-	-	-	-	-										
			24						24								24							
			48						48															

Called

Date/Time

EDWARD S. BABCOCK & SONS, INC.



TO: #172

Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
(909)658-3241

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

Lab No. 010221-13698

Invoice No. 31242

	Submitted	Sampled
By	LES	RWN

Employer ESB LHM

Date: 2/21/01 2/21/01

Time 1450

Samples received on ice ☒ Yes ☐ No
Chain of Custody on file ☒ Yes ☐ No

Laboratory Analysis Record

Date & time of set-up 2/21 @ 1510 By RS

Time from collection to set-up: 6 hrs.

Holding time (max. 6 hrs.) observed: ☒ Yes ☐ No

Date & time of readings:


Pres.	Pres.	Conf.	Conf.	Fecal
24hr.	48hr.	24hr.	48hr.	24hr.
144000	1225	1510 RS 133000	1600 RS 150000	1525 RS 133000

Called

Date/Time

FEB 27 1964

EDWARD S. BABCOCK & SONS, INC.



E.S. BABCOCK
& SONS, INC.

ESTABLISHED 1906

MAR 05 2001

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

TO: #172

Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
(909) 658-3241

Lab No. D10228-B934

Invoice No. 31412

	Submitted	Sampled
By	ASM	MJF
Employer	ESB	LHM
Date	2/28/01	2/28/01
Time	1435	

Samples received on ice ☒ Yes ☐ No
Chain of Custody on file ☒ Yes ☐ No

Laboratory Analysis Record

Date & time of set-up 2/28 @ 1510 By JB

Time from collection to set-up: 5-6 hrs

Holding time (max. 6 hrs.) observed: ☒ Yes ☐ No

Date & time of readings:

Pres.	Pres.	Conf.	Conf.	Fecal
24hr.	48hr.	24hr.	48hr.	24hr.
14000	1215*	14000	14000	13450


Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221									
		ml Planted	Presumptive		Confirmed		Tubes +	MPN/100ml	Fecal		Tubes + MPN/100ml
① Northfork special C12=Ø	1001	10	24	+	+	+	+	+	+	+	5 23
			48								
	1	1	24	+	+	+	+	+	+	+	0
			48	+	+	+	+	+	+	+	
	0.1	0.1	24	+	+	+	+	+	+	+	0
			48	+	+	+	+	+	+	+	
② Southfork special 0946 C12=Ø	10	10	24	+	+	+	+	+	+	+	1 2
			48								
	1	1	24	+	+	+	+	+	+	+	0
			48	+	+	+	+	+	+	+	
	0.1	0.1	24	+	+	+	+	+	+	+	0
			48	+	+	+	+	+	+	+	
③ Strawberry Cr special 0939 C12=Ø	10	10	24	+	+	+	+	+	+	+	5 80
			48								
	1	1	24	+	+	+	+	+	+	+	3
			48								
	0.1	0.1	24	+	+	+	+	+	+	+	0
			48	+	+	+	+	+	+	+	

Called

Date/Time

EDWARD S. BABCOCK & SONS, INC.

cc: SDSHD/RCHD



ESTABLISHED 1906

TO: #172

Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
(909) 658-3241

MAR 12 2001

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

Lab No. 010307-B215

Invoice No. 31593

	Submitted	Sampled
By	<u>KS</u>	<u>MLB</u>
Employer	<u>ESB</u>	<u>LHMWD</u>
Date	<u>3/7/01</u>	<u>3/7/01</u>
Time	<u>1435</u>	

Laboratory Analysis Record

Date & time of set-up 3-7 @ 1510 By KS

Time from collection to set-up: ≤ 1 hr.

Holding time (max. 6 hrs.) observed: ☒ Yes ☐ No

Date & time of readings:

Pres.	Pres. <u>KS</u>	Conf.	Conf.	Fecal
24hr. <u>1315</u>	48hr. <u>1325</u>	24hr. <u>1320</u>	48hr. <u>1420</u>	24hr. <u>1450</u>

Samples received on ice ☒ Yes ☐ No
Chain of Custody on file ☒ Yes ☐ No


Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221										Tubes +	MPN/100ml	Fecal	Tubes +	MPN/							
		ml Planted	Presumptive					Confirmed															
① Strawberry Creek 1000 Special Cl2=Ø	10	24	+	+	+	+	+	24	-	+	-	-	+	5	70	24	-	+	-	-	+	2	4
		48						48	+		+	+											
	1	24	+	+	+	+	+	24	-	-	-	+	-	2		24	-	-	-	-	-	0	
		48						48	-	+	-	-	-										
	0.1	24	-	-	-	-	-	24	-	-	-	-	-	1		24	-	-	-	-	-	0	
		48	+	+	+	+	+	48	-	-	-	+	-										
		24						24								24							
		48						48															
② No. Fork 1025 Special Cl2=Ø	10	24	+	+	+	+	+	24	-	+	-	-	+	5	300	24	-	+	-	-	+	2	4
		48						48	+		+	+											
	1	24	+	-	+	+	+	24	-	+	-	-	-	5		24	-	-	-	-	-	0	
		48		+				48	+		+	+	+										
	0.1	24	-	-	-	-	-	24	+	-	-	-	-	1		24	+	-	-	-	-	0	
		48	+	+	+	+	+	48		-	-	-	+										
		24						24								24							
		48						48															
③ So. Fork 1010 Special Cl2=Ø	10	24	+	+	+	+	+	24	-	-	-	+	-	5	80	24	-	-	-	+	-	1	2
		48						48	+	+	+		+										
	1	24	+	+	+	-	+	24	-	-	-	-	-	3		24	-	-	-	-	-	0	
		48					+	48	+	+	-	+	-										
	0.1	24	-	-	-	-	-	24	-	-	-	-	-	0		24	-	-	-	-	-	0	
		48	+	+	+	+	+	48	-	-	-	-	-										
		24						24								24							
		48						48															

Called

Date/Time

cc: SDSHD/RCHD

EDWARD S. BABCOCK & SONS, INC.



E.S. BABCOCK
& SONS, INC.

ESTABLISHED 1906

MAR 19 2001

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

TO: #172

Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
(909) 658-3241

Lab No. 010314-B498

Invoice No. 31809

Submitted

Sampled

By

KS

RWN

Employer

ESB

LHMWD

Date

3/14/01

3/14/01

Time

1430

Samples received on ice

☒ Yes ☐ No

Chain of Custody on file

☒ Yes ☐ No

Laboratory Analysis Record

Date & time of set-up 3-14 @ 1530 By DL

Time from collection to set-up: 2 hrs

Holding time (max. 6 hrs.) observed: ☒ Yes ☐ No

Date & time of readings:

Pres. 24hr. 1545CL Pres. 48hr. 1300CL Conf. 24hr. 1400 Conf. 48hr. 1315 Fecal 24hr. 1420 Fecal 48hr. 1330


Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221												Tubes +	MPN/100ml	Fecal	Tubes +	MPN/100ml					
		ml Planted	Presumptive					Confirmed															
Strawberry Creek 1000	10	24	+	+	+	+	+	24	-	-	-	+	-	3	14	24	-	-	-	-	-	0	42
		48				+		48	-	+	+		-										
	1	24	-	-	+	-	-	24	-	-	-	-	-	1		24	-	-	-	-	-	0	
		48	+	+		+	+	48	-	+	-	-	-										
	0.1	24	-	-	-	-	-	24	-		-			1		24	-		-	-		0	
		48	+	-	+	-	-	48	-		+												
South Fork Stream 1015	10	24	+	+	+	+	+	24	-	-	-	-	-	3	14	24	-	-	-	-	-	0	42
		48						48	+	+	+	-	-										
	1	24	+	-	+	-	-	24	-	-	-	-	-	1		24	-	-	-	-	-	0	
		48		+		+	+	48	-	-	-	+	-										
	0.1	24	-	-	-	-	-	24	-	-	+	-	-	1		24	-	+	+	+	+	0	
		48	+	+	+	+	+	48	-	-		-	-										
North Fork Stream 1045	10	24	+	-	+	+	+	24	-	+	-	+	-	4	22	24	-	+	-	-	-	1	2
		48		+				48	-		+		+										
	1	24	-	+	-	-	-	24	-	-	-	-	+	2		24	-	-	-	-	-	0	
		48	+		+	+	+	48	-	-	+	-											
	0.1	24	-	-	-	-	-	24	-	-	-	-	-	0		24	-	-	-	-	-	0	
		48	+	+	+	+	+	48	-	-	-	-	-										
		24					24								24								
		48						48															
		24					24								24								
		48						48															
		24					24								24								
		48						48															

Called

Date/Time

cc: SDSHD/RCHD

EDWARD S. BABCOCK & SONS, INC.



E.S. BABCOCK
& SONS, INC.

ESTABLISHED 1906

MAR 26 2001

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

TO: #172

Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
(909) 658-3241

Lab No. 010321 - B768

Invoice No. 32011

	Submitted	Sampled
By	<u>KS</u>	<u>MJF</u>
Employer	<u>ESB</u>	<u>LHMWD</u>
Date	<u>3/21/01</u>	<u>3/21/01</u>
Time	<u>1430</u>	<u>AS LISTED</u>

Laboratory Analysis Record

Date & time of set-up 3-21 @ 1520 By RS

Time from collection to set-up: ≤ 6 hrs

Holding time (max. 6 hrs.) observed: ☒ Yes ☐ No

Date & time of readings:

Pres. <u>24hr.</u>	Pres. <u>48hr.</u>	Conf. <u>24hr.</u>	Conf. <u>48hr.</u>	Fecal <u>24hr.</u>
<u>1335u</u>	<u>1400u</u>	<u>1320</u>	<u>1300</u>	<u>1340</u>

Samples received on ice ☒ Yes ☐ No
Chain of Custody on file ☒ Yes ☐ No


Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221														Fecal		Tubes +	MPN/100ml												
		ml Planted	Presumptive					Confirmed					Tubes +	MPN/100ml																	
North Fork @ 1045	10	24	+	+	+	+	+	24	+	+	+	+	+	24	+	+	+	+	+	+	5	500	24	+	+	+	+	+	+	3	8
		48						48						48																	
	1	24	+	+	+	+	+	24	+	+	+	+	+	24	+	+	+	+	+	+	5		24	+	+	+	+	+	+	0	
		48						48	+	+	+	+	+	48	+	+	+	+	+	+											
	0.1	24	+	+	+	+	+	24	+	+	+	+	+	24	+	+	+	+	+	+	2		24	+	+	+	+	+	+	0	
		48						48	+	+	+	+	+	48	+	+	+	+	+	+											
		24						24						24									24								
		48						48						48																	
South Fork @ 1029	10	24	+	+	+	+	+	24	+	+	+	+	+	24	+	+	+	+	+	+	5	90	24	+	+	+	+	+	+	0	<2
		48						48	+	+	+	+	+	48	+	+	+	+	+	+											
	1	24	+	+	+	+	+	24	+	+	+	+	+	24	+	+	+	+	+	+	2		24	+	+	+	+	+	+	0	
		48						48	+	+	+	+	+	48	+	+	+	+	+	+											
	0.1	24	+	+	+	+	+	24	+	+	+	+	+	24	+	+	+	+	+	+	2		24	+	+	+	+	+	+	0	
		48						48	+	+	+	+	+	48	+	+	+	+	+	+											
		24						24						24									24								
		48						48						48																	
Strawberry Cr @ 1020	10	24	+	+	+	+	+	24	+	+	+	+	+	24	+	+	+	+	+	+	5	110	24	+	+	+	+	+	+	0	<2
		48						48	+	+	+	+	+	48	+	+	+	+	+	+											
	1	24	+	+	+	+	+	24	+	+	+	+	+	24	+	+	+	+	+	+	3		24	+	+	+	+	+	+	0	
		48						48	+	+	+	+	+	48	+	+	+	+	+	+											
	0.1	24	+	+	+	+	+	24	+	+	+	+	+	24	+	+	+	+	+	+	1		24	+	+	+	+	+	+	0	
		48						48	+	+	+	+	+	48	+	+	+	+	+	+											
		24						24						24									24								
		48						48						48																	

Called

Date/Time

EDWARD S. BABCOCK & SONS, INC.

cc: SDSHD/RCHD



E.S. BABCOCK
& SONS, INC.

ESTABLISHED 1906

TO: #172

Lake Hemet Municipal Water District
P.O. Box 5039
Hemet, CA 92544
Attn: John Loncar
(909)658-3241

APR 02 2001

6100 Quail Valley Court Riverside, CA 92507
P.O. Box 432 Riverside, CA 92502
PH (909) 653-3351 FAX (909) 653-1662
Environmental Laboratory Certification #1156

Lab No. B10328-B1019

Invoice No. 32180

Submitted | Sampled

By KS | MLB

Employer ESB | LH MWD

Date 3/28/01 | 3/28/01

Time 1440 | As Listed

Laboratory Analysis Record

Date & time of set-up 3-28 @ 1610 By JS

Time from collection to set-up: 2.6 hrs

Holding time (max. 6 hrs.) observed: ☐ Yes ☒ No

Date & time of readings:

Pres. 24hr. 15/00 Pres. 48hr. 13/50 Conf. 24hr. 14/0 Conf. 48hr. 13/5 Fecal 24hr. 15/0

Samples received on ice ☒ Yes ☐ No
Chain of Custody on file ☒ Yes ☐ No

Sample Marking	Standard Plate Count	Coliform Bacteria SM 9221																					
		ml Planted	Presumptive					Confirmed					Tubes +	MPN/100ml	Fecal		Tubes +	MPN/100ml					
① D. Fork @ 0935	10	24	+	+	+	+	+	24	-	-	-	-	-	5	110	24	-	-	-	-	-	0	<2
		48						48	+	+	+	+	+										
	1	24	+	-	+	+	+	24	-	+	-	-	-	3		24	-	-	-	-	-	0	
		48	+					48	-	-	+	+											
	0.1	24	-	-	-	-	-	24	+	-	-	-	-	1		24	-	-	-	-	-	0	
		48	+	+	+	+	+	48	-	-	-	-											
		24						24								24							
		48						48															
② D. Fork @ 1000	10	24	+	+	+	+	+	24	-	-	-	-	-	5	900	24	-	-	-	-	-	0	<2
		48						48	+	+	+	+	+										
	1	24	-	-	-	-	-	24	-	+	-	+	-	5		24	-	-	-	-	-	0	
		48	+	+	+	+	+	48	+	+	+	+											
	0.1	24	-	-	-	-	-	24	-	-	-	-	-	3		24	-	-	-	-	-	0	
		48	+	+	+	+	+	48	+	+	-	+	-										
		24						24								24							
		48						48															
③ Rainberry Creek @ 0925	10	24	+	+	+	+	+	24	-	+	-	-	-	5	130	24	-	-	-	-	-	0	<2
		48						48	+	+	+	+											
	1	24	-	-	-	-	-	24	-	-	-	-	-	4		24	-	-	-	-	+	0	
		48	+	+	+	+	+	48	+	+	-	+	+										
	0.1	24	-	-	-	-	-	24	-	-	-	-	-	0		24	-	-	-	-	-	0	
		48	+	+	+	+	+	48	-	-	-	-											
		24						24								24							
		48						48															

Called

Date/Time

APR 03 2001

EDWARD S. BABCOCK & SONS, INC.

cc: SDSHD/RCHD

* more monitoring

✓

Receiving Water Body	Parameter Name	Number of times above std.	Standard	Source of Standard	Source of data
* Reach 7 - South Fork SJ River	Total Hardness	2 / 4 4 = 50%	100 mg/L	1995 Santa Ana	River Basin Plan
	Sodium	4 / 4 4 = 100%	10 mg/L	"	
	Sulfate	0 / 4 4 = 0%	20 mg/L	"	
	chloride	3 / 4 4 = 75%	15 mg/L	"	
	pH	—		"	
	TDS	4 / 4 4 = 100%	150 mg/L	"	
* North Fork	Total Hardness	0 / 4 4 = 0%	100 mg/L	1995 Santa Ana	River Basin Plan
	Sodium	3 / 4 75%	10 mg/L		
	Sulfate	0 / 4 0%	20 mg/L		
	chloride	0 / 4 "	15 mg/L		
	TDS	0 / 4 "	150 mg/L		
* Strawberry Creek	Total Hardness	0 / 4 "	100 mg/L	1995 Santa Ana	River Basin Plan
	Sodium	4 / 4 100%	10 mg/L	"	
	Sulfate	0 / 4 "	20 mg/L	"	
	chloride	3 / 4 75%	15 mg/L	"	
	TDS	3 / 4 75%	150 mg/L	"	

2. Strawberry Creek:

- Beneficial Uses: MUN, AGR, GWR, REC1, REC2, COLD, WILD
- Hydrologic Unit: 802.21
- Total Water Body Size: 9 miles
- Size Impaired: Unknown at this time
- Extent of Impairment: Unknown at this time
- Data Analyses:
 - Lake Hemet Water District Data:*
 - 0/4 exceeded the Basin Plan Objective total hardness objective of 100 mg/L
 - 4/4 exceeded the Basin Plan Objective sodium objective of 10 mg/L
 - 0/4 exceeded the Basin Plan Objective sulfate objective of 20 mg/L
 - 3/4 exceeded the Basin Plan Objective chloride objective of 15 mg/L
 - 3/4 exceeded the Basin Plan Objective TDS objective of 150 mg/L
- Potential Sources: Unknown at this time
- Recommendation: More monitoring due to not enough data points available per parameter to reach a conclusion for impairment and insufficient data to back up results.
- TMDL Priority: None at this time
- TMDL Start Date: Not applicable at this time
- TMDL End Date: Not applicable at this time